101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

Section

320.01: General Provisions

320.02: Definitions

320.03: Covered and Excluded Billing Situations 320.04: General Rate Provisions and Maximum Fees

320.05: Allowable Fees

320.06: Filing and Reporting Requirements

320.07: Severability

320.01: General Provisions

- (1) <u>Scope and Purpose</u>. 101 CMR 320.00 governs the payment rates for clinical laboratory services rendered to publicly aided individuals. The rates set forth in 101 CMR 320.00 do not apply to individuals covered by M.G.L. c. 152 (the Workers' Compensation Act). Rates for services rendered to such individuals are set forth in 114.3 CMR 40.00: *Rates for Services under M.G.L. c. 152, Workers' Compensation Act*.
- (2) <u>Applicable Dates of Service</u>. Rates contained in 101 CMR 320.00 apply for dates of service provided on or after <u>January August</u> 1, 202<u>2</u>1.
- (3) <u>Coverage</u>. The payment rates in 101 CMR 320.00 are full compensation for clinical laboratory services rendered to publicly aided individuals.
- (4) <u>Coding Updates and Corrections</u>. EOHHS may publish procedure code updates and corrections in the form of an administrative bulletin. Updates may reference coding systems including but not limited to the American Medical Association's *Current Procedural Terminology (CPT)*. The publication of such updates and corrections lists
 - (a) codes for which only the code numbers changed, with the corresponding cross-references between existing and new codes;
 - (b) deleted codes for which there are no corresponding new codes; and
 - (c) codes for entirely new services that require pricing. EOHHS may list and price these codes according to the rate methodology used in setting clinical laboratory rates when Medicare fees are available (including, for codes relating to Coronavirus Disease 2019 (COVID-19), at 100% of Medicare fees). When Medicare fees are not available, EOHHS may apply individual consideration (I.C.) in reimbursing for these codes until appropriate rates can be developed.
- (5) <u>Administrative Bulletins</u>. EOHHS may issue administrative bulletins to clarify its policy on and understanding of substantive provisions of 101 CMR 320.00.
- (6) <u>Disclaimer of Authorization of Services</u>. 101 CMR 320.00 is neither authorization for nor approval of the substantive services for which rates are determined pursuant to 101 CMR 320.00. governmental units that purchase care are responsible for the definition, authorization, and approval of care and services extended to publicly aided individuals.

101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

320.02: Definitions

As used in 101 CMR 320.00, terms have the meanings ascribed in 101 CMR 320.02.

<u>Allowable Fee</u>. The amount of reimbursement that is paid by all governmental units for a laboratory service, as set forth in 101 CMR 320.04 and 101 CMR 320.05.

<u>Bulk Purchase</u>. A single purchase of a laboratory service (one or more tests) to be uniformly and concurrently performed on a minimum of 40 specimens of the same type. A single purchase of various, non-uniform laboratory services, such as by a physician, is not considered a bulk purchase, regardless of the number of specimens presented by such a purchaser to the laboratory.

<u>Charge</u>. The price of a laboratory service as determined by the clinical laboratory performing the service.

<u>Clinical Laboratory</u>. A laboratory where microbiological, chemical, hematological, biophysical, cytological, immuno-hematological, or pathological examinations are performed on materials derived from the human body to provide information for the diagnosis, prevention, or treatment of a disease or assessment of a medical condition.

Center. The Center for Health Information and Analysis established under M.G.L. c. 12C.

Eligible Provider of Laboratory Services. A person licensed by an appropriate Board of Registration to perform clinical laboratory services, such registration being in accordance with the provisions of M.G.L. c. 112; or an independent laboratory. Such persons and laboratories must meet all conditions of participation that have been or may be adopted by a governmental unit that purchases laboratory services. For purposes of 101 CMR 320.00, eligible providers of laboratory services do not include hospital laboratories.

EOHHS. The Executive Office of Health and Human Services established under M.G.L. c. 6A.

Fee Schedule. (Description of Service and HCPCS/CPT-4 Procedure Code). The HHCFA ealthcare Common Procedure Coding System (HCPCS), which is based upon the American Medical Association (AMA) Current Procedural Terminology (CPT)-4, is the basis by which all procedures are performed. The CPT-4 handbook is updated by the AMA annually. All non-physician codes and terminology is defined by the Centers for Medicare & Medicaid Services (CMS)Health Care Financing Administration (HCFA) and set forth in the HCPCS file.

<u>Governmental Unit</u>. The Commonwealth, any department, division, agency, board, or commission of the Commonwealth and any political subdivision of the Commonwealth.

101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

<u>Independent Clinical Laboratory</u>. A clinical laboratory that is operated independently from a hospital or from an attending or consulting physician's office. If the laboratory is operated or directed by one or more licensed physicians, it must offer its services to other physicians to qualify as an independent clinical laboratory. In cases where two or more distinct, physically separated laboratory facilities operate under the same name and the same director, each facility that performs clinical laboratory services is treated as a separate independent clinical laboratory.

<u>Profile (or Panel) Tests</u>. Any group of tests, whether performed manually, automated, or semi-automated, that is ordered for a specific patient on a specified day, and has at least one of the following characteristics.

- (a) The group of tests is designated as a profile or panel by the clinical laboratory performing the tests.
- (b) The group of tests is performed by the clinical laboratory and the customary charge is less than the sum of that clinical laboratory's usual and customary charges for the individual tests in that group.

<u>Publicly Aided Individual</u>. A person who receives medical care and services for which a governmental unit is liable, in whole or in part, under a statutory program of public assistance.

Rate. The lesser of the charge or the allowable fee, as defined in 101 CMR 320.02.

<u>Usual and Customary Charge</u>. The lowest fee charged by an independent clinical laboratory for any laboratory service (including individual and profile tests) specified by 101 CMR 320.00 or by such independent clinical laboratory, which fee is in effect at the time such laboratory service is performed, other than a fee offered for a bulk purchase, as defined in 101 CMR 320.02.

320.03: Covered and Excluded Billing Situations

- (1) <u>Covered Billing Situations</u>. Except as provided in 101 CMR 320.03(2), the method of determining rates of payment contained in 101 CMR 320.00 apply to clinical laboratory services provided to publicly aided individuals, with the following conditions.
 - (a) If clinical laboratory services are performed by an Independent clinical laboratory, then the independent clinical laboratory must bill the governmental unit directly. The independent clinical laboratory may not bill indirectly by having a physician or dentist bill either the payer or the patient for services performed by the independent clinical laboratory.
 - (b) If clinical laboratory services are performed by a registered physician or dentist, or by an agent under his or her direct supervision, in his or her private medical office or clinic, then the registered physician or dentist must bill the governmental unit directly.
- (2) <u>Excluded Billing Situations</u>. 101 CMR 320.00 and the rates of payment contained in 101 CMR 320.00 do not govern the rates of payment for clinical laboratory services if
 - (a) the service is provided in state institutions by a state-employed physician, dentist, or dentist consultant;

101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

- (b) the service is provided by a physician or dentist whose salary from a hospital or affiliated medical school includes compensation for professional services rendered to patients; or
- (c) the physician, dentist, or independent laboratory does not customarily bill private patients without health insurance under comparable circumstances.
- (3) <u>Professional and Technical Component Services</u>. Some laboratory services have both professional and technical components. The professional component is set forth in 101 CMR 316.00: *Surgery and Anesthesia Services*, while the technical component is set forth in 101 CMR 320.00.
 - (a) The relevant codes for laboratory services containing both professional and technical components are 83020, 84165, 84166, 84181, 84182, 85390, 85576, 86153, 86255, 86320, 86325, 86327, 86334, 86335, 87164, 87207, and 89060.
 - (b) Surgical pathology services are excluded from 101 CMR 320.00 and instead included in 101 CMR 316.00: *Surgery and Anesthesia Services*. Surgical pathology services include codes 80500, 80502, 85060, 85097, 85396, 86077, 86078, 86079, 86153, 86486, 86490, 86510, 86580, 88104, 88106, 88108, 88112, 88120, 88121, 88125, 88141, 88160, 88161, 88162, 88172, 88173, 88177, 88182, 88184, 88185, 88187, 88188, 88189, 88199, 88291, 88299, 88300, 88302, 88304, 88305, 88307, 88309, 88311, 88312, 88313, 88314, 88319, 88321, 88323, 88325, 88329, 88331, 88332, 88333, 88334, 88341, 88344, 88346, 88348, 88350, 88355, 88356, 88358, 88360, 88361, 88362, 88363, 88365, 88366, 88367, 88368, 88369, 88374, 88375, 88377, 88380, 88381, 88387, 88388, 88399, 89049, 89060, 89220, 89230, and 89240.

320.04: General Rate Provisions and Maximum Fees

- (1) Rate Determination. Payment rates are the lowest of
 - (a) the eligible provider's usual and customary charge to patients other than publicly aided individuals or industrial accident patients;
 - (b) the applicable listing from the schedule of allowable fees listed in 101 CMR 320.05; or
 - (c) the amount that is allowable under 42 U.S.C. § 1396b(i)(7).
- (2) <u>Individual Consideration (I.C.)</u>. Unlisted procedures and laboratory tests designated I.C. are individually considered items. The eligible provider's bill for such a test must be accompanied by a brief report of the procedure or test performed and the eligible provider's usual and customary charge for that procedure or test. Determination of appropriate payments for procedures and tests designated I.C. are in accordance with the following standards and criteria:
 - (a) time required to perform the procedure;
 - (b) degree of skill required in the procedure performed;
 - (c) severity or complexity of the patient's disease, disorder, or disability;
 - (d) policies, procedures, and practices of other third party purchasers of care;
 - (e) prevailing medical-laboratory ethics and accepted custom of the medical-laboratory community; and
 - (f) such other standards and criteria as may be adopted by EOHHS. In no event may an eligible provider bill or be paid in excess of the usual and customary charge for the service.

101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

- (3) <u>Administrative and Supervisory Duties</u>. The rates of payment under 101 CMR 320.00 are full compensation for clinical laboratory services rendered to publicly aided individuals, as well as any related administrative or supervisory duties in connection with clinical laboratory services, without regard to where the service is rendered.
- (4) <u>Profile (or Panel) Tests</u>. In no event may an eligible provider bill or be paid separately for each of the tests included within a profile test when a profile test has either been performed by the provider or requested by an authorized person.

(5) Limitations on Payment for Panel Tests.

- (a) Any combination of the following tests when performed on a single patient on a single date of service is regarded as a single panel test:
 - 80047 Basic Metabolic Panel -calcium, ionized (Consists of 82330, 82374, 82435, 82565, 82947, 84132, 84295, 84520): eight individual tests
 - 80048 Basic Metabolic Panel -calcium, total (Consists of 82310, 82374, 82435, 82565, 82947, 84132, 84295, 84520): eight individual tests
 - 80051 Electrolyte Panel (Consists of 82374, 82435, 84132, 84295): four individual tests
 - 80053 Comprehensive Metabolic Panel (Consists of 82040, 82247, 82310, 82374, 82435, 82565, 82947, 84075, 84132, 84155, 84295, 84460, 84450, 84520): 14 individual tests
 - 80061 Lipid Panel (Consists of 82465, 83718, 84478): three individual tests
 - 80069 Renal Function Panel (Consists of 82040, 82310, 82374, 82435, 82565, 82947, 84100, 84132, 84295, 84520): ten individual tests
 - 80076 Hepatic Function Panel (Consists of 82040, 82247, 82248, 84075, 84155, 84460, 84450): seven individual tests
 - 82040 Albumin; serum
 - 82247 Bilirubin; total
 - 82248 Bilirubin; direct
 - 82310 Calcium; total
 - 82374 Carbon dioxide (bicarbonate)
 - 82435 Chloride; blood
 - 82465 Cholesterol, serum or whole blood, total
 - 82550 Creatine kinase (CK), (CPK); total
 - 82565 Creatinine: blood
 - 82947 Glucose; quantitative
 - 82977 Glutamyltransferase, gamma (GGT)
 - 83615 Lactate dehydrogenase (LD), (LDH)
 - 84075 Phosphatase, alkaline
 - 84100 Phosphorus, inorganic (phosphate)
 - 84132 Potassium; serum, plasma or whole blood
 - 84155 Protein, total, except refractometry
 - 84295 Sodium; serum, plasma or whole blood
 - 84450 Transferase; aspatrate amino (AST) (SGOT)
 - 84460 Transferase; alanine amino (ALT) (SGPT)
 - 84478 Triglycerides

101 CMR 320.00: <u>RATES FOR</u> CLINICAL LABORATORY SERVICES

84520 Urea nitrogen; quantitative

84550 Uric acid; blood

(b) Panel tests are reimbursed according to the following schedule.

Code	Rate	Description
ATP02	\$5.37	Auto Test Panel Pricing Code, 1-2 Tests
ATP03	\$6.85	Auto Test Panel Pricing Code, 3 Tests
ATP04	\$7.24	Auto Test Panel Pricing Code, 4 Tests
ATP05	\$8.06	Auto Test Panel Pricing Code, 5 Tests
ATP06	\$8.08	Auto Test Panel Pricing Code, 6 Tests
ATP07	\$8.43	Auto Test Panel Pricing Code, 7 Tests
ATP08	\$8.73	Auto Test Panel Pricing Code, 8 Tests
ATP09	\$8.96	Auto Test Panel Pricing Code, 9 Tests
ATP10	\$8.96	Auto Test Panel Pricing Code, 10 Tests
ATP11	\$9.11	Auto Test Panel Pricing Code, 11 Tests
ATP12	\$9.30	Auto Test Panel Pricing Code, 12 Tests
ATP13	\$10.89	Auto Test Panel Pricing Code, 13 Tests
ATP14	\$10.89	Auto Test Panel Pricing Code, 14 Tests
ATP15	\$10.89	Auto Test Panel Pricing Code, 15 Tests
ATP16	\$10.89	Auto Test Panel Pricing Code, 16 Tests
ATP17	\$10.97	Auto Test Panel Pricing Code, 17 Tests
ATP18	\$10.97	Auto Test Panel Pricing Code, 18 Tests
ATP19	\$11.41	Auto Test Panel Pricing Code, 19 Tests
ATP20	\$11.78	Auto Test Panel Pricing Code, 20 Tests
ATP21	\$12.15	Auto Test Panel Pricing Code, 21 Tests
ATP22	\$12.51	Auto Test Panel Pricing Code, 22 Tests
ATP23	\$12.51	Auto Test Panel Pricing Code, 23 or more Tests
<u>Code</u>	Rate	<u>Description</u>
<u>ATP02</u>	<u>\$5.45</u>	Auto Test Panel Pricing Code, 1-2 Tests
<u>ATP03</u>	<u>\$6.95</u>	Auto Test Panel Pricing Code, 3 Tests
<u>ATP04</u>	<u>\$7.34</u>	Auto Test Panel Pricing Code, 4 Tests
<u>ATP05</u>	<u>\$8.17</u>	Auto Test Panel Pricing Code, 5 Tests
<u>ATP06</u>	<u>\$8.19</u>	Auto Test Panel Pricing Code, 6 Tests
<u>ATP07</u>	<u>\$8.55</u>	Auto Test Panel Pricing Code, 7 Tests
<u>ATP08</u>	<u>\$8.85</u>	Auto Test Panel Pricing Code, 8 Tests
<u>ATP09</u>	<u>\$9.09</u>	Auto Test Panel Pricing Code, 9 Tests
<u>ATP10</u>	<u>\$9.09</u>	Auto Test Panel Pricing Code, 10 Tests
<u>ATP11</u>	<u>\$9.24</u>	Auto Test Panel Pricing Code, 11 Tests
<u>ATP12</u>	<u>\$9.43</u>	Auto Test Panel Pricing Code, 12 Tests

101 CMR 320.00: <u>RATES FOR</u> CLINICAL LABORATORY SERVICES

Code	Rate	Description
<u>ATP13</u>	<u>\$11.04</u>	Auto Test Panel Pricing Code, 13 Tests
<u>ATP14</u>	<u>\$11.04</u>	Auto Test Panel Pricing Code, 14 Tests
<u>ATP15</u>	<u>\$11.04</u>	Auto Test Panel Pricing Code, 15 Tests
<u>ATP16</u>	<u>\$11.04</u>	Auto Test Panel Pricing Code, 16 Tests
<u>ATP17</u>	<u>\$11.12</u>	Auto Test Panel Pricing Code, 17 Tests
<u>ATP18</u>	<u>\$11.12</u>	Auto Test Panel Pricing Code, 18 Tests
<u>ATP19</u>	<u>\$11.57</u>	Auto Test Panel Pricing Code, 19 Tests
<u>ATP20</u>	<u>\$11.95</u>	Auto Test Panel Pricing Code, 20 Tests
<u>ATP21</u>	<u>\$12.32</u>	Auto Test Panel Pricing Code, 21 Tests
<u>ATP22</u>	<u>\$12.69</u>	Auto Test Panel Pricing Code, 22 Tests
ATP23	\$12.69	Auto Test Panel Pricing Code, 23 or more Tests

320.05: Allowable Fees

<u>Code</u>	<u>Rate</u>	<u>Description</u>
	<u>Organ</u>	and Disease Oriented Panels
80047	<u>\$12.11</u>	Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)
80048	<u>\$7.46</u>	Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80050	<u>\$17.18</u>	General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thyroid stimulating hormone (TSH) (84443)
80051	<u>\$6.18</u>	Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)

<u>Code</u>	Rate	Description
80053	<u>\$9.31</u>	Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)
80055	<u>\$42.17</u>	Obstetric panel This panel must include the following: Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Hepatitis B surface antigen (HBsAg) (87340) Antibody, rubella (86762) Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART) (86592) Antibody screen, RBC, each serum technique (86850) Blood typing, ABO (86900) AND Blood typing, Rh (D) (86901)
80061	<u>\$11.81</u>	Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)
80069	<u>\$7.66</u>	Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80074	<u>\$42.01</u>	Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)
80076	<u>\$7.21</u>	Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)
<u>80081</u>	<u>\$66.03</u>	Obstetric panel (includes HIV testing)
00142		Testing and Therapeutic Assays
<u>80143</u>	<u>\$16.44</u>	<u>Acetaminophen</u>

<u>Code</u>	Rate	Description
80145	\$34.02	<u>Adalimumab</u>
80150	\$13.30	<u>Amikacin</u>
<u>80151</u>	\$16.44	Amiodarone
<u>80155</u>	\$34.02	<u>Caffeine</u>
<u>80156</u>	<u>\$12.85</u>	Carbamazepine; total
<u>80157</u>	<u>\$11.69</u>	Carbamazepine; free
<u>80158</u>	\$15.92	Cyclosporine
<u>80159</u>	<u>\$17.77</u>	Clozapine
<u>80161</u>	<u>\$16.44</u>	Carbamazepine; -10,11-epoxide
<u>80162</u>	<u>\$11.71</u>	Digoxin; total
<u>80163</u>	<u>\$11.71</u>	Digoxin; free
<u>80164</u>	<u>\$11.94</u>	Valproic acid (dipropylacetic acid); total
<u>80165</u>	<u>\$11.94</u>	Valproic acid (dipropylacetic acid); free
<u>80167</u>	<u>\$16.44</u>	<u>Felbamate</u>
<u>80168</u>	<u>\$14.41</u>	<u>Ethosuximide</u>
<u>80169</u>	<u>\$12.11</u>	<u>Everolimus</u>
<u>80170</u>	<u>\$14.45</u>	Gentamicin
<u>80171</u>	<u>\$19.11</u>	Gabapentin, whole blood, serum, or plasma
<u>80173</u>	<u>\$13.92</u>	<u>Haloperidol</u>
<u>80175</u>	<u>\$11.69</u>	Lamotrigine
<u>80176</u>	<u>\$12.96</u>	Lidocaine
<u>80177</u>	<u>\$11.69</u>	<u>Levetiracetam</u>
<u>80178</u>	<u>\$5.83</u>	<u>Lithium</u>
<u>80179</u>	<u>\$16.44</u>	Salicylate
<u>80180</u>	<u>\$15.92</u>	Mycophenolate (mycophenolic acid)
<u>80181</u>	<u>\$16.44</u>	Flecainide
<u>80183</u>	<u>\$11.69</u>	<u>Oxcarbazepine</u>
<u>80184</u>	<u>\$13.49</u>	<u>Phenobarbital</u>
<u>80185</u>	<u>\$11.69</u>	Phenytoin; total
<u>80186</u>	<u>\$12.14</u>	Phenytoin; free
<u>80187</u>	<u>\$23.91</u>	<u>Posaconazole</u>
<u>80188</u>	<u>\$14.63</u>	<u>Primidone</u>
<u>80189</u>	<u>\$23.91</u>	<u>Itraconazole</u>
<u>80190</u>	<u>\$52.92</u>	Procainamide;
<u>80192</u>	<u>\$14.77</u>	Procainamide; with metabolites (eg, n-acetyl procainamide)
<u>80193</u>	<u>\$34.02</u>	Leflunomide
<u>80194</u>	<u>\$12.88</u>	Quinidine
<u>80195</u>	\$12.11	Sirolimus
<u>80197</u>	<u>\$12.11</u>	<u>Tacrolimus</u>

Code	Rate	<u>Description</u>
80198	<u>\$12.47</u>	Theophylline
80199	\$23.91	<u>Tiagabine</u>
80200	\$14.23	<u>Tobramycin</u>
80201	<u>\$10.51</u>	<u>Topiramate</u>
80202	<u>\$11.94</u>	Vancomycin
80203	<u>\$11.69</u>	Zonisamide
<u>80204</u>	<u>\$34.02</u>	<u>Methotrexate</u>
<u>80210</u>	<u>\$23.91</u>	Rufinamide
80230	<u>\$34.02</u>	<u>Infliximab</u>
<u>80235</u>	<u>\$23.91</u>	<u>Lacosamide</u>
<u>80280</u>	<u>\$34.02</u>	<u>Vedolizumab</u>
<u>80285</u>	<u>\$23.91</u>	<u>Voriconazole</u>
	Ex	vocative Suppression Testing
<u>80299</u>	<u>\$16.44</u>	Quantitation of therapeutic drug, not elsewhere specified
<u>80305</u>	<u>\$8.92</u>	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; capable of being read by direct optical observation only (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service
80306	<u>\$11.89</u>	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; read by instrument assisted direct optical observation (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service
<u>80307</u>	<u>\$47.55</u>	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service
80400	\$28.77	ACTH stimulation panel; for adrenal insufficiency This panel must include the following: Cortisol (82533 x 2)
80402	<u>\$76.70</u>	ACTH stimulation panel; for 21 hydroxylase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxyprogesterone (83498 x 2)

<u>Code</u>	Rate	<u>Description</u>
80406	<u>\$69.03</u>	ACTH stimulation panel; for 3 beta-hydroxydehydrogenase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxypregnenolone (84143 x 2)
80408	<u>\$110.69</u>	Aldosterone suppression evaluation panel (eg, saline infusion) This panel must include the following: Aldosterone (82088 x 2) Renin (84244 x 2)
80410	<u>\$70.89</u>	Calcitonin stimulation panel (eg, calcium, pentagastrin) This panel must include the following: Calcitonin (82308 x 3)
80412	<u>\$707.03</u>	Corticotropic releasing hormone (CRH) stimulation panel This panel must include the following: Cortisol (82533 x 6) Adrenocorticotropic hormone (ACTH) (82024 x 6)
80414	<u>\$45.55</u>	Chorionic gonadotropin stimulation panel; testosterone response This panel must include the following: Testosterone (84403 x 2 on 3 pooled blood samples)
<u>80415</u>	<u>\$49.29</u>	Chorionic gonadotropin stimulation panel; estradiol response This panel must include the following: Estradiol, total (82670 x 2 on 3 pooled blood samples)
<u>80416</u>	<u>\$184.62</u>	Renal vein renin stimulation panel (eg, captopril) This panel must include the following: Renin (84244 x 6)
80417	\$38.80	Peripheral vein renin stimulation panel (eg, captopril) This panel must include the following: Renin (84244 x 2)
80418	<u>\$511.10</u>	Combined rapid anterior pituitary evaluation panel This panel must include the following: Adrenocorticotropic hormone (ACTH) (82024 x 4) Luteinizing hormone (LH) (83002 x 4) Follicle stimulating hormone (FSH) (83001 x 4) Prolactin (84146 x 4) Human growth hormone (HGH) (83003 x 4) Cortisol (82533 x 4) Thyroid stimulating hormone (TSH) (84443 x 4)
80420	<u>\$142.78</u>	Dexamethasone suppression panel, 48 hour This panel must include the following: Free cortisol, urine (82530 x 2) Cortisol (82533 x 2) Volume measurement for timed collection (81050 x 2)
80422	<u>\$40.63</u>	Glucagon tolerance panel; for insulinoma This panel must include the following: Glucose (82947 x 3) Insulin (83525 x 3)
80424	<u>\$44.54</u>	Glucagon tolerance panel; for pheochromocytoma This panel must include the following: Catecholamines, fractionated (82384 x 2)
80426	<u>\$130.90</u>	Gonadotropin releasing hormone stimulation panel This panel must include the following: Follicle stimulating hormone (FSH) (83001 x 4) Luteinizing hormone (LH) (83002 x 4)

<u>Code</u>	<u>Rate</u>	Description		
80428	<u>\$58.83</u>	Growth hormone stimulation panel (eg, arginine infusion, l-dopa administration) This panel must include the following: Human growth hormone (HGH) (83003 x 4)		
80430	<u>\$114.07</u>	Growth hormone suppression panel (glucose administration) This panel must include the following: Glucose (82947 x 3) Human growth hormone (HGH) (83003 x 4)		
80432	<u>\$146.07</u>	Insulin-induced C-peptide suppression panel This panel must include the following: Insulin (83525) C-peptide (84681 x 5) Glucose (82947 x 5)		
80434	<u>\$251.40</u>	Insulin tolerance panel; for ACTH insufficiency This panel must include the following: Cortisol (82533 x 5) Glucose (82947 x 5)		
<u>80435</u>	<u>\$90.85</u>	Insulin tolerance panel; for growth hormone deficiency This panel must include the following: Glucose (82947 x 5) Human growth hormone (HGH) (83003 x 5)		
80436	\$80.40	Metyrapone panel This panel must include the following: Cortisol (82533 x 2) 11 deoxycortisol (82634 x 2)		
80438	<u>\$44.46</u>	Thyrotropin releasing hormone (TRH) stimulation panel; 1 hour This panel must include the following: Thyroid stimulating hormone (TSH) (84443 x 3)		
80439	<u>\$59.28</u>	Thyrotropin releasing hormone (TRH) stimulation panel; 2 hour This panel must include the following: Thyroid stimulating hormone (TSH) (84443 x 4)		
	<u>Urinalysis</u>			
81000	<u>\$3.55</u>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy		
<u>81001</u>	\$2.80	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy		
81002	<u>\$3.07</u>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy		
81003	<u>\$1.98</u>	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy		

<u>Code</u>	Rate	Description
81005	\$1.91	Urinalysis; qualitative or semiquantitative, except
81003	<u>\$1.91</u>	<u>immunoassays</u>
<u>81007</u>	<u>\$26.44</u>	<u>Urinalysis</u> ; bacteriuria screen, except by culture or dipstick
<u>81015</u>	\$2.69	<u>Urinalysis; microscopic only</u>
<u>81020</u>	<u>\$4.15</u>	<u>Urinalysis</u> ; 2 or 3 glass test
<u>81025</u>	<u>\$7.59</u>	<u>Urine pregnancy test, by visual color comparison methods</u>
<u>81050</u>	<u>\$3.21</u>	Volume measurement for timed collection, each
<u>81099</u>	<u>I.C.</u>	<u>Unlisted urinalysis procedure</u>
		Chemistry
92000	\$2.00	Ketone body(s) (eg, acetone, acetoacetic acid, beta-
<u>82009</u>	<u>\$3.99</u>	<u>hydroxybutyrate</u>); <u>qualitative</u>
82010	\$7.21	Ketone body(s) (eg, acetone, acetoacetic acid, beta-
<u>82010</u>	<u>Ψ7.21</u>	<u>hydroxybutyrate</u>); <u>quantitative</u>
<u>82013</u>	<u>\$10.84</u>	<u>Acetylcholinesterase</u>
<u>82016</u>	<u>\$14.54</u>	Acylcarnitines; qualitative, each specimen
<u>82017</u>	<u>\$14.88</u>	Acylcarnitines; quantitative, each specimen
<u>82024</u>	<u>\$34.06</u>	Adrenocorticotropic hormone (ACTH)
<u>82030</u>	<u>\$22.76</u>	Adenosine, 5-monophosphate, cyclic (cyclic AMP)
<u>82040</u>	<u>\$4.37</u>	Albumin; serum, plasma or whole blood
<u>82042</u>	<u>\$6.86</u>	Albumin; other source, quantitative, each specimen
<u>82043</u>	<u>\$5.10</u>	Albumin; urine (eg, microalbumin), quantitative
<u>82044</u>	<u>\$5.49</u>	Albumin; urine (eg, microalbumin), semiquantitative (eg, reagent strip assay)
<u>82045</u>	\$29.94	Albumin; ischemia modified
<u>82075</u>	\$26.46	Alcohol (ethanol); breath
<u>82077</u>	<u>\$15.23</u>	Alcohol (ethanol); any specimen except urine and breath, immunoassay (eg, IA, EIA, ELISA, RIA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)
<u>82085</u>	\$8.56	Aldolase
<u>82088</u>	<u>\$35.94</u>	Aldosterone
<u>82103</u>	<u>\$11.85</u>	Alpha-1-antitrypsin; total
<u>82104</u>	<u>\$12.75</u>	Alpha-1-antitrypsin; phenotype
<u>82105</u>	<u>\$14.79</u>	Alpha-fetoprotein (AFP); serum
<u>82106</u>	<u>\$14.99</u>	Alpha-fetoprotein (AFP); amniotic fluid
<u>82107</u>	<u>\$56.81</u>	Alpha-fetoprotein (AFP); AFP-L3 fraction isoform and total AFP (including ratio)
<u>82108</u>	\$22.47	Aluminum
82120	\$5.28	Amines, vaginal fluid, qualitative
<u>82127</u>	\$12.51	Amino acids; single, qualitative, each specimen

<u>Code</u>	Rate	<u>Description</u>
<u>82128</u>	<u>\$12.23</u>	Amino acids; multiple, qualitative, each specimen
<u>82131</u>	<u>\$20.27</u>	Amino acids; single, quantitative, each specimen
<u>82135</u>	\$14.51	Aminolevulinic acid, delta (ALA)
<u>82136</u>	\$17.30	Amino acids, 2 to 5 amino acids, quantitative, each specimen
<u>82139</u>	<u>\$14.88</u>	Amino acids, 6 or more amino acids, quantitative, each specimen
<u>82140</u>	<u>\$12.85</u>	<u>Ammonia</u>
<u>82143</u>	<u>\$8.25</u>	Amniotic fluid scan (spectrophotometric)
<u>82150</u>	\$5.72	Amylase
<u>82154</u>	\$25.43	Androstanediol glucuronide
<u>82157</u>	<u>\$25.82</u>	Androstenedione
<u>82160</u>	\$22.54	Androsterone
82163	<u>\$18.10</u>	Angiotensin II
82164	\$12.88	Angiotensin I - converting enzyme (ACE)
<u>82172</u>	\$18.60	Apolipoprotein, each
82175	\$16.73	Arsenic
82180	\$8.72	Ascorbic acid (Vitamin C), blood
82190	\$14.02	Atomic absorption spectroscopy, each analyte
82232	\$14.27	Beta-2 microglobulin
82239	\$15.10	Bile acids; total
82240	\$23.44	Bile acids; cholylglycine
82247	\$4.43	Bilirubin; total
82248	\$4.43	Bilirubin; direct
82252	\$4.02	Bilirubin; feces, qualitative
82261	\$14.88	Biotinidase, each specimen
82270	<u>\$3.86</u>	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)
<u>82271</u>	<u>\$4.69</u>	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources
82272	<u>\$3.73</u>	Blood, occult, by peroxidase activity (eg. guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening
82274	<u>\$14.04</u>	Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations
<u>82286</u>	<u>\$4.55</u>	Bradykinin
<u>82300</u>	<u>\$20.85</u>	Cadmium

<u>Code</u>	Rate	<u>Description</u>
82306	\$26.11	Vitamin D; 25 hydroxy, includes fraction(s), if performed
82308	\$23.63	Calcitonin
82310	<u>\$4.55</u>	Calcium; total
82330	\$12.07	Calcium; ionized
82331	<u>\$11.77</u>	Calcium; after calcium infusion test
<u>82340</u>	<u>\$5.32</u>	Calcium; urine quantitative, timed specimen
<u>82355</u>	<u>\$10.21</u>	Calculus; qualitative analysis
<u>82360</u>	<u>\$11.35</u>	Calculus; quantitative analysis, chemical
<u>82365</u>	<u>\$11.38</u>	Calculus; infrared spectroscopy
<u>82370</u>	<u>\$11.04</u>	Calculus; X-ray diffraction
<u>82373</u>	<u>\$15.93</u>	Carbohydrate deficient transferrin
<u>82374</u>	<u>\$4.30</u>	Carbon dioxide (bicarbonate)
<u>82375</u>	<u>\$10.87</u>	Carboxyhemoglobin; quantitative
<u>82376</u>	<u>\$12.41</u>	Carboxyhemoglobin; qualitative
<u>82378</u>	<u>\$16.72</u>	Carcinoembryonic antigen (CEA)
<u>82379</u>	<u>\$14.88</u>	Carnitine (total and free), quantitative, each specimen
<u>82380</u>	<u>\$8.13</u>	Carotene
<u>82382</u>	<u>\$24.08</u>	Catecholamines; total urine
<u>82383</u>	<u>\$25.65</u>	Catecholamines; blood
<u>82384</u>	<u>\$22.27</u>	<u>Catecholamines</u> ; <u>fractionated</u>
<u>82387</u>	<u>\$15.93</u>	<u>Cathepsin-D</u>
<u>82390</u>	<u>\$9.47</u>	Ceruloplasmin
<u>82397</u>	<u>\$12.45</u>	<u>Chemiluminescent assay</u>
<u>82415</u>	<u>\$11.17</u>	Chloramphenicol
<u>82435</u>	<u>\$4.06</u>	<u>Chloride</u> ; blood
<u>82436</u>	<u>\$5.07</u>	Chloride; urine
<u>82438</u>	<u>\$4.41</u>	<u>Chloride</u> ; other source
<u>82441</u>	<u>\$5.30</u>	Chlorinated hydrocarbons, screen
<u>82465</u>	<u>\$3.84</u>	Cholesterol, serum or whole blood, total
<u>82480</u>	<u>\$6.94</u>	<u>Cholinesterase; serum</u>
<u>82482</u>	<u>\$8.65</u>	Cholinesterase; RBC
<u>82485</u>	<u>\$18.21</u>	Chondroitin B sulfate, quantitative
<u>82495</u>	<u>\$17.89</u>	<u>Chromium</u>
<u>82507</u>	<u>\$24.52</u>	Citrate
<u>82523</u>	<u>\$16.48</u>	Collagen cross links, any method
<u>82525</u>	<u>\$10.95</u>	Copper
<u>82528</u>	<u>\$19.86</u>	Corticosterone
<u>82530</u>	<u>\$14.74</u>	Cortisol; free
<u>82533</u>	<u>\$14.38</u>	Cortisol; total

<u>Code</u>	<u>Rate</u>	<u>Description</u>
82540	<u>\$4.09</u>	Creatine
<u>82542</u>	<u>\$21.25</u>	Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen
82550	<u>\$5.74</u>	Creatine kinase (CK), (CPK); total
<u>82552</u>	<u>\$11.81</u>	Creatine kinase (CK), (CPK); isoenzymes
<u>82553</u>	<u>\$10.19</u>	Creatine kinase (CK), (CPK); MB fraction only
<u>82554</u>	<u>\$10.47</u>	Creatine kinase (CK), (CPK); isoforms
<u>82565</u>	<u>\$4.52</u>	<u>Creatinine</u> ; blood
<u>82570</u>	<u>\$4.57</u>	<u>Creatinine</u> ; other source
<u>82575</u>	<u>\$8.34</u>	<u>Creatinine; clearance</u>
<u>82585</u>	<u>\$12.47</u>	<u>Cryofibrinogen</u>
<u>82595</u>	<u>\$5.71</u>	Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)
<u>82600</u>	<u>\$17.11</u>	Cyanide
<u>82607</u>	<u>\$13.30</u>	Cyanocobalamin (Vitamin B-12);
<u>82608</u>	<u>\$12.63</u>	Cyanocobalamin (Vitamin B-12); unsaturated binding capacity
<u>82610</u>	<u>\$16.33</u>	<u>Cystatin C</u>
<u>82615</u>	<u>\$8.42</u>	Cystine and homocystine, urine, qualitative
<u>82626</u>	<u>\$22.29</u>	<u>Dehydroepiandrosterone (DHEA)</u>
<u>82627</u>	<u>\$19.61</u>	<u>Dehydroepiandrosterone-sulfate (DHEA-S)</u>
<u>82633</u>	<u>\$27.32</u>	<u>Desoxycorticosterone</u> , 11-
<u>82634</u>	<u>\$25.82</u>	Deoxycortisol, 11-
<u>82638</u>	<u>\$10.80</u>	<u>Dibucaine number</u>
<u>82642</u>	<u>\$25.82</u>	<u>Dihydrotestosterone (DHT)</u>
<u>82652</u>	<u>\$33.96</u>	Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed
<u>82656</u>	<u>\$10.17</u>	Elastase, pancreatic (EL-1), fecal, qualitative or semi- quantitative
<u>82657</u>	<u>\$19.55</u>	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen
<u>82658</u>	\$38.83	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; radioactive substrate, each specimen
82664	<u>\$54.24</u>	Electrophoretic technique, not elsewhere specified
82668	\$16.57	<u>Erythropoietin</u>
82670	\$24.64	Estradiol; total
82671	\$28.49	Estrogens; fractionated
<u>82672</u>	<u>\$19.14</u>	Estrogens; total
82677	\$21.33	Estriol
<u>82679</u>	<u>\$22.01</u>	Estrone

<u>Code</u>	<u>Rate</u>	Description
<u>82681</u>	\$24.64	Estradiol; free, direct measurement (eg, equilibrium dialysis)
<u>82693</u>	\$13.14	Ethylene glycol
<u>82696</u>	\$23.14	Etiocholanolone
<u>82705</u>	\$4.50	Fat or lipids, feces; qualitative
<u>82710</u>	\$14.82	Fat or lipids, feces; quantitative
<u>82715</u>	\$20.26	Fat differential, feces, quantitative
<u>82725</u>	<u>\$16.56</u>	Fatty acids, nonesterified
<u>82726</u>	\$17.42	Very long chain fatty acids
<u>82728</u>	\$12.02	<u>Ferritin</u>
<u>82731</u>	\$56.81	Fetal fibronectin, cervicovaginal secretions, semi-quantitative
<u>82735</u>	\$16.35	Fluoride
<u>82746</u>	\$12.97	Folic acid; serum
<u>82747</u>	\$15.57	Folic acid; RBC
<u>82757</u>	\$15.29	Fructose, semen
<u>82759</u>	\$18.95	Galactokinase, RBC
<u>82760</u>	\$9.88	Galactose
<u>82775</u>	\$18.58	Galactose-1-phosphate uridyl transferase; quantitative
<u>82776</u>	<u>\$10.35</u>	Galactose-1-phosphate uridyl transferase; screen
<u>82777</u>	<u>\$39.03</u>	Galectin-3
<u>82784</u>	<u>\$8.20</u>	Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each
<u>82785</u>	<u>\$14.52</u>	Gammaglobulin (immunoglobulin); IgE
<u>82787</u>	<u>\$7.07</u>	Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each
<u>82800</u>	\$9.70	Gases, blood, pH only
<u>82803</u>	<u>\$22.99</u>	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation);
<u>82805</u>	<u>\$69.48</u>	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry
<u>82810</u>	<u>\$8.62</u>	Gases, blood, O2 saturation only, by direct measurement, except pulse oximetry
<u>82820</u>	<u>\$11.77</u>	Hemoglobin-oxygen affinity (pO2 for 50% hemoglobin saturation with oxygen)
<u>82930</u>	<u>\$5.92</u>	Gastric acid analysis, includes pH if performed, each specimen
<u>82938</u>	<u>\$15.60</u>	Gastrin after secretin stimulation
<u>82941</u>	<u>\$15.55</u>	Gastrin
<u>82943</u>	<u>\$12.60</u>	Glucagon
<u>82945</u>	<u>\$3.47</u>	Glucose, body fluid, other than blood
<u>82946</u>	<u>\$15.67</u>	Glucagon tolerance test

<u>Code</u>	<u>Rate</u>	Description
82947	\$3.47	Glucose; quantitative, blood (except reagent strip)
<u>82948</u>	<u>\$4.45</u>	Glucose; blood, reagent strip
<u>82950</u>	<u>\$4.19</u>	Glucose; post glucose dose (includes glucose)
<u>82951</u>	<u>\$11.35</u>	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
<u>82952</u>	<u>\$3.46</u>	Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)
<u>82955</u>	\$8.56	Glucose-6-phosphate dehydrogenase (G6PD); quantitative
<u>82960</u>	<u>\$5.34</u>	Glucose-6-phosphate dehydrogenase (G6PD); screen
<u>82962</u>	<u>\$2.89</u>	Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use
<u>82963</u>	\$18.95	Glucosidase, beta
<u>82965</u>	\$11.60	Glutamate dehydrogenase
<u>82977</u>	<u>\$6.35</u>	Glutamyltransferase, gamma (GGT)
<u>82978</u>	\$13.63	Glutathione
<u>82979</u>	<u>\$8.33</u>	Glutathione reductase, RBC
<u>82985</u>	<u>\$14.78</u>	Glycated protein
<u>83001</u>	<u>\$16.39</u>	Gonadotropin; follicle stimulating hormone (FSH)
<u>83002</u>	<u>\$16.33</u>	Gonadotropin; luteinizing hormone (LH)
<u>83003</u>	<u>\$14.70</u>	Growth hormone, human (HGH) (somatotropin)
<u>83006</u>	<u>\$66.68</u>	Growth stimulation expressed gene 2 (ST2, Interleukin 1 receptor like-1)
83009	\$59.41	Helicobacter pylori, blood test analysis for urease activity, non-radioactive isotope (eg, C-13)
83010	\$11.10	Haptoglobin; quantitative
83012	\$23.72	Haptoglobin; phenotypes
83013	<u>\$59.41</u>	Helicobacter pylori; breath test analysis for urease activity, non-radioactive isotope (eg, C-13)
83014	\$6.93	Helicobacter pylori; drug administration
83015	\$18.47	Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); qualitative, any number of analytes
83018	\$19.37	Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified
83020	<u>\$11.35</u>	Hemoglobin fractionation and quantitation; electrophoresis (eg. A2, S, C, and/or F)
83021	<u>\$15.93</u>	Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)
83026	\$3.54	Hemoglobin; by copper sulfate method, non-automated
83030	\$9.47	Hemoglobin; F (fetal), chemical
83033	<u>\$7.06</u>	Hemoglobin; F (fetal), qualitative

<u>Code</u>	Rate	<u>Description</u>
83036	\$8.56	Hemoglobin; glycosylated (A1C)
83037	\$8.56	Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use
83045	\$5.72	Hemoglobin; methemoglobin, qualitative
<u>83050</u>	<u>\$7.23</u>	Hemoglobin; methemoglobin, quantitative
83051	<u>\$6.45</u>	Hemoglobin; plasma
83060	<u>\$7.76</u>	Hemoglobin; sulfhemoglobin, quantitative
83065	<u>\$7.94</u>	Hemoglobin; thermolabile
83068	<u>\$8.35</u>	Hemoglobin; unstable, screen
83069	\$3.48	Hemoglobin; urine
83070	<u>\$4.19</u>	Hemosiderin, qualitative
83080	<u>\$14.88</u>	b-Hexosaminidase, each assay
83088	<u>\$26.05</u>	<u>Histamine</u>
83090	\$15.81	<u>Homocysteine</u>
<u>83150</u>	<u>\$19.77</u>	Homovanillic acid (HVA)
83491	\$15.79	Hydroxycorticosteroids, 17- (17-OHCS)
83497	\$11.38	Hydroxyindolacetic acid, 5-(HIAA)
83498	\$23.96	Hydroxyprogesterone, 17-d
83500	\$19.98	Hydroxyproline; free
<u>83505</u>	\$21.43	Hydroxyproline; total
<u>83516</u>	<u>\$10.17</u>	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method
83518	\$8.50	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, single step method (eg, reagent strip)
83519	<u>\$16.23</u>	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)
83520	<u>\$15.23</u>	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified
83525	\$10.08	Insulin; total
83527	\$11.42	Insulin; free
83528	\$17.48	Intrinsic factor
83540	\$5.71	Iron
83550	<u>\$7.71</u>	Iron binding capacity
83570	\$7.81	Isocitric dehydrogenase (IDH)
83582	\$13.64	Ketogenic steroids, fractionation
83586	\$11.29	Ketosteroids, 17- (17-KS); total

<u>Code</u>	Rate	Description
83593	\$25.14	Ketosteroids, 17- (17-KS); fractionation
83605	\$10.20	Lactate (lactic acid)
83615	\$5.33	Lactate dehydrogenase (LD), (LDH);
<u>83625</u>	<u>\$11.28</u>	<u>Lactate dehydrogenase (LD), (LDH); isoenzymes, separation</u> <u>and quantitation</u>
83630	\$17.38	Lactoferrin, fecal; qualitative
<u>83631</u>	<u>\$17.31</u>	Lactoferrin, fecal; quantitative
<u>83632</u>	<u>\$17.83</u>	Lactogen, human placental (HPL) human chorionic somatomammotropin
<u>83633</u>	<u>\$9.92</u>	Lactose, urine, qualitative
<u>83655</u>	<u>\$10.68</u>	Lead
<u>83661</u>	<u>\$19.40</u>	Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio
83662	<u>\$16.68</u>	Fetal lung maturity assessment; foam stability test
<u>83663</u>	<u>\$16.68</u>	Fetal lung maturity assessment; fluorescence polarization
<u>83664</u>	<u>\$17.04</u>	Fetal lung maturity assessment; lamellar body density
<u>83670</u>	<u>\$8.65</u>	Leucine aminopeptidase (LAP)
<u>83690</u>	<u>\$6.08</u>	<u>Lipase</u>
<u>83695</u>	<u>\$12.63</u>	<u>Lipoprotein (a)</u>
<u>83698</u>	<u>\$40.85</u>	Lipoprotein-associated phospholipase A2 (Lp-PLA2)
<u>83700</u>	<u>\$9.93</u>	Lipoprotein, blood; electrophoretic separation and quantitation
83701	<u>\$29.86</u>	Lipoprotein, blood; high resolution fractionation and quantitation of lipoproteins including lipoprotein subclasses when performed (eg, electrophoresis, ultracentrifugation)
83704	<u>\$30.16</u>	Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed
<u>83718</u>	<u>\$7.22</u>	<u>Lipoprotein, direct measurement; high density cholesterol</u> (HDL cholesterol)
83719	\$11.25	Lipoprotein, direct measurement; VLDL cholesterol
83721	\$9.26	Lipoprotein, direct measurement; LDL cholesterol
83722	\$30.16	Lipoprotein, direct measurement; small dense LDL cholesterol
83727	<u>\$15.16</u>	Luteinizing releasing factor (LRH)
<u>83735</u>	<u>\$5.91</u>	Magnesium
<u>83775</u>	<u>\$6.50</u>	Malate dehydrogenase
<u>83785</u>	<u>\$23.51</u>	Manganese
83789	<u>\$21.27</u>	Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen

<u>Code</u>	Rate	Description
83825	\$14.34	Mercury, quantitative
<u>83835</u>	<u>\$14.94</u>	Metanephrines
83857	\$9.47	Methemalbumin
<u>83861</u>	\$19.83	Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity
<u>83864</u>	<u>\$25.14</u>	Mucopolysaccharides, acid, quantitative
<u>83872</u>	<u>\$5.17</u>	Mucin, synovial fluid (Ropes test)
<u>83873</u>	<u>\$15.17</u>	Myelin basic protein, cerebrospinal fluid
<u>83874</u>	<u>\$11.40</u>	<u>Myoglobin</u>
<u>83876</u>	<u>\$44.86</u>	Myeloperoxidase (MPO)
<u>83880</u>	<u>\$34.63</u>	Natriuretic peptide
<u>83883</u>	<u>\$12.00</u>	Nephelometry, each analyte not elsewhere specified
<u>83885</u>	<u>\$21.62</u>	<u>Nickel</u>
<u>83915</u>	\$9.83	Nucleotidase 5'-
<u>83916</u>	<u>\$24.16</u>	Oligoclonal immune (oligoclonal bands)
<u>83918</u>	<u>\$20.82</u>	Organic acids; total, quantitative, each specimen
<u>83919</u>	<u>\$14.51</u>	Organic acids; qualitative, each specimen
83921	<u>\$18.71</u>	Organic acid, single, quantitative
<u>83930</u>	<u>\$5.83</u>	Osmolality; blood
<u>83935</u>	\$6.02	Osmolality; urine
<u>83937</u>	<u>\$26.33</u>	Osteocalcin (bone g1a protein)
<u>83945</u>	<u>\$12.74</u>	<u>Oxalate</u>
<u>83950</u>	<u>\$56.81</u>	Oncoprotein; HER-2/neu
<u>83951</u>	<u>\$56.81</u>	Oncoprotein; des-gamma-carboxy-prothrombin (DCP)
<u>83970</u>	<u>\$36.41</u>	Parathormone (parathyroid hormone)
<u>83986</u>	\$3.16	pH; body fluid, not otherwise specified
<u>83987</u>	<u>\$3.16</u>	pH; exhaled breath condensate
83992	<u>\$15.37</u>	Phencyclidine (PCP)
<u>83993</u>	<u>\$17.31</u>	Calprotectin, fecal
<u>84030</u>	<u>\$4.85</u>	Phenylalanine (PKU), blood
<u>84035</u>	\$3.51	Phenylketones, qualitative
<u>84060</u>	<u>\$6.74</u>	Phosphatase, acid; total
<u>84066</u>	<u>\$8.52</u>	Phosphatase, acid; prostatic
<u>84075</u>	<u>\$4.57</u>	Phosphatase, alkaline;
<u>84078</u>	<u>\$7.29</u>	Phosphatase, alkaline; heat stable (total not included)
<u>84080</u>	<u>\$13.04</u>	Phosphatase, alkaline; isoenzymes
<u>84081</u>	<u>\$14.57</u>	<u>Phosphatidylglycerol</u>
<u>84085</u>	<u>\$8.33</u>	Phosphogluconate, 6-, dehydrogenase, RBC
<u>84087</u>	<u>\$9.46</u>	Phosphohexose isomerase

<u>Code</u>	Rate	<u>Description</u>
84100	<u>\$4.18</u>	Phosphorus inorganic (phosphate);
84105	\$5.10	Phosphorus inorganic (phosphate); urine
<u>84106</u>	\$5.13	Porphobilinogen, urine; qualitative
84110	<u>\$7.44</u>	Porphobilinogen, urine; quantitative
84112	<u>\$86.53</u>	Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (eg, placental alpha microglobulin-1 [PAMG-1], placental protein 12 [PP12], alpha-fetoprotein), qualitative, each specimen
<u>84119</u>	<u>\$11.78</u>	Porphyrins, urine; qualitative
<u>84120</u>	<u>\$12.97</u>	Porphyrins, urine; quantitation and fractionation
<u>84126</u>	<u>\$34.50</u>	Porphyrins, feces, quantitative
<u>84132</u>	<u>\$4.20</u>	Potassium; serum, plasma or whole blood
<u>84133</u>	<u>\$4.17</u>	Potassium; urine
<u>84134</u>	<u>\$12.87</u>	<u>Prealbumin</u>
<u>84135</u>	<u>\$18.76</u>	<u>Pregnanediol</u>
<u>84138</u>	<u>\$18.57</u>	<u>Pregnanetriol</u>
<u>84140</u>	<u>\$18.23</u>	<u>Pregnenolone</u>
<u>84143</u>	<u>\$20.12</u>	17-hydroxypregnenolone
<u>84144</u>	<u>\$18.40</u>	<u>Progesterone</u>
<u>84145</u>	<u>\$24.01</u>	Procalcitonin (PCT)
<u>84146</u>	<u>\$17.09</u>	<u>Prolactin</u>
<u>84150</u>	<u>\$36.84</u>	Prostaglandin, each
<u>84152</u>	<u>\$16.22</u>	Prostate specific antigen (PSA); complexed (direct measurement)
84153	\$16.22	Prostate specific antigen (PSA); total
84154	\$16.22	Prostate specific antigen (PSA); free
<u>84155</u>	\$3.24	Protein, total, except by refractometry; serum, plasma or whole blood
<u>84156</u>	\$3.24	Protein, total, except by refractometry; urine
<u>84157</u>	\$3.53	Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)
<u>84160</u>	<u>\$4.95</u>	Protein, total, by refractometry, any source
<u>84163</u>	<u>\$13.27</u>	Pregnancy-associated plasma protein-A (PAPP-A)
<u>84165</u>	<u>\$9.47</u>	Protein; electrophoretic fractionation and quantitation, serum
<u>84166</u>	<u>\$15.73</u>	Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)
<u>84181</u>	<u>\$15.02</u>	Protein; Western Blot, with interpretation and report, blood or other body fluid

<u>Code</u>	<u>Rate</u>	<u>Description</u>
84182	<u>\$25.76</u>	Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each
<u>84202</u>	<u>\$12.66</u>	Protoporphyrin, RBC; quantitative
<u>84203</u>	<u>\$8.59</u>	Protoporphyrin, RBC; screen
<u>84206</u>	<u>\$23.54</u>	Proinsulin
<u>84207</u>	<u>\$24.78</u>	Pyridoxal phosphate (Vitamin B-6)
<u>84210</u>	<u>\$12.77</u>	<u>Pyruvate</u>
<u>84220</u>	<u>\$8.33</u>	Pyruvate kinase
<u>84228</u>	<u>\$10.26</u>	Quinine
<u>84233</u>	<u>\$77.51</u>	Receptor assay; estrogen
<u>84234</u>	<u>\$57.22</u>	Receptor assay; progesterone
<u>84235</u>	<u>\$62.82</u>	Receptor assay; endocrine, other than estrogen or progesterone (specify hormone)
<u>84238</u>	<u>\$32.25</u>	Receptor assay; non-endocrine (specify receptor)
84244	\$19.40	Renin
<u>84252</u>	<u>\$17.85</u>	Riboflavin (Vitamin B-2)
<u>84255</u>	\$22.52	Selenium
<u>84260</u>	<u>\$27.32</u>	<u>Serotonin</u>
84270	\$19.17	Sex hormone binding globulin (SHBG)
84275	<u>\$11.85</u>	Sialic acid
84285	<u>\$22.24</u>	Silica
<u>84295</u>	<u>\$4.24</u>	Sodium; serum, plasma or whole blood
84300	<u>\$4.46</u>	Sodium; urine
<u>84302</u>	<u>\$4.29</u>	Sodium; other source
<u>84305</u>	<u>\$18.75</u>	Somatomedin
<u>84307</u>	\$16.12	<u>Somatostatin</u>
<u>84311</u>	<u>\$7.14</u>	Spectrophotometry, analyte not elsewhere specified
<u>84315</u>	<u>\$2.89</u>	Specific gravity (except urine)
<u>84375</u>	\$34.40	Sugars, chromatographic, TLC or paper chromatography
<u>84376</u>	<u>\$4.85</u>	Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen
84377	<u>\$4.85</u>	Sugars (mono-, di-, and oligosaccharides); multiple qualitative, each specimen
<u>84378</u>	<u>\$10.17</u>	Sugars (mono-, di-, and oligosaccharides); single quantitative, each specimen
84379	<u>\$10.17</u>	Sugars (mono-, di-, and oligosaccharides); multiple quantitative, each specimen
<u>84392</u>	<u>\$4.84</u>	Sulfate, urine

<u>Code</u>	Rate	Description
84402	\$22.46	Testosterone; free
84403	\$22.76	<u>Testosterone</u> ; total
84410	\$45.23	Testosterone; bioavailable, direct measurement (eg, differential precipitation)
84425	\$18.72	Thiamine (Vitamin B-1)
84430	\$10.26	<u>Thiocyanate</u>
<u>84431</u>	\$30.97	Thromboxane metabolite(s), including thromboxane if performed, urine
<u>84432</u>	<u>\$14.16</u>	Thyroglobulin
<u>84436</u>	<u>\$6.06</u>	Thyroxine; total
<u>84437</u>	<u>\$5.71</u>	Thyroxine; requiring elution (eg, neonatal)
<u>84439</u>	<u>\$7.96</u>	Thyroxine; free
<u>84442</u>	<u>\$13.04</u>	Thyroxine binding globulin (TBG)
<u>84443</u>	<u>\$14.82</u>	Thyroid stimulating hormone (TSH)
<u>84445</u>	<u>\$44.86</u>	Thyroid stimulating immune globulins (TSI)
<u>84446</u>	<u>\$12.51</u>	Tocopherol alpha (Vitamin E)
<u>84449</u>	<u>\$15.88</u>	<u>Transcortin (cortisol binding globulin)</u>
<u>84450</u>	<u>\$4.57</u>	Transferase; aspartate amino (AST) (SGOT)
<u>84460</u>	<u>\$4.67</u>	Transferase; alanine amino (ALT) (SGPT)
<u>84466</u>	<u>\$11.25</u>	<u>Transferrin</u>
<u>84478</u>	<u>\$5.06</u>	<u>Triglycerides</u>
<u>84479</u>	<u>\$5.71</u>	Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)
84480	\$12.51	Triiodothyronine T3; total (TT-3)
<u>84481</u>	<u>\$14.94</u>	Triiodothyronine T3; free
<u>84482</u>	<u>\$13.90</u>	<u>Triiodothyronine T3; reverse</u>
<u>84484</u>	<u>\$11.00</u>	<u>Troponin</u> , quantitative
<u>84485</u>	<u>\$6.35</u>	Trypsin; duodenal fluid
<u>84488</u>	<u>\$6.44</u>	Trypsin; feces, qualitative
<u>84490</u>	<u>\$8.76</u>	<u>Trypsin</u> ; feces, quantitative, 24-hour collection
<u>84510</u>	<u>\$9.38</u>	<u>Tyrosine</u>
<u>84512</u>	<u>\$8.90</u>	<u>Troponin</u> , qualitative
<u>84520</u>	<u>\$3.48</u>	<u>Urea nitrogen; quantitative</u>
<u>84525</u>	<u>\$4.52</u>	<u>Urea nitrogen; semiquantitative (eg, reagent strip test)</u>
<u>84540</u>	<u>\$4.90</u>	<u>Urea nitrogen, urine</u>
<u>84545</u>	<u>\$6.35</u>	<u>Urea nitrogen, clearance</u>
<u>84550</u>	<u>\$3.99</u>	<u>Uric acid; blood</u>
<u>84560</u>	<u>\$4.48</u>	<u>Uric acid; other source</u>
<u>84577</u>	<u>\$14.82</u>	<u>Urobilinogen</u> , feces, quantitative

<u>Code</u>	<u>Rate</u>	Description
<u>84578</u>	\$3.94	<u>Urobilinogen, urine; qualitative</u>
<u>84580</u>	<u>\$8.42</u>	<u>Urobilinogen</u> , urine; quantitative, timed specimen
<u>84583</u>	<u>\$5.34</u>	Urobilinogen, urine; semiquantitative
<u>84585</u>	<u>\$13.67</u>	Vanillylmandelic acid (VMA), urine
<u>84586</u>	<u>\$31.16</u>	Vasoactive intestinal peptide (VIP)
<u>84588</u>	<u>\$29.94</u>	Vasopressin (antidiuretic hormone, ADH)
<u>84590</u>	<u>\$10.24</u>	<u>Vitamin A</u>
<u>84591</u>	<u>\$15.05</u>	Vitamin, not otherwise specified
<u>84597</u>	<u>\$12.10</u>	<u>Vitamin K</u>
<u>84600</u>	<u>\$15.09</u>	Volatiles (eg. acetic anhydride, diethylether)
<u>84620</u>	<u>\$11.39</u>	Xylose absorption test, blood and/or urine
<u>84630</u>	<u>\$10.05</u>	Zinc
<u>84681</u>	<u>\$18.35</u>	<u>C-peptide</u>
<u>84702</u>	<u>\$13.27</u>	Gonadotropin, chorionic (hCG); quantitative
<u>84703</u>	<u>\$6.63</u>	Gonadotropin, chorionic (hCG); qualitative
<u>84704</u>	<u>\$13.49</u>	Gonadotropin, chorionic (hCG); free beta chain
84830	\$11.20	Ovulation tests, by visual color comparison methods for human
04030	<u>\$11.20</u>	<u>luteinizing hormone</u>
<u>84999</u>	<u>\$4.34</u>	<u>Unlisted chemistry procedure</u>
	<u>I</u>	Hematology and Coagulation
<u>85002</u>	<u>\$4.25</u>	Bleeding time
<u>85004</u>	<u>\$5.71</u>	Blood count; automated differential WBC count
<u>85007</u>	<u>\$3.35</u>	Blood count; blood smear, microscopic examination with manual differential WBC count
<u>85008</u>	\$3.03	Blood count; blood smear, microscopic examination without manual differential WBC count
85009	\$4.47	Blood count; manual differential WBC count, buffy coat
85013	\$6.17	Blood count; spun microhematocrit
<u>85014</u>	\$2.09	Blood count; hematocrit (Hct)
85018	\$2.09	Blood count; hemoglobin (Hgb)
<u>85025</u>	<u>\$6.85</u>	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count
<u>85027</u>	<u>\$5.71</u>	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)
<u>85032</u>	\$3.80	Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each
<u>85041</u>	<u>\$2.66</u>	Blood count; red blood cell (RBC), automated
<u>85044</u>	<u>\$3.80</u>	Blood count; reticulocyte, manual

<u>Code</u>	Rate	<u>Description</u>
<u>85045</u>	\$3.52	Blood count; reticulocyte, automated
<u>85046</u>	<u>\$4.91</u>	Blood count; reticulocytes, automated, including 1 or more cellular parameters (eg, reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement
<u>85048</u>	<u>\$2.24</u>	Blood count; leukocyte (WBC), automated
<u>85049</u>	<u>\$3.95</u>	Blood count; platelet, automated
<u>85055</u>	<u>\$31.52</u>	Reticulated platelet assay
<u>85130</u>	<u>\$10.49</u>	Chromogenic substrate assay
<u>85170</u>	<u>\$14.38</u>	<u>Clot retraction</u>
<u>85175</u>	<u>\$17.97</u>	Clot lysis time, whole blood dilution
<u>85210</u>	<u>\$11.45</u>	Clotting; factor II, prothrombin, specific
<u>85220</u>	<u>\$15.57</u>	Clotting; factor V (AcG or proaccelerin), labile factor
<u>85230</u>	<u>\$15.79</u>	Clotting; factor VII (proconvertin, stable factor)
<u>85240</u>	<u>\$15.79</u>	Clotting; factor VIII (AHG), 1-stage
<u>85244</u>	<u>\$18.01</u>	Clotting; factor VIII related antigen
<u>85245</u>	<u>\$20.23</u>	Clotting; factor VIII, VW factor, ristocetin cofactor
<u>85246</u>	<u>\$20.23</u>	Clotting; factor VIII, VW factor antigen
<u>85247</u>	\$20.23	Clotting; factor VIII, von Willebrand factor, multimetric analysis
<u>85250</u>	<u>\$16.79</u>	Clotting; factor IX (PTC or Christmas)
<u>85260</u>	<u>\$15.79</u>	Clotting; factor X (Stuart-Prower)
<u>85270</u>	<u>\$15.79</u>	Clotting; factor XI (PTA)
<u>85280</u>	<u>\$17.07</u>	Clotting; factor XII (Hageman)
<u>85290</u>	<u>\$14.41</u>	Clotting; factor XIII (fibrin stabilizing)
<u>85291</u>	<u>\$8.04</u>	Clotting; factor XIII (fibrin stabilizing), screen solubility
<u>85292</u>	<u>\$16.70</u>	Clotting; prekallikrein assay (Fletcher factor assay)
85293	<u>\$16.70</u>	Clotting; high molecular weight kininogen assay (Fitzgerald factor assay)
<u>85300</u>	<u>\$10.45</u>	Clotting inhibitors or anticoagulants; antithrombin III, activity
<u>85301</u>	<u>\$9.53</u>	Clotting inhibitors or anticoagulants; antithrombin III, antigen assay
<u>85302</u>	<u>\$10.59</u>	Clotting inhibitors or anticoagulants; protein C, antigen
<u>85303</u>	<u>\$12.21</u>	Clotting inhibitors or anticoagulants; protein C, activity
<u>85305</u>	<u>\$10.24</u>	Clotting inhibitors or anticoagulants; protein S, total
<u>85306</u>	<u>\$13.51</u>	Clotting inhibitors or anticoagulants; protein S, free
<u>85307</u>	<u>\$13.51</u>	Activated Protein C (APC) resistance assay
<u>85335</u>	<u>\$11.35</u>	<u>Factor inhibitor test</u>
<u>85337</u>	<u>\$15.23</u>	<u>Thrombomodulin</u>

<u>Code</u>	<u>Rate</u>	Description
<u>85345</u>	<u>\$4.14</u>	Coagulation time; Lee and White
<u>85347</u>	\$3.77	Coagulation time; activated
<u>85348</u>	\$3.96	Coagulation time; other methods
<u>85360</u>	\$7.42	Euglobulin lysis
<u>85362</u>	<u>\$6.08</u>	Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative
<u>85366</u>	<u>\$70.97</u>	Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation
<u>85370</u>	<u>\$10.96</u>	Fibrin(ogen) degradation (split) products (FDP) (FSP); quantitative
<u>85378</u>	<u>\$8.57</u>	Fibrin degradation products, D-dimer; qualitative or semiquantitative
<u>85379</u>	<u>\$8.98</u>	Fibrin degradation products, D-dimer; quantitative
<u>85380</u>	<u>\$8.98</u>	Fibrin degradation products, D-dimer; ultrasensitive (eg, for evaluation for venous thromboembolism), qualitative or semiquantitative
<u>85384</u>	\$8.57	Fibrinogen; activity
<u>85385</u>	<u>\$12.75</u>	Fibrinogen; antigen
<u>85390</u>	<u>\$13.65</u>	Fibrinolysins or coagulopathy screen, interpretation and report
<u>85397</u>	<u>\$27.22</u>	Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte
<u>85400</u>	<u>\$6.80</u>	Fibrinolytic factors and inhibitors; plasmin
<u>85410</u>	<u>\$6.80</u>	Fibrinolytic factors and inhibitors; alpha-2 antiplasmin
<u>85415</u>	<u>\$15.16</u>	Fibrinolytic factors and inhibitors; plasminogen activator
<u>85420</u>	<u>\$5.76</u>	Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay
<u>85421</u>	<u>\$8.98</u>	Fibrinolytic factors and inhibitors; plasminogen, antigenic assay
<u>85441</u>	<u>\$3.70</u>	Heinz bodies; direct
<u>85445</u>	<u>\$6.02</u>	Heinz bodies; induced, acetyl phenylhydrazine
<u>85460</u>	<u>\$6.82</u>	Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)
<u>85461</u>	<u>\$8.26</u>	Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette
<u>85475</u>	<u>\$7.82</u>	Hemolysin, acid
<u>85520</u>	<u>\$11.55</u>	<u>Heparin assay</u>
<u>85525</u>	<u>\$10.44</u>	<u>Heparin neutralization</u>
<u>85530</u>	<u>\$11.55</u>	<u>Heparin-protamine tolerance test</u>
<u>85536</u>	<u>\$6.07</u>	<u>Iron stain, peripheral blood</u>
<u>85540</u>	<u>\$7.59</u>	Leukocyte alkaline phosphatase with count

<u>Code</u>	Rate	Description
85547	\$7.59	Mechanical fragility, RBC
85549	\$16.54	Muramidase
<u>85555</u>	\$6.59	Osmotic fragility, RBC; unincubated
<u>85557</u>	\$11.78	Osmotic fragility, RBC; incubated
<u>85576</u>	\$21.97	Platelet, aggregation (in vitro), each agent
<u>85597</u>	<u>\$15.86</u>	Phospholipid neutralization; platelet
<u>85598</u>	<u>\$15.86</u>	Phospholipid neutralization; hexagonal phospholipid
<u>85610</u>	<u>\$3.78</u>	Prothrombin time;
<u>85611</u>	\$3.48	Prothrombin time; substitution, plasma fractions, each
<u>85612</u>	<u>\$15.43</u>	Russell viper venom time (includes venom); undiluted
<u>85613</u>	<u>\$8.45</u>	Russell viper venom time (includes venom); diluted
<u>85635</u>	<u>\$8.69</u>	Reptilase test
<u>85651</u>	\$3.77	Sedimentation rate, erythrocyte; non-automated
<u>85652</u>	<u>\$2.38</u>	Sedimentation rate, erythrocyte; automated
<u>85660</u>	<u>\$4.86</u>	Sickling of RBC, reduction
<u>85670</u>	<u>\$5.09</u>	Thrombin time; plasma
<u>85675</u>	<u>\$6.04</u>	Thrombin time; titer
<u>85705</u>	<u>\$8.49</u>	Thromboplastin inhibition, tissue
<u>85730</u>	<u>\$5.30</u>	Thromboplastin time, partial (PTT); plasma or whole blood
<u>85732</u>	<u>\$5.71</u>	Thromboplastin time, partial (PTT); substitution, plasma fractions, each
<u>85810</u>	\$10.29	Viscosity
<u>85999</u>	<u>I.C.</u>	Unlisted hematology and coagulation procedure
		Immunology
86000	<u>\$6.16</u>	Agglutinins, febrile (eg, Brucella, Francisella, Murine typhus, Q fever, Rocky Mountain spotted fever, scrub typhus), each antigen
<u>86001</u>	<u>\$6.90</u>	Allergen specific IgG quantitative or semiquantitative, each allergen
<u>86003</u>	<u>\$4.60</u>	Allergen specific IgE; quantitative or semiquantitative, crude allergen extract, each
<u>86005</u>	<u>\$7.03</u>	Allergen specific IgE; qualitative, multiallergen screen (eg, disk, sponge, card)
86008	<u>\$15.81</u>	Allergen specific IgE; quantitative or semiquantitative, recombinant or purified component, each
<u>86021</u>	<u>\$13.27</u>	Antibody identification; leukocyte antibodies
<u>86022</u>	<u>\$16.20</u>	Antibody identification; platelet antibodies
<u>86023</u>	<u>\$10.99</u>	Antibody identification; platelet associated immunoglobulin assay

<u>Code</u>	<u>Rate</u>	Description
86038	\$10.66	Antinuclear antibodies (ANA);
86039	\$9.84	Antinuclear antibodies (ANA); titer
86060	<u>\$6.44</u>	Antistreptolysin 0; titer
86063	\$5.09	Antistreptolysin 0; screen
<u>86140</u>	<u>\$4.57</u>	C-reactive protein;
<u>86141</u>	<u>\$11.42</u>	C-reactive protein; high sensitivity (hsCRP)
<u>86146</u>	<u>\$22.45</u>	Beta 2 Glycoprotein I antibody, each
<u>86147</u>	<u>\$22.45</u>	Cardiolipin (phospholipid) antibody, each Ig class
<u>86148</u>	<u>\$14.17</u>	Anti-phosphatidylserine (phospholipid) antibody
<u>86152</u>	<u>\$221.19</u>	Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood);
<u>86155</u>	<u>\$14.10</u>	Chemotaxis assay, specify method
<u>86156</u>	<u>\$7.12</u>	Cold agglutinin; screen
<u>86157</u>	<u>\$7.11</u>	Cold agglutinin; titer
<u>86160</u>	<u>\$10.58</u>	Complement; antigen, each component
<u>86161</u>	<u>\$10.58</u>	Complement; functional activity, each component
<u>86162</u>	<u>\$17.92</u>	Complement; total hemolytic (CH50)
<u>86171</u>	<u>\$8.83</u>	Complement fixation tests, each antigen
<u>86200</u>	<u>\$11.42</u>	Cyclic citrullinated peptide (CCP), antibody
<u>86215</u>	<u>\$11.69</u>	<u>Deoxyribonuclease</u> , antibody
<u>86225</u>	<u>\$12.12</u>	Deoxyribonucleic acid (DNA) antibody; native or double stranded
<u>86226</u>	<u>\$10.68</u>	Deoxyribonucleic acid (DNA) antibody; single stranded
<u>86235</u>	<u>\$15.81</u>	Extractable nuclear antigen, antibody to, any method (eg. nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody
<u>86255</u>	<u>\$10.63</u>	Fluorescent noninfectious agent antibody; screen, each antibody
<u>86256</u>	<u>\$10.63</u>	Fluorescent noninfectious agent antibody; titer, each antibody
<u>86277</u>	<u>\$13.88</u>	Growth hormone, human (HGH), antibody
<u>86280</u>	<u>\$7.22</u>	Hemagglutination inhibition test (HAI)
<u>86294</u>	<u>\$22.55</u>	Immunoassay for tumor antigen, qualitative or semiquantitative (eg, bladder tumor antigen)
<u>86300</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)
<u>86301</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, quantitative; CA 19-9
<u>86304</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, quantitative; CA 125
<u>86305</u>	<u>\$18.35</u>	Human epididymis protein 4 (HE4)
<u>86308</u>	<u>\$4.57</u>	Heterophile antibodies; screening
<u>86309</u>	<u>\$5.71</u>	Heterophile antibodies; titer

<u>Code</u>	<u>Rate</u>	Description
<u>86310</u>	<u>\$6.50</u>	Heterophile antibodies; titers after absorption with beef cells and guinea pig kidney
<u>86316</u>	<u>\$18.35</u>	Immunoassay for tumor antigen, other antigen, quantitative (eg. CA 50, 72-4, 549), each
<u>86317</u>	\$13.22	Immunoassay for infectious agent antibody, quantitative, not otherwise specified
<u>86318</u>	<u>\$15.96</u>	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single-step method (eg, reagent strip);
86320	<u>\$26.39</u>	Immunoelectrophoresis; serum
<u>86325</u>	\$20.40	Immunoelectrophoresis; other fluids (eg, urine, cerebrospinal fluid) with concentration
86327	<u>\$26.39</u>	Immunoelectrophoresis; crossed (2-dimensional assay)
<u>86328</u>	<u>\$45.23</u>	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step method (eg, reagent strip); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
86329	\$12.39	Immunodiffusion; not elsewhere specified
<u>86331</u>	\$10.57	Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody
86332	<u>\$21.49</u>	Immune complex assay
86334	<u>\$19.70</u>	Immunofixation electrophoresis; serum
<u>86335</u>	<u>\$25.89</u>	Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)
<u>86336</u>	<u>\$13.75</u>	Inhibin A
<u>86337</u>	<u>\$18.88</u>	<u>Insulin antibodies</u>
<u>86340</u>	<u>\$13.30</u>	<u>Intrinsic factor antibodies</u>
<u>86341</u>	<u>\$20.79</u>	<u>Islet cell antibody</u>
<u>86343</u>	<u>\$10.99</u>	Leukocyte histamine release test (LHR)
<u>86344</u>	<u>\$9.16</u>	Leukocyte phagocytosis
<u>86352</u>	<u>\$119.83</u>	<u>Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)</u>
<u>86353</u>	\$43.24	Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis
<u>86355</u>	<u>\$33.28</u>	B cells, total count
<u>86356</u>	\$23.62	Mononuclear cell antigen, quantitative (eg, flow cytometry), not otherwise specified, each antigen
86357	\$33.28	Natural killer (NK) cells, total count
<u>86359</u>	<u>\$33.28</u>	T cells; total count
<u>86360</u>	<u>\$41.44</u>	T cells; absolute CD4 and CD8 count, including ratio

Code	Rate	Description
86361	\$23.62	T cells; absolute CD4 count
86367	\$68.60	Stem cells (ie, CD34), total count
<u>86376</u>	\$12.83	Microsomal antibodies (eg, thyroid or liver-kidney), each
86382	\$14.91	Neutralization test, viral
86384	\$12.00	Nitroblue tetrazolium dye test (NTD)
<u>86386</u>	<u>\$19.21</u>	Nuclear Matrix Protein 22 (NMP22), qualitative
<u>86403</u>	<u>\$10.18</u>	Particle agglutination; screen, each antibody
<u>86406</u>	<u>\$9.38</u>	Particle agglutination; titer, each antibody
<u>86408</u>	<u>\$42.13</u>	Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]); screen
<u>86409</u>	<u>\$105.33</u>	Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]); titer
<u>86413</u>	<u>\$51.43</u>	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) antibody, quantitative
<u>86430</u>	<u>\$5.42</u>	Rheumatoid factor; qualitative
<u>86431</u>	<u>\$5.00</u>	Rheumatoid factor; quantitative
<u>86480</u>	<u>\$54.67</u>	<u>Tuberculosis test, cell mediated immunity antigen response</u> <u>measurement; gamma interferon</u>
<u>86481</u>	\$88.20	<u>Tuberculosis test, cell mediated immunity antigen response</u> measurement; enumeration of gamma interferon-producing T- cells in cell suspension
86485	\$24.48	Skin test; candida
<u>86590</u>	\$11.17	Streptokinase, antibody
<u>86592</u>	\$3.77	Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)
86593	\$3.88	Syphilis test, non-treponemal antibody; quantitative
<u>86602</u>	<u>\$8.98</u>	Antibody; actinomyces
<u>86603</u>	<u>\$11.35</u>	Antibody; adenovirus
<u>86606</u>	<u>\$13.27</u>	Antibody; Aspergillus
<u>86609</u>	<u>\$11.36</u>	Antibody; bacterium, not elsewhere specified
<u>86611</u>	<u>\$8.98</u>	Antibody; Bartonella
<u>86612</u>	<u>\$11.38</u>	Antibody; Blastomyces
<u>86615</u>	<u>\$11.63</u>	Antibody; Bordetella
<u>86617</u>	<u>\$13.66</u>	Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)
<u>86618</u>	<u>\$15.02</u>	Antibody; Borrelia burgdorferi (Lyme disease)
<u>86619</u>	<u>\$11.80</u>	Antibody; Borrelia (relapsing fever)

<u>Code</u>	Rate	<u>Description</u>
86622	<u>\$7.88</u>	Antibody; Brucella
86625	<u>\$11.57</u>	Antibody; Campylobacter
86628	<u>\$10.59</u>	Antibody; Candida
<u>86631</u>	\$10.43	Antibody; Chlamydia
<u>86632</u>	<u>\$11.18</u>	Antibody; Chlamydia, IgM
<u>86635</u>	<u>\$10.12</u>	Antibody; Coccidioides
<u>86638</u>	<u>\$10.69</u>	Antibody; Coxiella burnetii (Q fever)
<u>86641</u>	<u>\$12.71</u>	Antibody; Cryptococcus
<u>86644</u>	<u>\$12.69</u>	Antibody; cytomegalovirus (CMV)
<u>86645</u>	<u>\$14.86</u>	Antibody; cytomegalovirus (CMV), IgM
<u>86648</u>	<u>\$13.42</u>	Antibody; Diphtheria
<u>86651</u>	<u>\$11.63</u>	Antibody; encephalitis, California (La Crosse)
<u>86652</u>	<u>\$11.63</u>	Antibody; encephalitis, Eastern equine
<u>86653</u>	<u>\$11.63</u>	Antibody; encephalitis, St. Louis
<u>86654</u>	<u>\$11.63</u>	Antibody; encephalitis, Western equine
<u>86658</u>	<u>\$11.49</u>	Antibody; enterovirus (eg, coxsackie, echo, polio)
<u>86663</u>	<u>\$11.57</u>	Antibody; Epstein-Barr (EB) virus, early antigen (EA)
<u>86664</u>	<u>\$13.49</u>	Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)
<u>86665</u>	<u>\$16.00</u>	Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)
<u>86666</u>	<u>\$8.98</u>	Antibody; Ehrlichia
<u>86668</u>	<u>\$12.49</u>	Antibody; Francisella tularensis
<u>86671</u>	<u>\$10.80</u>	Antibody; fungus, not elsewhere specified
<u>86674</u>	<u>\$12.98</u>	Antibody; Giardia lamblia
<u>86677</u>	<u>\$14.86</u>	Antibody; Helicobacter pylori
<u>86682</u>	<u>\$11.47</u>	Antibody; helminth, not elsewhere specified
<u>86684</u>	<u>\$13.97</u>	Antibody; Haemophilus influenza
<u>86687</u>	<u>\$8.02</u>	Antibody; HTLV-I
<u>86688</u>	<u>\$12.35</u>	Antibody; HTLV-II
<u>86689</u>	<u>\$17.07</u>	Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)
<u>86692</u>	<u>\$15.14</u>	Antibody; hepatitis, delta agent
<u>86694</u>	<u>\$12.69</u>	Antibody; herpes simplex, non-specific type test
<u>86695</u>	<u>\$11.63</u>	Antibody; herpes simplex, type 1
<u>86696</u>	<u>\$17.07</u>	Antibody; herpes simplex, type 2
<u>86698</u>	<u>\$12.16</u>	Antibody; histoplasma
<u>86701</u>	<u>\$7.84</u>	Antibody; HIV-1
<u>86702</u>	<u>\$11.92</u>	Antibody; HIV-2
<u>86703</u>	<u>\$12.09</u>	Antibody; HIV-1 and HIV-2, single result
<u>86704</u>	<u>\$10.63</u>	Hepatitis B core antibody (HBcAb); total

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>86705</u>	\$10.38	Hepatitis B core antibody (HBcAb); IgM antibody
<u>86706</u>	<u>\$9.47</u>	Hepatitis B surface antibody (HBsAb)
<u>86707</u>	\$10.20	Hepatitis Be antibody (HBeAb)
<u>86708</u>	\$10.93	Hepatitis A antibody (HAAb)
<u>86709</u>	\$9.93	Hepatitis A antibody (HAAb), IgM antibody
<u>86710</u>	<u>\$11.95</u>	Antibody; influenza virus
<u>86711</u>	\$14.90	Antibody; JC (John Cunningham) virus
<u>86713</u>	\$13.49	Antibody; Legionella
<u>86717</u>	\$10.80	Antibody; Leishmania
<u>86720</u>	\$14.29	Antibody; Leptospira
<u>86723</u>	\$11.63	Antibody; Listeria monocytogenes
<u>86727</u>	<u>\$11.35</u>	Antibody; lymphocytic choriomeningitis
<u>86732</u>	\$13.23	Antibody; mucormycosis
<u>86735</u>	<u>\$11.51</u>	Antibody; mumps
<u>86738</u>	<u>\$11.68</u>	Antibody; mycoplasma
<u>86741</u>	<u>\$11.63</u>	Antibody; Neisseria meningitidis
<u>86744</u>	<u>\$14.10</u>	Antibody; Nocardia
<u>86747</u>	<u>\$13.26</u>	Antibody; parvovirus
<u>86750</u>	<u>\$11.63</u>	Antibody; Plasmodium (malaria)
<u>86753</u>	<u>\$10.93</u>	Antibody; protozoa, not elsewhere specified
<u>86756</u>	<u>\$14.01</u>	Antibody; respiratory syncytial virus
<u>86757</u>	<u>\$17.07</u>	Antibody; Rickettsia
<u>86759</u>	<u>\$16.08</u>	Antibody; rotavirus
<u>86762</u>	<u>\$12.69</u>	Antibody; rubella
<u>86765</u>	<u>\$11.36</u>	Antibody; rubeola
<u>86768</u>	<u>\$11.63</u>	Antibody; Salmonella
<u>86769</u>	<u>\$42.13</u>	Antibody; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
<u>86771</u>	\$21.59	Antibody; Shigella
<u>86774</u>	<u>\$13.05</u>	Antibody; tetanus
<u>86777</u>	\$12.69	Antibody; Toxoplasma
<u>86778</u>	<u>\$12.71</u>	Antibody; Toxoplasma, IgM
<u>86780</u>	<u>\$11.68</u>	Antibody; Treponema pallidum
<u>86784</u>	<u>\$11.08</u>	Antibody; Trichinella
<u>86787</u>	<u>\$11.36</u>	Antibody; varicella-zoster
<u>86788</u>	<u>\$14.86</u>	Antibody; West Nile virus, IgM
<u>86789</u>	<u>\$12.69</u>	Antibody; West Nile virus
<u>86790</u>	<u>\$11.36</u>	Antibody; virus, not elsewhere specified
<u>86793</u>	<u>\$11.63</u>	Antibody; Yersinia

<u>Code</u>	Rate	<u>Description</u>
86794	<u>\$14.86</u>	Antibody; Zika virus, IgM
<u>86800</u>	\$14.03	Thyroglobulin antibody
<u>86803</u>	\$12.59	Hepatitis C antibody;
<u>86804</u>	<u>\$13.66</u>	Hepatitis C antibody; confirmatory test (eg, immunoblot)
<u>86805</u>	<u>\$167.15</u>	Lymphocytotoxicity assay, visual crossmatch; with titration
<u>86806</u>	<u>\$41.97</u>	Lymphocytotoxicity assay, visual crossmatch; without titration
<u>86807</u>	<u>\$69.37</u>	Serum screening for cytotoxic percent reactive antibody (PRA); standard method
<u>86808</u>	<u>\$26.18</u>	Serum screening for cytotoxic percent reactive antibody (PRA); quick method
<u>86812</u>	\$22.76	HLA typing; A, B, or C (eg, A10, B7, B27), single antigen
<u>86813</u>	<u>\$51.16</u>	HLA typing; A, B, or C, multiple antigens
<u>86816</u>	<u>\$26.61</u>	HLA typing; DR/DQ, single antigen
<u>86817</u>	<u>\$93.62</u>	HLA typing; DR/DQ, multiple antigens
<u>86821</u>	<u>\$32.25</u>	HLA typing; lymphocyte culture, mixed (MLC)
<u>86825</u>	<u>\$96.57</u>	<u>Human leukocyte antigen (HLA) crossmatch, non-cytotoxic</u> (eg, using flow cytometry); first serum sample or dilution
<u>86826</u>	\$32.22	Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)
86828	<u>\$56.62</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I and Class II HLA antigens
<u>86829</u>	<u>\$56.62</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I or Class II HLA antigens
<u>86830</u>	<u>\$84.25</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I
<u>86831</u>	<u>\$72.22</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II

<u>Code</u>	<u>Rate</u>	<u>Description</u>
86832	<u>\$285.55</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I
86833	<u>\$287.36</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II
86834	<u>\$315.37</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I
<u>86835</u>	<u>\$284.85</u>	Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II
86849	I.C.	Unlisted immunology procedure
		Transformation
86850	\$8.62	Antibody screen, RBC, each serum technique
86860	I.C.	Antibody elution (RBC), each elution
<u>86870</u>	<u>I.C.</u>	Antibody identification, RBC antibodies, each panel for each serum technique
<u>86880</u>	<u>\$4.75</u>	Antihuman globulin test (Coombs test); direct, each antiserum
<u>86885</u>	<u>\$5.05</u>	Antihuman globulin test (Coombs test); indirect, qualitative, each reagent red cell
<u>86886</u>	<u>\$4.57</u>	Antihuman globulin test (Coombs test); indirect, each antibody titer
86890	<u>I.C.</u>	Autologous blood or component, collection processing and storage; predeposited
<u>86891</u>	I.C.	Autologous blood or component, collection processing and storage; intra- or postoperative salvage
86900	\$2.64	Blood typing, serologic; ABO
<u>86901</u>	<u>\$2.64</u>	Blood typing, serologic; Rh (D)
<u>86902</u>	<u>\$5.60</u>	Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test
<u>86904</u>	<u>\$14.41</u>	Blood typing, serologic; antigen screening for compatible unit using patient serum, per unit screened
<u>86905</u>	\$3.38	Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each

<u>Code</u>	Rate	Description
<u>86906</u>	<u>\$6.84</u>	Blood typing, serologic; Rh phenotyping, complete
86920	I.C.	Compatibility test each unit; immediate spin technique
<u>86921</u>	I.C.	Compatibility test each unit; incubation technique
<u>86922</u>	<u>I.C.</u>	Compatibility test each unit; antiglobulin technique
<u>86923</u>	<u>I.C.</u>	Compatibility test each unit; electronic
<u>86927</u>	<u>I.C.</u>	Fresh frozen plasma, thawing, each unit
<u>86930</u>	<u>I.C.</u>	Frozen blood, each unit; freezing (includes preparation)
<u>86931</u>	<u>I.C.</u>	Frozen blood, each unit; thawing
<u>86932</u>	<u>I.C.</u>	Frozen blood, each unit; freezing (includes preparation) and thawing
<u>86940</u>	<u>\$7.74</u>	Hemolysins and agglutinins; auto, screen, each
<u>86941</u>	<u>\$10.68</u>	Hemolysins and agglutinins; incubated
<u>86945</u>	<u>\$23.48</u>	<u>Irradiation of blood product, each unit</u>
<u>86960</u>	<u>I.C.</u>	<u>Volume reduction of blood or blood product (eg, red blood cells or platelets), each unit</u>
<u>86965</u>	\$23.48	Pooling of platelets or other blood products
<u>86970</u>	<u>\$18.76</u>	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with chemical agents or drugs, each
<u>86971</u>	<u>\$18.76</u>	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with enzymes, each
<u>86976</u>	<u>\$18.76</u>	Pretreatment of serum for use in RBC antibody identification; by dilution
<u>86977</u>	<u>\$18.76</u>	Pretreatment of serum for use in RBC antibody identification; incubation with inhibitors, each
<u>86978</u>	<u>\$18.76</u>	Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption
<u>86985</u>	<u>I.C.</u>	Splitting of blood or blood products, each unit
<u>86999</u>	<u>I.C.</u>	<u>Unlisted transfusion medicine procedure</u>
		Microbiology
<u>87003</u>	<u>\$14.85</u>	Animal inoculation, small animal, with observation and dissection
<u>87015</u>	<u>\$5.89</u>	Concentration (any type), for infectious agents
<u>87040</u>	<u>\$9.10</u>	Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87045</u>	\$8.33	Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species
<u>87046</u>	\$8.33	<u>Culture, bacterial; stool, aerobic, additional pathogens, isolation</u> <u>and presumptive identification of isolates, each plate</u>
<u>87070</u>	<u>\$7.60</u>	Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates
<u>87071</u>	\$8.72	Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
<u>87073</u>	<u>\$8.52</u>	<u>Culture</u> , bacterial; quantitative, anaerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
<u>87075</u>	<u>\$8.35</u>	Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates
<u>87076</u>	<u>\$7.13</u>	<u>Culture, bacterial; anaerobic isolate, additional methods</u> <u>required for definitive identification, each isolate</u>
<u>87077</u>	<u>\$7.13</u>	Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate
<u>87081</u>	<u>\$5.85</u>	Culture, presumptive, pathogenic organisms, screening only;
<u>87084</u>	<u>\$23.88</u>	<u>Culture</u> , presumptive, pathogenic organisms, screening only; with colony estimation from density chart
<u>87086</u>	<u>\$7.12</u>	Culture, bacterial; quantitative colony count, urine
<u>87088</u>	<u>\$7.14</u>	Culture, bacterial; with isolation and presumptive identification of each isolate, urine
<u>87101</u>	<u>\$6.80</u>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail
87102	<u>\$7.42</u>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)
<u>87103</u>	<u>\$18.05</u>	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood
<u>87106</u>	<u>\$9.10</u>	Culture, fungi, definitive identification, each organism; yeast
<u>87107</u>	<u>\$9.10</u>	Culture, fungi, definitive identification, each organism; mold
<u>87109</u>	<u>\$13.57</u>	<u>Culture, mycoplasma, any source</u>
<u>87110</u>	<u>\$17.29</u>	Culture, chlamydia, any source
<u>87116</u>	<u>\$9.53</u>	Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates
<u>87118</u>	<u>\$12.89</u>	Culture, mycobacterial, definitive identification, each isolate
<u>87140</u>	<u>\$4.91</u>	Culture, typing; immunofluorescent method, each antiserum

<u>Code</u>	Rate	Description
<u>87143</u>	\$11.04	Culture, typing; gas liquid chromatography (GLC) or high pressure liquid chromatography (HPLC) method
<u>87147</u>	<u>\$4.57</u>	Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum
<u>87149</u>	<u>\$17.68</u>	Culture, typing; identification by nucleic acid (DNA or RNA) probe, direct probe technique, per culture or isolate, each organism probed
<u>87150</u>	<u>\$30.95</u>	Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed
<u>87152</u>	<u>\$6.83</u>	Culture, typing; identification by pulse field gel typing
<u>87158</u>	<u>\$6.83</u>	Culture, typing; other methods
<u>87164</u>	<u>\$9.47</u>	Dark field examination, any source (eg, penile, vaginal, oral, skin); includes specimen collection
<u>87166</u>	<u>\$9.97</u>	Dark field examination, any source (eg, penile, vaginal, oral, skin); without collection
<u>87168</u>	\$3.77	Macroscopic examination; arthropod
<u>87169</u>	<u>\$3.80</u>	Macroscopic examination; parasite
<u>87172</u>	<u>\$3.77</u>	Pinworm exam (eg, cellophane tape prep)
<u>87176</u>	<u>\$5.19</u>	Homogenization, tissue, for culture
<u>87177</u>	<u>\$7.85</u>	Ova and parasites, direct smears, concentration and identification
<u>87181</u>	<u>\$4.19</u>	Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)
<u>87184</u>	<u>\$6.60</u>	Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)
<u>87185</u>	<u>\$4.19</u>	Susceptibility studies, antimicrobial agent; enzyme detection (eg, beta lactamase), per enzyme
<u>87186</u>	<u>\$7.63</u>	Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate
<u>87187</u>	<u>\$35.43</u>	Susceptibility studies, antimicrobial agent; microdilution or agar dilution, minimum lethal concentration (MLC), each plate (List separately in addition to code for primary procedure)
<u>87188</u>	<u>\$5.86</u>	Susceptibility studies, antimicrobial agent; macrobroth dilution method, each agent
<u>87190</u>	<u>\$6.45</u>	Susceptibility studies, antimicrobial agent; mycobacteria, proportion method, each agent
<u>87197</u>	<u>\$13.25</u>	Serum bactericidal titer (Schlichter test)

<u>Code</u>	Rate	<u>Description</u>
<u>87205</u>	<u>\$3.77</u>	Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types
<u>87206</u>	<u>\$4.75</u>	Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types
<u>87207</u>	<u>\$5.28</u>	Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)
<u>87209</u>	<u>\$15.86</u>	Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites
<u>87210</u>	<u>\$5.13</u>	Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)
<u>87220</u>	<u>\$3.77</u>	Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)
<u>87230</u>	<u>\$17.41</u>	Toxin or antitoxin assay, tissue culture (eg, Clostridium difficile toxin)
<u>87250</u>	<u>\$17.25</u>	Virus isolation; inoculation of embryonated eggs, or small animal, includes observation and dissection
<u>87252</u>	<u>\$22.99</u>	Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect
<u>87253</u>	<u>\$17.82</u>	Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate
<u>87254</u>	<u>\$17.25</u>	Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus
<u>87255</u>	<u>\$29.86</u>	Virus isolation; including identification by non-immunologic method, other than by cytopathic effect (eg, virus specific enzymatic activity)
<u>87260</u>	<u>\$12.73</u>	Infectious agent antigen detection by immunofluorescent technique; adenovirus
<u>87265</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunofluorescent technique; Bordetella pertussis/parapertussis
<u>87267</u>	<u>\$11.84</u>	Infectious agent antigen detection by immunofluorescent technique; Enterovirus, direct fluorescent antibody (DFA)
<u>87269</u>	\$12.00	Infectious agent antigen detection by immunofluorescent technique; giardia
<u>87270</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunofluorescent technique; Chlamydia trachomatis
<u>87271</u>	<u>\$11.84</u>	Infectious agent antigen detection by immunofluorescent technique; Cytomegalovirus, direct fluorescent antibody (DFA)

<u>Code</u>	<u>Rate</u>	Description
87272	<u>\$10.57</u>	Infectious agent antigen detection by immunofluorescent technique; cryptosporidium
<u>87273</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunofluorescent technique; Herpes simplex virus type 2
<u>87274</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunofluorescent technique; Herpes simplex virus type 1
<u>87275</u>	<u>\$10.80</u>	<u>Infectious agent antigen detection by immunofluorescent technique; influenza B virus</u>
<u>87276</u>	<u>\$14.17</u>	<u>Infectious agent antigen detection by immunofluorescent technique; influenza A virus</u>
<u>87278</u>	<u>\$13.76</u>	Infectious agent antigen detection by immunofluorescent technique; Legionella pneumophila
<u>87279</u>	<u>\$14.49</u>	Infectious agent antigen detection by immunofluorescent technique; Parainfluenza virus, each type
87280	<u>\$11.84</u>	Infectious agent antigen detection by immunofluorescent technique; respiratory syncytial virus
<u>87281</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunofluorescent technique; Pneumocystis carinii
<u>87283</u>	<u>\$53.63</u>	Infectious agent antigen detection by immunofluorescent technique; Rubeola
<u>87285</u>	<u>\$10.74</u>	Infectious agent antigen detection by immunofluorescent technique; Treponema pallidum
<u>87290</u>	<u>\$11.84</u>	Infectious agent antigen detection by immunofluorescent technique; Varicella zoster virus
87299	<u>\$14.20</u>	Infectious agent antigen detection by immunofluorescent technique; not otherwise specified, each organism
<u>87300</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunofluorescent technique, polyvalent for multiple organisms, each polyvalent antiserum
<u>87301</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; adenovirus enteric types 40/41
<u>87305</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Aspergillus

<u>Code</u>	Rate	<u>Description</u>
87320	<u>\$13.23</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Chlamydia trachomatis
<u>87324</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Clostridium difficile toxin(s)
<u>87327</u>	<u>\$11.84</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Cryptococcus neoformans
87328	<u>\$12.19</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; cryptosporidium
87329	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; giardia
87332	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; cytomegalovirus
<u>87335</u>	<u>\$11.17</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Escherichia coli 0157
<u>87336</u>	<u>\$14.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Entamoeba histolytica dispar group

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87337</u>	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Entamoeba histolytica group
87338	\$12.68	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori, stool
<u>87339</u>	<u>\$14.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Helicobacter pylori
<u>87340</u>	<u>\$9.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis B surface antigen (HBsAg)
<u>87341</u>	<u>\$9.11</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis B surface antigen (HBsAg) neutralization
<u>87350</u>	<u>\$10.17</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis Be antigen (HBeAg)
<u>87380</u>	<u>\$16.19</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis, delta agent

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87385</u>	<u>\$11.69</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Histoplasma capsulatum
<u>87389</u>	\$21.24	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result
87390	\$21.22	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1
<u>87391</u>	<u>\$19.32</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-2
87400	<u>\$12.46</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Influenza, A or B, each
87420	<u>\$12.27</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; respiratory syncytial virus
87425	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; rotavirus

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87426</u>	<u>\$35.33</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19])
87427	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Shiga-like toxin
<u>87428</u>	<u>\$63.59</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19]) and influenza virus types A and B
87430	<u>\$14.83</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Streptococcus, group A
87449	<u>\$10.57</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; not otherwise specified, each organism
<u>87451</u>	<u>\$9.27</u>	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; polyvalent for multiple organisms, each polyvalent antiserum
<u>87471</u>	\$30.95	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique
87472	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, quantification

<u>Code</u>	<u>Rate</u>	Description
<u>87475</u>	\$17.68	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, direct probe technique
<u>87476</u>	\$30.95	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique
<u>87480</u>	\$17.68	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, direct probe technique
<u>87481</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, amplified probe technique
<u>87482</u>	<u>\$49.16</u>	Infectious agent detection by nucleic acid (DNA or RNA); Candida species, quantification
<u>87483</u>	<u>\$367.60</u>	Infectious agent detection by nucleic acid (DNA or RNA); central nervous system pathogen (eg, Neisseria meningitidis, Streptococcus pneumoniae, Listeria, Haemophilus influenzae, E. coli, Streptococcus agalactiae, enterovirus, human parechovirus, herpes simplex virus type 1 and 2, human herpesvirus 6, cytomegalovirus, varicella zoster virus, Cryptococcus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
<u>87485</u>	\$17.68	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, direct probe technique
<u>87486</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique
87487	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, quantification
87490	\$20.07	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique
87491	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique
87492	<u>\$47.16</u>	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, quantification
87493	\$32.87	Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique
<u>87495</u>	\$26.49	Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, direct probe technique
<u>87496</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, amplified probe technique
<u>87497</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification

<u>Code</u>	<u>Rate</u>	Description
87498	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed
<u>87500</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (eg, enterococcus species van A, van B), amplified probe technique
<u>87501</u>	<u>\$45.26</u>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, includes reverse transcription, when performed, and amplified probe technique, each type or subtype
<u>87502</u>	<u>\$84.50</u>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub-types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, first 2 types or sub-types
<u>87503</u>	<u>\$25.77</u>	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub-types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, each additional influenza virus type or sub-type beyond 2 (List separately in addition to code for primary procedure)
<u>87505</u>	<u>\$113.15</u>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets
<u>87506</u>	<u>\$231.96</u>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets
87507	<u>\$367.60</u>	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (eg, Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
<u>87510</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique
<u>87511</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, amplified probe technique
<u>87512</u>	<u>\$36.83</u>	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, quantification

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>87516</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique
<u>87517</u>	<u>\$37.78</u>	<u>Infectious agent detection by nucleic acid (DNA or RNA);</u> <u>hepatitis B virus, quantification</u>
<u>87520</u>	<u>\$27.54</u>	<u>Infectious agent detection by nucleic acid (DNA or RNA);</u> <u>hepatitis C, direct probe technique</u>
<u>87521</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed
<u>87522</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed
<u>87525</u>	<u>\$26.28</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, direct probe technique
<u>87526</u>	<u>\$34.63</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, amplified probe technique
<u>87527</u>	<u>\$36.83</u>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, quantification
<u>87528</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, direct probe technique
87529	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique
<u>87530</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification
<u>87531</u>	<u>\$51.16</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, direct probe technique
<u>87532</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, amplified probe technique
<u>87533</u>	<u>\$36.83</u>	<u>Infectious agent detection by nucleic acid (DNA or RNA);</u> <u>Herpes virus-6, quantification</u>
<u>87534</u>	<u>\$19.33</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique
<u>87535</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed
<u>87536</u>	<u>\$75.06</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed
<u>87537</u>	<u>\$19.33</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct probe technique

<u>Code</u>	Rate	Description
<u>87538</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified probe technique, includes reverse transcription when performed
<u>87539</u>	<u>\$51.70</u>	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, quantification, includes reverse transcription when performed
<u>87540</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, direct probe technique
<u>87541</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, amplified probe technique
<u>87542</u>	<u>\$36.83</u>	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, quantification
<u>87550</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, direct probe technique
<u>87551</u>	<u>\$42.55</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique
<u>87552</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, quantification
<u>87555</u>	\$23.71	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, direct probe technique
<u>87556</u>	<u>\$36.76</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique
<u>87557</u>	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, quantification
<u>87560</u>	<u>\$24.07</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, direct probe technique
<u>87561</u>	\$30.95	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, amplified probe technique
<u>87562</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, quantification
<u>87563</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma genitalium, amplified probe technique
<u>87580</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, direct probe technique
<u>87581</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA): Mycoplasma pneumoniae, amplified probe technique
<u>87582</u>	<u>\$266.91</u>	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, quantification
<u>87590</u>	\$23.71	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique

<u>Code</u>	Rate	<u>Description</u>
<u>87591</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique
<u>87592</u>	<u>\$37.78</u>	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, quantification
<u>87623</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low-risk types (eg, 6, 11, 42, 43, 44)
<u>87624</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)
<u>87625</u>	<u>\$35.77</u>	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed
<u>87631</u>	<u>\$125.80</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets
<u>87632</u>	<u>\$192.33</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets
<u>87633</u>	<u>\$367.60</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
<u>87634</u>	<u>\$61.92</u>	Infectious agent detection by nucleic acid (DNA or RNA); respiratory syncytial virus, amplified probe technique
<u>87635</u>	<u>\$51.31</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique

<u>Code</u>	Rate	Description
<u>87636</u>	<u>\$142.63</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) and influenza virus types A and B, multiplex amplified probe technique
<u>87637</u>	<u>\$142.63</u>	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), influenza virus types A and B, and respiratory syncytial virus, multiplex amplified probe technique
<u>87640</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique
<u>87641</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique
<u>87650</u>	<u>\$17.68</u>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique
<u>87651</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique
87652	\$36.83	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, quantification
<u>87653</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique
<u>87660</u>	\$17.68	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique
<u>87661</u>	<u>\$30.95</u>	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique
<u>87662</u>	<u>\$45.26</u>	Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique
<u>87797</u>	\$26.49	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; direct probe technique, each organism
87798	\$30.95	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism
87799	\$37.78	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism
<u>87800</u>	\$38.52	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique
<u>87801</u>	<u>\$61.92</u>	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique
<u>87802</u>	<u>\$11.23</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Streptococcus, group B

<u>Code</u>	<u>Rate</u>	Description
<u>87803</u>	<u>\$14.11</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Clostridium difficile toxin A
<u>87804</u>	<u>\$14.60</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Influenza</u>
<u>87806</u>	<u>\$28.90</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies</u>
<u>87807</u>	<u>\$11.55</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; respiratory syncytial virus
<u>87808</u>	<u>\$13.49</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Trichomonas vaginalis
<u>87809</u>	<u>\$19.19</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; adenovirus</u>
<u>87810</u>	\$31.13	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Chlamydia trachomatis
<u>87811</u>	<u>\$41.38</u>	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
<u>87850</u>	<u>\$21.66</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Neisseria gonorrhoeae</u>
<u>87880</u>	<u>\$14.58</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Streptococcus, group A</u>
<u>87899</u>	<u>\$14.17</u>	<u>Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; not otherwise specified</u>
<u>87900</u>	<u>\$114.97</u>	Infectious agent drug susceptibility phenotype prediction using regularly updated genotypic bioinformatics
<u>87901</u>	\$227.07	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions
87902	\$227.07	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus
<u>87903</u>	\$431.00	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; first through 10 drugs tested
<u>87904</u>	<u>\$22.99</u>	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; each additional drug tested (List separately in addition to code for primary procedure)
<u>87905</u>	<u>\$10.78</u>	Infectious agent enzymatic activity other than virus (eg, sialidase activity in vaginal fluid)

<u>Code</u>	Rate	Description	
<u>87906</u>	<u>\$113.54</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, other region (eg, integrase, fusion)	
<u>87910</u>	<u>\$227.07</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); cytomegalovirus	
<u>87912</u>	<u>\$227.07</u>	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis B virus	
<u>87999</u>	<u>I.C.</u>	<u>Unlisted microbiology procedure</u>	
		Anatomic Pathology	
<u>88000</u>	I.C.	Necropsy (autopsy), gross examination only; without CNS	
<u>88005</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; with brain	
<u>88007</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; with brain and spinal cord	
<u>88012</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; infant with brain	
<u>88014</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; stillborn or newborn with brain	
<u>88016</u>	<u>I.C.</u>	Necropsy (autopsy), gross examination only; macerated stillborn	
<u>88020</u>	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; without CNS	
<u>88025</u>	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; with brain	
<u>88027</u>	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; with brain and spinal cord	
<u>88028</u>	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; infant with brain	
88029	<u>I.C.</u>	Necropsy (autopsy), gross and microscopic; stillborn or newborn with brain	
<u>88036</u>	<u>I.C.</u>	Necropsy (autopsy), limited, gross and/or microscopic; regional	
<u>88037</u>	<u>I.C.</u>	Necropsy (autopsy), limited, gross and/or microscopic; single organ	
88040	I.C.	Necropsy (autopsy); forensic examination	
<u>88045</u>	<u>I.C.</u>	Necropsy (autopsy); coroner's call	
<u>88099</u>	<u>I.C.</u>	<u>Unlisted necropsy (autopsy) procedure</u>	
	Cytopathology		
<u>88130</u>	<u>\$15.86</u>	Sex chromatin identification; Barr bodies	
<u>88140</u>	<u>\$7.05</u>	Sex chromatin identification; peripheral blood smear, polymorphonuclear drumsticks	
<u>88142</u>	<u>\$17.87</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	

<u>Code</u>	Rate	Description
<u>88143</u>	<u>\$20.32</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with manual screening and rescreening under physician supervision
<u>88147</u>	<u>\$44.59</u>	Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision
<u>88148</u>	<u>\$14.11</u>	Cytopathology smears, cervical or vaginal; screening by automated system with manual rescreening under physician supervision
<u>88150</u>	<u>\$13.36</u>	Cytopathology, slides, cervical or vaginal; manual screening under physician supervision
<u>88152</u>	<u>\$24.38</u>	Cytopathology, slides, cervical or vaginal; with manual screening and computer-assisted rescreening under physician supervision
<u>88153</u>	<u>\$21.19</u>	Cytopathology, slides, cervical or vaginal; with manual screening and rescreening under physician supervision
<u>88155</u>	<u>\$12.92</u>	Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (eg, maturation index, karyopyknotic index, estrogenic index) (List separately in addition to code[s] for other technical and interpretation services)
<u>88164</u>	\$13.36	Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision
<u>88165</u>	<u>\$37.24</u>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and rescreening under physician supervision
<u>88166</u>	<u>\$13.36</u>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening under physician supervision
<u>88167</u>	<u>\$13.36</u>	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening using cell selection and review under physician supervision
88174	<u>\$22.38</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision
<u>88175</u>	<u>\$23.47</u>	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision

<u>Code</u>	<u>Rate</u>	<u>Description</u>	
	Cytogenic Studies		
<u>88230</u>	<u>\$102.74</u>	Tissue culture for non-neoplastic disorders; lymphocyte	
88233	<u>\$124.12</u>	<u>Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy</u>	
<u>88235</u>	<u>\$132.56</u>	<u>Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells</u>	
88237	<u>\$126.79</u>	<u>Tissue culture for neoplastic disorders; bone marrow, blood cells</u>	
<u>88239</u>	<u>\$130.11</u>	<u>Tissue culture for neoplastic disorders; solid tumor</u>	
<u>88240</u>	<u>\$11.53</u>	Cryopreservation, freezing and storage of cells, each cell line	
<u>88241</u>	<u>\$10.66</u>	Thawing and expansion of frozen cells, each aliquot	
<u>88245</u>	<u>\$152.74</u>	<u>Chromosome analysis for breakage syndromes; baseline Sister</u> <u>Chromatid Exchange (SCE), 20-25 cells</u>	
88248	<u>\$152.74</u>	Chromosome analysis for breakage syndromes; baseline breakage, score 50-100 cells, count 20 cells, 2 karyotypes (eg. for ataxia telangiectasia, Fanconi anemia, fragile X)	
88249	<u>\$152.74</u>	Chromosome analysis for breakage syndromes; score 100 cells, clastogen stress (eg, diepoxybutane, mitomycin C, ionizing radiation, UV radiation)	
<u>88261</u>	<u>\$233.15</u>	Chromosome analysis; count 5 cells, 1 karyotype, with banding	
88262	<u>\$110.68</u>	<u>Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding</u>	
88263	\$132.56	<u>Chromosome analysis; count 45 cells for mosaicism, 2</u> <u>karyotypes, with banding</u>	
88264	<u>\$127.55</u>	Chromosome analysis; analyze 20-25 cells	
<u>88267</u>	\$166.32	Chromosome analysis, amniotic fluid or chorionic villus, count 15 cells, 1 karyotype, with banding	
88269	\$153.17	Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	
<u>88271</u>	<u>\$18.89</u>	Molecular cytogenetics; DNA probe, each (eg, FISH)	
88272	\$35.90	Molecular cytogenetics; chromosomal in situ hybridization, analyze 3-5 cells (eg, for derivatives and markers)	
88273	\$30.70	Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	
88274	\$37.38	Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells	
<u>88275</u>	<u>\$45.15</u>	Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	
<u>88280</u>	<u>\$29.52</u>	Chromosome analysis; additional karyotypes, each study	

<u>Code</u>	<u>Rate</u>	<u>Description</u>
88283	\$60.51	Chromosome analysis; additional specialized banding technique
00203	<u>\$00.51</u>	(eg, NOR, C-banding)
<u>88285</u>	<u>\$23.73</u>	Chromosome analysis; additional cells counted, each study
<u>88289</u>	<u>\$30.37</u>	Chromosome analysis; additional high resolution study
<u>88371</u>	\$19. <u>61</u>	Protein analysis of tissue by Western Blot, with interpretation
00371	<u>\$19.01</u>	and report;
<u>88372</u>	\$23.13	Protein analysis of tissue by Western Blot, with interpretation
00372	<u> </u>	and report; immunological probe for band identification, each
	In vivo, (e.g., Tr	canscutaneous) Laboratory Procedures
<u>88720</u>	<u>\$4.43</u>	Bilirubin, total, transcutaneous
<u>88738</u>	<u>\$4.43</u>	Hemoglobin (Hgb), quantitative, transcutaneous
<u>88740</u>	<u>\$8.26</u>	Hemoglobin, quantitative, transcutaneous, per day;
00740	<u>\$6.20</u>	carboxyhemoglobin
88741	\$8.2 <u>6</u>	Hemoglobin, quantitative, transcutaneous, per day;
00741	ψ0.20	<u>methemoglobin</u>
		Other Procedures
89050	\$4.1 <u>6</u>	Cell count, miscellaneous body fluids (eg, cerebrospinal fluid,
<u>89030</u>	<u>\$4.10</u>	joint fluid), except blood;
89051	<u>\$4.94</u>	Cell count, miscellaneous body fluids (eg, cerebrospinal fluid,
07031		joint fluid), except blood; with differential count
<u>89055</u>	<u>\$3.77</u>	Leukocyte assessment, fecal, qualitative or semiquantitative
89060	<u>\$6.47</u>	Crystal identification by light microscopy with or without
		polarizing lens analysis, tissue or any body fluid (except urine)
<u>89125</u>	<u>\$5.19</u>	Fat stain, feces, urine, or respiratory secretions
<u>89160</u>	\$4.28	Meat fibers, feces
<u>89190</u>	<u>\$5.11</u>	Nasal smear for eosinophils
	Repro	ductive Medicine Procedures
<u>89250</u>	<u>I.C.</u>	Culture of oocyte(s)/embryo(s), less than 4 days;
<u>89251</u>	<u>I.C.</u>	Culture of oocyte(s)/embryo(s), less than 4 days; with co-
		<u>culture of oocyte(s)/embryos</u>
<u>89253</u>	<u>I.C.</u>	Assisted embryo hatching, microtechniques (any method)
<u>89254</u>	<u>I.C.</u>	Oocyte identification from follicular fluid
<u>89255</u>	<u>I.C.</u>	Preparation of embryo for transfer (any method)
<u>89257</u>	<u>I.C.</u>	Sperm identification from aspiration (other than seminal fluid)
<u>89258</u>	<u>I.C.</u>	<u>Cryopreservation; embryo(s)</u>
<u>89259</u>	<u>I.C.</u>	<u>Cryopreservation; sperm</u>
<u>89264</u>	<u>I.C.</u>	Sperm identification from testis tissue, fresh or cryopreserved
<u>89268</u>	<u>I.C.</u>	<u>Insemination of oocytes</u>

<u>Code</u>	<u>Rate</u>	<u>Description</u>	
<u>89272</u>	I.C.	Extended culture of oocyte(s)/embryo(s), 4-7 days	
89280	I.C.	Assisted oocyte fertilization, microtechnique; less than or equal to 10 oocytes	
<u>89281</u>	<u>I.C.</u>	Assisted oocyte fertilization, microtechnique; greater than 10 oocytes	
89290	I.C.	Biopsy, oocyte polar body or embryo blastomere, microtechnique (for pre-implantation genetic diagnosis); less than or equal to 5 embryos	
<u>89291</u>	I.C.	Biopsy, oocyte polar body or embryo blastomere, microtechnique (for pre-implantation genetic diagnosis); greater than 5 embryos	
<u>89300</u>	<u>\$8.68</u>	Semen analysis; presence and/or motility of sperm including Huhner test (post coital)	
<u>89310</u>	<u>\$7.59</u>	Semen analysis; motility and count (not including Huhner test)	
<u>89320</u>	<u>\$10.86</u>	Semen analysis; volume, count, motility, and differential	
<u>89321</u>	<u>\$10.63</u>	Semen analysis; sperm presence and motility of sperm, if performed	
89322	<u>\$13.67</u>	Semen analysis; volume, count, motility, and differential using strict morphologic criteria (eg, Kruger)	
<u>89325</u>	<u>\$9.41</u>	Sperm antibodies	
<u>89329</u>	<u>\$17.28</u>	Sperm evaluation; hamster penetration test	
<u>89330</u>	<u>\$9.16</u>	Sperm evaluation; cervical mucus penetration test, with or without spinnbarkeit test	
<u>89331</u>	<u>\$17.28</u>	Sperm evaluation, for retrograde ejaculation, urine (sperm concentration, motility, and morphology, as indicated)	
<u>89335</u>	<u>I.C.</u>	Cryopreservation, reproductive tissue, testicular	
<u>89342</u>	<u>I.C.</u>	Storage (per year); embryo(s)	
<u>89343</u>	<u>I.C.</u>	Storage (per year); sperm/semen	
<u>89344</u>	<u>I.C.</u>	Storage (per year); reproductive tissue, testicular/ovarian	
<u>89346</u>	<u>I.C.</u>	Storage (per year); oocyte(s)	
<u>89352</u>	<u>I.C.</u>	Thawing of cryopreserved; embryo(s)	
<u>89353</u>	<u>I.C.</u>	Thawing of cryopreserved; sperm/semen, each aliquot	
<u>89354</u>	<u>I.C.</u>	Thawing of cryopreserved; reproductive tissue, testicular/ovarian	
<u>89356</u>	<u>I.C.</u>	Thawing of cryopreserved; oocytes, each aliquot	
<u>89398</u>	<u>I.C.</u>	Unlisted reproductive medicine laboratory procedure	
	Other Pathology and Laboratory		
<u>36415</u>	<u>\$2.65</u>	Collection of venous blood by venipuncture	
<u>78267</u>	<u>\$9.75</u>	<u>Urea breath test, C-14 (isotopic); acquisition for analysis</u>	

<u>Code</u>	Rate	<u>Description</u>
<u>78268</u>	<u>\$83.27</u>	<u>Urea breath test, C-14 (isotopic); analysis</u>
<u>81105</u>	\$107.80	Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-1a/b (L33P)
<u>81106</u>	<u>\$107.80</u>	Human Platelet Antigen 2 genotyping (HPA-2), GP1BA (glycoprotein Ib [platelet], alpha polypeptide [GPIba]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-2a/b (T145M)
81107	<u>\$107.80</u>	Human Platelet Antigen 3 genotyping (HPA-3), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-3a/b (I843S)
<u>81108</u>	<u>\$107.80</u>	Human Platelet Antigen 4 genotyping (HPA-4), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-4a/b (R143Q)
<u>81109</u>	<u>\$107.80</u>	Human Platelet Antigen 5 genotyping (HPA-5), ITGA2 (integrin, alpha 2 [CD49B, alpha 2 subunit of VLA-2 receptor] [GPIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant (eg, HPA-5a/b (K505E))
<u>81110</u>	<u>\$107.80</u>	Human Platelet Antigen 6 genotyping (HPA-6w), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa, antigen CD61] [GPIIIa]) (eg. neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-6a/b (R489Q)
<u>81111</u>	<u>\$107.80</u>	Human Platelet Antigen 9 genotyping (HPA-9w), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41] [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-9a/b (V837M)
81112	<u>\$107.80</u>	Human Platelet Antigen 15 genotyping (HPA-15), CD109 (CD109 molecule) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-15a/b (S682Y)

<u>Code</u>	<u>Rate</u>	Description
81120	<u>\$170.45</u>	IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common variants (eg, R132H, R132C)
<u>81121</u>	\$260.89	IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common variants (eg, R140W, R172M)
81161	<u>\$246.08</u>	DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy) deletion analysis, and duplication analysis, if performed
<u>81162</u>	<u>\$1,609.54</u>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and full duplication/deletion analysis (ie, detection of large gene rearrangements)
<u>81163</u>	<u>\$412.78</u>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
81164	<u>\$515.29</u>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
<u>81165</u>	<u>\$249.50</u>	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
<u>81166</u>	<u>\$265.79</u>	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
<u>81167</u>	<u>\$249.50</u>	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)
81168	<u>\$182.85</u>	CCND1/IGH (t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative and quantitative, if performed
81170	<u>\$264.60</u>	ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib tyrosine kinase inhibitor resistance), gene analysis, variants in the kinase domain
81171	<u>\$120.83</u>	AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81172	<u>\$242.40</u>	AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]) gene analysis; characterization of alleles (eg, expanded size and methylation status)

<u>Code</u>	Rate	<u>Description</u>
81173	<u>\$265.79</u>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; full gene sequence
81174	<u>\$163.35</u>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; known familial variant
<u>81175</u>	<u>\$596.67</u>	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; full gene sequence
<u>81176</u>	<u>\$213.36</u>	ASXL1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; targeted sequence analysis (eg, exon 12)
<u>81177</u>	<u>\$120.83</u>	ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81178</u>	<u>\$120.83</u>	ATXN1 (ataxin 1) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81179</u>	\$120.83	ATXN2 (ataxin 2) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81180</u>	<u>\$120.83</u>	ATXN3 (ataxin 3) (eg. spinocerebellar ataxia, Machado-Joseph disease) gene analysis, evaluation to detect abnormal (eg. expanded) alleles
<u>81181</u>	\$120.83	ATXN7 (ataxin 7) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81182	<u>\$120.83</u>	ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81183</u>	\$120.83	ATXN10 (ataxin 10) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81184	<u>\$120.83</u>	CACNA1A (calcium voltage-gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
<u>81185</u>	<u>\$746.41</u>	CACNA1A (calcium voltage-gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; full gene sequence
<u>81186</u>	<u>\$163.35</u>	CACNA1A (calcium voltage-gated channel subunit alpha1 A) (eg, spinocerebellar ataxia) gene analysis; known familial variant

<u>Code</u>	<u>Rate</u>	Description
<u>81187</u>	<u>\$120.83</u>	CNBP (CCHC-type zinc finger nucleic acid binding protein) (eg, myotonic dystrophy type 2) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81188</u>	<u>\$120.83</u>	CSTB (cystatin B) (eg, Unverricht-Lundborg disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
<u>81189</u>	<u>\$242.40</u>	CSTB (cystatin B) (eg, Unverricht-Lundborg disease) gene analysis; full gene sequence
<u>81190</u>	<u>\$163.35</u>	CSTB (cystatin B) (eg, Unverricht-Lundborg disease) gene analysis; known familial variant(s)
<u>81191</u>	<u>\$182.85</u>	NTRK1 (neurotrophic receptor tyrosine kinase 1) (eg, solid tumors) translocation analysis
81192	<u>\$182.85</u>	NTRK2 (neurotrophic receptor tyrosine kinase 2) (eg, solid tumors) translocation analysis
81193	<u>\$182.85</u>	NTRK3 (neurotrophic receptor tyrosine kinase 3) (eg, solid tumors) translocation analysis
81194	\$457.12	NTRK (neurotrophic-tropomyosin receptor tyrosine kinase 1, 2, and 3) (eg, solid tumors) translocation analysis
81200	<u>\$41.67</u>	ASPA (aspartoacylase) (eg, Canavan disease) gene analysis, common variants (eg, E285A, Y231X)
<u>81201</u>	<u>\$687.96</u>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence
81202	<u>\$246.96</u>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; known familial variants
81203	<u>\$176.40</u>	APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants
81204	<u>\$120.83</u>	AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; characterization of alleles (eg, expanded size or methylation status)
<u>81205</u>	<u>\$83.78</u>	BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease) gene analysis, common variants (eg, R183P, G278S, E422X)
81206	<u>\$144.61</u>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative

<u>Code</u>	Rate	Description
81207	<u>\$127.75</u>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative
<u>81208</u>	<u>\$189.29</u>	BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; other breakpoint, qualitative or quantitative
81209	<u>\$34.67</u>	BLM (Bloom syndrome, RecQ helicase-like) (eg, Bloom syndrome) gene analysis, 2281del6ins7 variant
81210	<u>\$154.70</u>	BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)
81212	<u>\$388.08</u>	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174delT variants
81215	\$330.97	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
81216	\$163.28	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
81217	\$330.97	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
81218	<u>\$213.36</u>	CEBPA (CCAAT/enhancer binding protein [C/EBP], alpha) (eg, acute myeloid leukemia), gene analysis, full gene sequence
81219	<u>\$107.28</u>	CALR (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9
81220	<u>\$490.92</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)
81221	<u>\$85.75</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; known familial variants
81222	\$383.73	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; duplication/deletion variants
81223	<u>\$440.12</u>	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence
81224	\$148.84	CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; intron 8 poly-T analysis (eg, male infertility)
81225	<u>\$256.98</u>	CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)

<u>Code</u>	Rate	<u>Description</u>
<u>81226</u>	<u>\$397.70</u>	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41, *1XN, *2XN, *4XN)
81227	<u>\$154.18</u>	CYP2C9 (cytochrome P450, family 2, subfamily C, polypeptide 9) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *5, *6)
81228	<u>\$793.80</u>	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligobased comparative genomic hybridization [CGH] microarray analysis)
81229	\$1,023.12	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities
<u>81230</u>	<u>\$154.18</u>	CYP3A4 (cytochrome P450 family 3 subfamily A member 4) (eg, drug metabolism), gene analysis, common variant(s) (eg, *2, *22)
<u>81231</u>	<u>\$154.18</u>	CYP3A5 (cytochrome P450 family 3 subfamily A member 5) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *7)
81232	<u>\$154.18</u>	DPYD (dihydropyrimidine dehydrogenase) (eg, 5- fluorouracil/5-FU and capecitabine drug metabolism), gene analysis, common variant(s) (eg, *2A, *4, *5, *6)
81233	<u>\$154.70</u>	BTK (Bruton's tyrosine kinase) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, C481S, C481R, C481F)
81234	\$120.83	DMPK (DM1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; evaluation to detect abnormal (expanded) alleles
<u>81235</u>	<u>\$286.28</u>	EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719A, G719S, L861Q)
81236	<u>\$249.50</u>	EZH2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, myelodysplastic syndrome, myeloproliferative neoplasms) gene analysis, full gene sequence
81237	<u>\$154.70</u>	EZH2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, diffuse large B-cell lymphoma) gene analysis, common variant(s) (eg, codon 646)

<u>Code</u>	Rate	<u>Description</u>
81238	<u>\$529.20</u>	F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence
<u>81239</u>	<u>\$242.40</u>	DMPK (DM1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; characterization of alleles (eg, expanded size)
<u>81240</u>	<u>\$57.94</u>	F2 (prothrombin, coagulation factor II) (eg, hereditary hypercoagulability) gene analysis, 20210G>A variant
<u>81241</u>	<u>\$64.71</u>	F5 (coagulation factor V) (eg, hereditary hypercoagulability) gene analysis, Leiden variant
<u>81242</u>	<u>\$32.30</u>	FANCC (Fanconi anemia, complementation group C) (eg. Fanconi anemia, type C) gene analysis, common variant (eg. IVS4+4A>T)
<u>81243</u>	<u>\$50.31</u>	FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81244	<u>\$39.59</u>	FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and promoter methylation status)
<u>81245</u>	<u>\$145.98</u>	FLT3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia), gene analysis; internal tandem duplication (ITD) variants (ie, exons 14, 15)
<u>81246</u>	<u>\$73.21</u>	FLT3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia), gene analysis; tyrosine kinase domain (TKD) variants (eg, D835, I836)
81247	<u>\$154.18</u>	G6PD (glucose-6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; common variant(s) (eg, A, A-)
<u>81248</u>	<u>\$330.97</u>	G6PD (glucose-6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; known familial variant(s)
81249	<u>\$529.20</u>	G6PD (glucose-6-phosphate dehydrogenase) (eg, hemolytic anemia, jaundice), gene analysis; full gene sequence
81250	<u>\$51.59</u>	G6PC (glucose-6-phosphatase, catalytic subunit) (eg, Glycogen storage disease, type 1a, von Gierke disease) gene analysis, common variants (eg, R83C, Q347X)
<u>81251</u>	<u>\$41.67</u>	GBA (glucosidase, beta, acid) (eg, Gaucher disease) gene analysis, common variants (eg, N370S, 84GG, L444P, IVS2+1G>A)
<u>81252</u>	<u>\$89.19</u>	GJB2 (gap junction protein, beta 2, 26kDa, connexin 26) (eg, nonsyndromic hearing loss) gene analysis; full gene sequence
81253	<u>\$54.26</u>	GJB2 (gap junction protein, beta 2, 26kDa, connexin 26) (eg. nonsyndromic hearing loss) gene analysis; known familial variants

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81254	<u>\$30.87</u>	GJB6 (gap junction protein, beta 6, 30kDa, connexin 30) (eg, nonsyndromic hearing loss) gene analysis, common variants (eg, 309kb [del(GJB6-D13S1830)] and 232kb [del(GJB6-D13S1854)])
<u>81255</u>	<u>\$45.38</u>	HEXA (hexosaminidase A [alpha polypeptide]) (eg. Tay-Sachs disease) gene analysis, common variants (eg. 1278insTATC, 1421+1G>C, G269S)
<u>81256</u>	<u>\$57.65</u>	HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)
81257	<u>\$90.19</u>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; common deletions or variant (eg, Southeast Asian, Thai, Filipino, Mediterranean, alpha3.7, alpha4.2, alpha20.5, Constant Spring)
81258	\$330.97	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; known familial variant
81259	<u>\$529.20</u>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; full gene sequence
<u>81260</u>	<u>\$34.67</u>	IKBKAP (inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg, 2507+6T>C, R696P)
<u>81261</u>	<u>\$174.63</u>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, polymerase chain reaction)
81262	<u>\$60.46</u>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); direct probe methodology (eg, Southern blot)
<u>81263</u>	<u>\$259.77</u>	IGH@ (Immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, B-cell), variable region somatic mutation analysis
81264	<u>\$152.35</u>	IGK@ (Immunoglobulin kappa light chain locus) (eg, leukemia and lymphoma, B-cell), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)

<u>Code</u>	Rate	<u>Description</u>
<u>81265</u>	<u>\$205.57</u>	Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non- hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)
<u>81266</u>	<u>\$268.84</u>	Comparative analysis using Short Tandem Repeat (STR) markers; each additional specimen (eg, additional cord blood donor, additional fetal samples from different cultures, or additional zygosity in multiple birth pregnancies) (List separately in addition to code for primary procedure)
<u>81267</u>	<u>\$182.98</u>	Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection
<u>81268</u>	<u>\$230.02</u>	Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type
<u>81269</u>	<u>\$178.52</u>	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants
81270	<u>\$80.84</u>	JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant
81271	\$120.83	HTT (huntingtin) (eg, Huntington disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles
81272	<u>\$290.63</u>	KIT (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [GIST], acute myeloid leukemia, melanoma), gene analysis, targeted sequence analysis (eg, exons 8, 11, 13, 17, 18)
81273	\$110.14	KIT (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, mastocytosis), gene analysis, D816 variant(s)
81274	\$242.40	HTT (huntingtin) (eg. Huntington disease) gene analysis; characterization of alleles (eg. expanded size)
<u>81275</u>	<u>\$170.45</u>	KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)
<u>81276</u>	<u>\$170.45</u>	KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; additional variant(s) (eg, codon 61, codon 146)

<u>Code</u>	<u>Rate</u>	Description
81277	\$1,023.12	Cytogenomic neoplasia (genome-wide) microarray analysis, interrogation of genomic regions for copy number and loss-of-heterozygosity variants for chromosomal abnormalities
<u>81278</u>	<u>\$182.85</u>	IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma) translocation analysis, major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative
<u>81279</u>	<u>\$163.35</u>	JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) targeted sequence analysis (eg, exons 12 and 13)
<u>81283</u>	<u>\$64.71</u>	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis, rs12979860 variant
<u>81284</u>	<u>\$120.83</u>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; evaluation to detect abnormal (expanded) alleles
<u>81285</u>	<u>\$242.40</u>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; characterization of alleles (eg, expanded size)
<u>81286</u>	\$242.40	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; full gene sequence
<u>81287</u>	<u>\$109.93</u>	MGMT (O-6-methylguanine-DNA methyltransferase) (eg. glioblastoma multiforme) promoter methylation analysis
81288	<u>\$169.63</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; promoter methylation analysis
81289	<u>\$163.35</u>	FXN (frataxin) (eg, Friedreich ataxia) gene analysis; known familial variant(s)
81290	<u>\$34.67</u>	MCOLN1 (mucolipin 1) (eg, Mucolipidosis, type IV) gene analysis, common variants (eg, IVS3-2A>G, del6.4kb)
81291	\$57.63	MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)
81292	<u>\$595.70</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81293	<u>\$291.94</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81294	<u>\$178.52</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
<u>81295</u>	<u>\$336.66</u>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81296	<u>\$297.88</u>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
<u>81297</u>	<u>\$188.13</u>	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
<u>81298</u>	<u>\$566.11</u>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81299	<u>\$271.66</u>	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
<u>81300</u>	\$209.92	MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
<u>81301</u>	<u>\$307.43</u>	Microsatellite instability analysis (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) of markers for mismatch repair deficiency (eg, BAT25, BAT26), includes comparison of neoplastic and normal tissue, if performed
<u>81302</u>	\$465.58	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; full sequence analysis
81303	\$105.84	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; known familial variant
81304	\$132.30	MECP2 (methyl CpG binding protein 2) (eg, Rett syndrome) gene analysis; duplication/deletion variants
<u>81305</u>	<u>\$154.70</u>	MYD88 (myeloid differentiation primary response 88) (eg. Waldenstrom's macroglobulinemia, lymphoplasmacytic leukemia) gene analysis, p.Leu265Pro (L265P) variant
<u>81306</u>	\$256.98	NUDT15 (nudix hydrolase 15) (eg, drug metabolism) gene analysis, common variant(s) (eg, *2, *3, *4, *5, *6)
<u>81307</u>	<u>\$596.67</u>	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; full gene sequence
<u>81308</u>	\$265.79	PALB2 (partner and localizer of BRCA2) (eg, breast and pancreatic cancer) gene analysis; known familial variant
81309	\$242.40	PIK3CA (phosphatidylinositol-4, 5-biphosphate 3-kinase, catalytic subunit alpha) (eg, colorectal and breast cancer) gene analysis, targeted sequence analysis (eg, exons 7, 9, 20)
<u>81310</u>	\$217.43	NPM1 (nucleophosmin) (eg, acute myeloid leukemia) gene analysis, exon 12 variants

<u>Code</u>	Rate	Description
<u>81311</u>	<u>\$260.89</u>	NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)
<u>81312</u>	<u>\$120.83</u>	PABPN1 (poly[A] binding protein nuclear 1) (eg, oculopharyngeal muscular dystrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81313</u>	<u>\$224.95</u>	PCA3/KLK3 (prostate cancer antigen 3 [non-protein coding]/kallikrein-related peptidase 3 [prostate specific antigen]) ratio (eg, prostate cancer)
81314	<u>\$290.63</u>	PDGFRA (platelet-derived growth factor receptor, alpha polypeptide) (eg. gastrointestinal stromal tumor [GIST]), gene analysis, targeted sequence analysis (eg. exons 12, 18)
<u>81315</u>	<u>\$182.85</u>	PML/RARalpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; common breakpoints (eg, intron 3 and intron 6), qualitative or quantitative
<u>81316</u>	<u>\$182.85</u>	PML/RARalpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; single breakpoint (eg, intron 3, intron 6 or exon 6), qualitative or quantitative
<u>81317</u>	<u>\$596.67</u>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg. hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
<u>81318</u>	\$291.94	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg. hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
<u>81319</u>	<u>\$179.49</u>	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg. hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
81320	<u>\$256.98</u>	PLCG2 (phospholipase C gamma 2) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, R665W, S707F, L845F)
<u>81321</u>	<u>\$529.20</u>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis
81322	<u>\$41.10</u>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81323	<u>\$264.60</u>	PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; duplication/deletion variant
81324	<u>\$668.87</u>	PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis
<u>81325</u>	<u>\$678.77</u>	PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; full sequence analysis
<u>81326</u>	<u>\$41.10</u>	PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; known familial variant
<u>81327</u>	<u>\$169.34</u>	SEPT9 (Septin9) (eg, colorectal cancer) promoter methylation analysis
81328	<u>\$154.18</u>	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), gene analysis, common variant(s) (eg, *5)
<u>81329</u>	<u>\$120.83</u>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; dosage/deletion analysis (eg, carrier testing), includes SMN2 (survival of motor neuron 2, centromeric) analysis, if performed
<u>81330</u>	<u>\$41.45</u>	SMPD1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, Niemann-Pick disease, Type A) gene analysis, common variants (eg, R496L, L302P, fsP330)
<u>81331</u>	<u>\$45.04</u>	SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (eg, Prader-Willi syndrome and/or Angelman syndrome), methylation analysis
<u>81332</u>	\$38.50	SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)
81333	<u>\$120.83</u>	TGFBI (transforming growth factor beta-induced) (eg, corneal dystrophy) gene analysis, common variants (eg, R124H, R124C, R124L, R555W, R555Q)
<u>81334</u>	<u>\$290.63</u>	RUNX1 (runt related transcription factor 1) (eg, acute myeloid leukemia, familial platelet disorder with associated myeloid malignancy), gene analysis, targeted sequence analysis (eg, exons 3-8)
<u>81335</u>	<u>\$154.18</u>	TPMT (thiopurine S-methyltransferase) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3)

<u>Code</u>	Rate	Description
<u>81336</u>	<u>\$265.79</u>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; full gene sequence
81337	<u>\$163.35</u>	SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; known familial sequence variant(s)
<u>81338</u>	<u>\$132.59</u>	MPL (MPL proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; common variants (eg, W515A, W515K, W515L, W515R)
<u>81339</u>	<u>\$163.35</u>	MPL (MPL proto-oncogene, thrombopoietin receptor) (eg. myeloproliferative disorder) gene analysis; sequence analysis, exon 10
<u>81340</u>	<u>\$184.27</u>	TRB@ (T cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using amplification methodology (eg, polymerase chain reaction)
<u>81341</u>	<u>\$43.74</u>	TRB@ (T cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using direct probe methodology (eg, Southern blot)
<u>81342</u>	<u>\$177.72</u>	TRG@ (T cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)
81343	\$120.83	PPP2R2B (protein phosphatase 2 regulatory subunit Bbeta) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
81344	\$120.83	TBP (TATA box binding protein) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles
<u>81345</u>	<u>\$163.35</u>	TERT (telomerase reverse transcriptase) (eg, thyroid carcinoma, glioblastoma multiforme) gene analysis, targeted sequence analysis (eg, promoter region)
81346	<u>\$154.18</u>	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism), gene analysis, common variant(s) (eg, tandem repeat variant)
81347	<u>\$170.45</u>	SF3B1 (splicing factor [3b] subunit B1) (eg, myelodysplastic syndrome/acute myeloid leukemia) gene analysis, common variants (eg, A672T, E622D, L833F, R625C, R625L)
<u>81348</u>	<u>\$154.70</u>	SRSF2 (serine and arginine-rich splicing factor 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, P95H, P95L)

<u>Code</u>	Rate	Description
<u>81350</u>	\$206.39	UGT1A1 (UDP glucuronosyltransferase 1 family, polypeptide A1) (eg, drug metabolism, hereditary unconjugated hyperbilirubinemia [Gilbert syndrome]) gene analysis, common variants (eg, *28, *36, *37)
<u>81351</u>	<u>\$566.11</u>	TP53 (tumor protein 53) (eg, Li-Fraumeni syndrome) gene analysis; full gene sequence
<u>81352</u>	<u>\$290.63</u>	TP53 (tumor protein 53) (eg, Li-Fraumeni syndrome) gene analysis; targeted sequence analysis (eg, 4 oncology)
<u>81353</u>	<u>\$271.66</u>	TP53 (tumor protein 53) (eg, Li-Fraumeni syndrome) gene analysis; known familial variant
<u>81355</u>	<u>\$77.79</u>	VKORC1 (vitamin K epoxide reductase complex, subunit 1) (eg, warfarin metabolism), gene analysis, common variant(s) (eg, -1639G>A, c.173+1000C>T)
<u>81357</u>	<u>\$170.45</u>	U2AF1 (U2 small nuclear RNA auxiliary factor 1) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, S34F, S34Y, Q157R, Q157P)
<u>81360</u>	<u>\$170.45</u>	ZRSR2 (zinc finger CCCH-type, RNA binding motif and serine/arginine-rich 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variant(s) (eg, E65fs, E122fs, R448fs)
<u>81361</u>	<u>\$154.18</u>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); common variant(s) (eg, HbS, HbC, HbE)
<u>81362</u>	<u>\$330.97</u>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); known familial variant(s)
<u>81363</u>	<u>\$178.52</u>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); duplication/deletion variant(s)
<u>81364</u>	<u>\$286.28</u>	HBB (hemoglobin, subunit beta) (eg, sickle cell anemia, beta thalassemia, hemoglobinopathy); full gene sequence
<u>81370</u>	<u>\$354.67</u>	HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1
<u>81371</u>	<u>\$356.79</u>	HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, and -DRB1 (eg, verification typing)
<u>81372</u>	<u>\$355.97</u>	HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA-A, -B, and -C)
<u>81373</u>	<u>\$112.39</u>	HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each
81374	<u>\$65.56</u>	HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each

<u>Code</u>	Rate	<u>Description</u>
<u>81375</u>	<u>\$194.69</u>	HLA Class II typing, low resolution (eg, antigen equivalents); HLA-DRB1/3/4/5 and -DQB1
<u>81376</u>	<u>\$107.80</u>	HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, - DPB1, or -DPA1), each
<u>81377</u>	<u>\$83.56</u>	HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each
<u>81378</u>	<u>\$304.79</u>	HLA Class I and II typing, high resolution (ie, alleles or allele groups), HLA-A, -B, -C, and -DRB1
<u>81379</u>	<u>\$295.81</u>	HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)
<u>81380</u>	<u>\$156.33</u>	HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each
<u>81381</u>	<u>\$149.85</u>	HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each
<u>81382</u>	<u>\$109.09</u>	HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each
81383	<u>\$96.25</u>	HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each
81400	<u>\$56.41</u>	Molecular Pathology Procedure Level 1
<u>81401</u>	\$120.83	Molecular Pathology Procedure Level 2
<u>81402</u>	<u>\$132.59</u>	Molecular Pathology Procedure Level 3
81403	<u>\$163.35</u>	Molecular Pathology Procedure Level 4
81404	<u>\$242.40</u>	Molecular Pathology Procedure Level 5
<u>81405</u>	<u>\$265.79</u>	Molecular Pathology Procedure Level 6
81406	<u>\$249.50</u>	Molecular Pathology Procedure Level 7
<u>81407</u>	<u>\$746.41</u>	Molecular Pathology Procedure Level 8
<u>81408</u>	<u>\$1,764.00</u>	Molecular Pathology Procedure Level 9
<u>81410</u>	<u>\$444.53</u>	Aortic dysfunction or dilation (eg, Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); genomic sequence analysis panel, must include sequencing of at least 9 genes, including FBN1, TGFBR1, TGFBR2, COL3A1, MYH11, ACTA2, SLC2A10, SMAD3, and MYLK
<u>81411</u>	<u>\$1,190.87</u>	Aortic dysfunction or dilation (eg, Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); duplication/deletion analysis panel, must

<u>Code</u>	Rate	<u>Description</u>
		include analyses for TGFBR1, TGFBR2, MYH11, and COL3A1
<u>81412</u>	<u>\$2,159.63</u>	Ashkenazi Jewish associated disorders (eg, Bloom syndrome, Canavan disease, cystic fibrosis, familial dysautonomia, Fanconi anemia group C, Gaucher disease, Tay-Sachs disease), genomic sequence analysis panel, must include sequencing of at least 9 genes, including ASPA, BLM, CFTR, FANCC, GBA, HEXA, IKBKAP, MCOLN1, and SMPD1
81413	<u>\$515.88</u>	Cardiac ion channelopathies (eg, Brugada syndrome, long QT syndrome, short QT syndrome, catecholaminergic polymorphic ventricular tachycardia); genomic sequence analysis panel, must include sequencing of at least 10 genes, including ANK2, CASQ2, CAV3, KCNE1, KCNE2, KCNH2, KCNJ2, KCNQ1, RYR2, and SCN5A
81414	<u>\$515.88</u>	Cardiac ion channelopathies (eg, Brugada syndrome, long QT syndrome, short QT syndrome, catecholaminergic polymorphic ventricular tachycardia); duplication/deletion gene analysis panel, must include analysis of at least 2 genes, including KCNH2 and KCNQ1
<u>81415</u>	<u>\$4,215.96</u>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis
<u>81416</u>	<u>\$10,584.00</u>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)
<u>81417</u>	<u>\$282.24</u>	Exome (eg, unexplained constitutional or heritable disorder or syndrome); re-evaluation of previously obtained exome sequence (eg, updated knowledge or unrelated condition/syndrome)
<u>81419</u>	<u>\$2,159.63</u>	Epilepsy genomic sequence analysis panel, must include analyses for ALDH7A1, CACNA1A, CDKL5, CHD2, GABRG2, GRIN2A, KCNQ2, MECP2, PCDH19, POLG, PRRT2, SCN1A, SCN1B, SCN2A, SCN8A, SLC2A1, SLC9A6, STXBP1, SYNGAP1, TCF4, TPP1, TSC1, TSC2, and ZEB2
81420	<u>\$669.48</u>	Fetal chromosomal aneuploidy (eg, trisomy 21, monosomy X) genomic sequence analysis panel, circulating cell-free fetal DNA in maternal blood, must include analysis of chromosomes 13, 18, and 21

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81422	<u>\$669.48</u>	Fetal chromosomal microdeletion(s) genomic sequence analysis (eg, DiGeorge syndrome, Cri-du-chat syndrome), circulating cell-free fetal DNA in maternal blood
81425	<u>\$4,437.52</u>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis
<u>81426</u>	<u>\$2,390.18</u>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator genome (eg, parents, siblings) (List separately in addition to code for primary procedure)
81427	<u>\$2,061.81</u>	Genome (eg, unexplained constitutional or heritable disorder or syndrome); re-evaluation of previously obtained genome sequence (eg, updated knowledge or unrelated condition/syndrome)
<u>81430</u>	<u>\$1,433.25</u>	Hearing loss (eg, nonsyndromic hearing loss, Usher syndrome, Pendred syndrome); genomic sequence analysis panel, must include sequencing of at least 60 genes, including CDH23, CLRN1, GJB2, GPR98, MTRNR1, MYO7A, MYO15A, PCDH15, OTOF, SLC26A4, TMC1, TMPRSS3, USH1C, USH1G, USH2A, and WFS1
<u>81431</u>	<u>\$599.38</u>	Hearing loss (eg, nonsyndromic hearing loss, Usher syndrome, Pendred syndrome); duplication/deletion analysis panel, must include copy number analyses for STRC and DFNB1 deletions in GJB2 and GJB6 genes
<u>81432</u>	<u>\$598.92</u>	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer); genomic sequence analysis panel, must include sequencing of at least 10 genes, always including BRCA1, BRCA2, CDH1, MLH1, MSH2, MSH6, PALB2, PTEN, STK11, and TP53
81433	<u>\$387.14</u>	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer); duplication/deletion analysis panel, must include analyses for BRCA1, BRCA2, MLH1, MSH2, and STK11
<u>81434</u>	<u>\$527.36</u>	Hereditary retinal disorders (eg, retinitis pigmentosa, Leber congenital amaurosis, cone-rod dystrophy), genomic sequence analysis panel, must include sequencing of at least 15 genes, including ABCA4, CNGA1, CRB1, EYS, PDE6A, PDE6B, PRPF31, PRPH2, RDH12, RHO, RP1, RP2, RPE65, RPGR, and USH2A

<u>Code</u>	Rate	<u>Description</u>
<u>81435</u>	<u>\$515.88</u>	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma syndrome, Cowden syndrome, familial adenomatosis polyposis); genomic sequence analysis panel, must include sequencing of at least 10 genes, including APC, BMPR1A, CDH1, MLH1, MSH2, MSH6, MUTYH, PTEN, SMAD4, and STK11
81436	<u>\$515.88</u>	Hereditary colon cancer disorders (eg, Lynch syndrome, PTEN hamartoma syndrome, Cowden syndrome, familial adenomatosis polyposis); duplication/deletion analysis panel, must include analysis of at least 5 genes, including MLH1, MSH2, EPCAM, SMAD4, and STK11
<u>81437</u>	<u>\$387.14</u>	Hereditary neuroendocrine tumor disorders (eg, medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); genomic sequence analysis panel, must include sequencing of at least 6 genes, including MAX, SDHB, SDHC, SDHD, TMEM127, and VHL
<u>81438</u>	<u>\$387.14</u>	Hereditary neuroendocrine tumor disorders (eg, medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); duplication/deletion analysis panel, must include analyses for SDHB, SDHC, SDHD, and VHL
81439	<u>\$515.88</u>	Hereditary cardiomyopathy (eg, hypertrophic cardiomyopathy, dilated cardiomyopathy, arrhythmogenic right ventricular cardiomyopathy), genomic sequence analysis panel, must include sequencing of at least 5 cardiomyopathy-related genes (eg, DSG2, MYBPC3, MYH7, PKP2, TTN)
<u>81440</u>	<u>\$2,931.77</u>	Nuclear encoded mitochondrial genes (eg, neurologic or myopathic phenotypes), genomic sequence panel, must include analysis of at least 100 genes, including BCS1L, C10orf2, COQ2, COX10, DGUOK, MPV17, OPA1, PDSS2, POLG, POLG2, RRM2B, SCO1, SCO2, SLC25A4, SUCLA2, SUCLG1, TAZ, TK2, and TYMP
81442	<u>\$1,890.66</u>	Noonan spectrum disorders (eg, Noonan syndrome, cardio-facio-cutaneous syndrome, Costello syndrome, LEOPARD syndrome, Noonan-like syndrome), genomic sequence analysis panel, must include sequencing of at least 12 genes, including BRAF, CBL, HRAS, KRAS, MAP2K1, MAP2K2, NRAS, PTPN11, RAF1, RIT1, SHOC2, and SOS1

<u>Code</u>	Rate	Description
<u>81443</u>	<u>\$2,159.63</u>	Genetic testing for severe inherited conditions (eg, cystic fibrosis, Ashkenazi Jewish-associated disorders [eg, Bloom syndrome, Canavan disease, Fanconi anemia type C, mucolipidosis type VI, Gaucher disease, Tay-Sachs disease], beta hemoglobinopathies, phenylketonuria, galactosemia), genomic sequence analysis panel, must include sequencing of at least 15 genes (eg, ACADM, ARSA, ASPA, ATP7B, BCKDHA, BCKDHB, BLM, CFTR, DHCR7, FANCC, G6PC, GAA, GALT, GBA, GBE1, HBB, HEXA, IKBKAP, MCOLN1, PAH)
<u>81445</u>	<u>\$527.36</u>	Targeted genomic sequence analysis panel, solid organ neoplasm, DNA analysis, and RNA analysis when performed, 5-50 genes (eg, ALK, BRAF, CDKN2A, EGFR, ERBB2, KIT, KRAS, NRAS, MET, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), interrogation for sequence variants and copy number variants or rearrangements, if performed
81448	<u>\$515.88</u>	Hereditary peripheral neuropathies (eg, Charcot-Marie-Tooth, spastic paraplegia), genomic sequence analysis panel, must include sequencing of at least 5 peripheral neuropathy-related genes (eg, BSCL2, GJB1, MFN2, MPZ, REEP1, SPAST, SPG11, SPTLC1)
<u>81450</u>	<u>\$669.91</u>	Targeted genomic sequence analysis panel, hematolymphoid neoplasm or disorder, DNA analysis, and RNA analysis when performed, 5-50 genes (eg, BRAF, CEBPA, DNMT3A, EZH2, FLT3, IDH1, IDH2, JAK2, KRAS, KIT, MLL, NRAS, NPM1, NOTCH1), interrogation for sequence variants, and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed
<u>81455</u>	<u>\$2,575.09</u>	Targeted genomic sequence analysis panel, solid organ or hematolymphoid neoplasm, DNA analysis, and RNA analysis when performed, 51 or greater genes (eg, ALK, BRAF, CDKN2A, CEBPA, DNMT3A, EGFR, ERBB2, EZH2, FLT3, IDH1, IDH2, JAK2, KIT, KRAS, MLL, NPM1, NRAS, MET, NOTCH1, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), interrogation for sequence variants and copy number variants or rearrangements, if performed

<u>Code</u>	Rate	<u>Description</u>
<u>81460</u>	<u>\$1,135.13</u>	Whole mitochondrial genome (eg, Leigh syndrome, mitochondrial encephalomyopathy, lactic acidosis, and strokelike episodes [MELAS], myoclonic epilepsy with ragged-red fibers [MERFF], neuropathy, ataxia, and retinitis pigmentosa [NARP], Leber hereditary optic neuropathy [LHON]), genomic sequence, must include sequence analysis of entire mitochondrial genome with heteroplasmy detection
<u>81465</u>	<u>\$825.55</u>	Whole mitochondrial genome large deletion analysis panel (eg. Kearns-Sayre syndrome, chronic progressive external ophthalmoplegia), including heteroplasmy detection, if performed
<u>81470</u>	<u>\$806.15</u>	X-linked intellectual disability (XLID) (eg, syndromic and non-syndromic XLID); genomic sequence analysis panel, must include sequencing of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
<u>81471</u>	<u>\$806.15</u>	X-linked intellectual disability (XLID) (eg, syndromic and non-syndromic XLID); duplication/deletion gene analysis, must include analysis of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
<u>81479</u>	<u>I.C.</u>	Unlisted molecular pathology procedure
81490	<u>\$741.45</u>	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic algorithm reported as a disease activity score
81493	<u>\$926.10</u>	Coronary artery disease, mRNA, gene expression profiling by real-time RT-PCR of 23 genes, utilizing whole peripheral blood, algorithm reported as a risk score
<u>81500</u>	<u>\$229.76</u>	Oncology (ovarian), biochemical assays of two proteins (CA-125 and HE4), utilizing serum, with menopausal status, algorithm reported as a risk score
<u>81503</u>	<u>\$791.15</u>	Oncology (ovarian), biochemical assays of five proteins (CA-125, apolipoprotein A1, beta-2 microglobulin, transferrin, and pre-albumin), utilizing serum, algorithm reported as a risk score
<u>81506</u>	<u>\$60.79</u>	Endocrinology (type 2 diabetes), biochemical assays of seven analytes (glucose, HbA1c, insulin, hs-CRP, adiponectin, ferritin, interleukin 2-receptor alpha), utilizing serum or plasma, algorithm reporting a risk score

<u>Code</u>	Rate	Description
<u>81508</u>	<u>\$47.89</u>	Fetal congenital abnormalities, biochemical assays of two proteins (PAPP-A, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
81509	<u>\$1,311.86</u>	Fetal congenital abnormalities, biochemical assays of three proteins (PAPP-A, hCG [any form], DIA), utilizing maternal serum, algorithm reported as a risk score
<u>81510</u>	<u>\$48.99</u>	Fetal congenital abnormalities, biochemical assays of three analytes (AFP, uE3, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
<u>81511</u>	<u>\$135.39</u>	Fetal congenital abnormalities, biochemical assays of four analytes (AFP, uE3, hCG [any form], DIA) utilizing maternal serum, algorithm reported as a risk score (may include additional results from previous biochemical testing)
81512	<u>\$61.32</u>	Fetal congenital abnormalities, biochemical assays of five analytes (AFP, uE3, total hCG, hyperglycosylated hCG, DIA) utilizing maternal serum, algorithm reported as a risk score
81513	<u>\$125.80</u>	Infectious disease, bacterial vaginosis, quantitative real-time amplification of RNA markers for Atopobium vaginae, Gardnerella vaginalis, and Lactobacillus species, utilizing vaginal-fluid specimens, algorithm reported as a positive or negative result for bacterial vaginosis
<u>81514</u>	<u>\$231.96</u>	Infectious disease, bacterial vaginosis and vaginitis, quantitative real-time amplification of DNA markers for Gardnerella vaginalis, Atopobium vaginae, Megasphaera type 1, Bacterial Vaginosis Associated Bacteria-2 (BVAB-2), and Lactobacillus species (L. crispatus and L. jensenii), utilizing vaginal-fluid specimens, algorithm reported as a positive or negative for high likelihood of bacterial vaginosis, includes separate detection of Trichomonas vaginalis and/or Candida species (C. albicans, C. tropicalis, C. parapsilosis, C. dubliniensis), Candida glabrata, Candida krusei, when reported
<u>81518</u>	<u>\$3,415.99</u>	Oncology (breast), mRNA, gene expression profiling by real- time RT-PCR of 11 genes (7 content and 4 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithms reported as percentage risk for metastatic recurrence and likelihood of benefit from extended endocrine therapy
81519	\$3,415.99	Oncology (breast), mRNA, gene expression profiling by real- time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score

<u>Code</u>	Rate	<u>Description</u>
<u>81520</u>	<u>\$2,214.01</u>	Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence risk score
81521	\$3,415.99	Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk of distant metastasis
81522	\$3,415.99	Oncology (breast), mRNA, gene expression profiling by RT-PCR of 12 genes (8 content and 4 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk score
<u>81525</u>	<u>\$2,748.31</u>	Oncology (colon), mRNA, gene expression profiling by real- time RT-PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence score
<u>81528</u>	<u>\$448.82</u>	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result
<u>81529</u>	<u>\$6,344.23</u>	Oncology (cutaneous melanoma), mRNA, gene expression profiling by real-time RT-PCR of 31 genes (28 content and 3 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk, including likelihood of sentinel lymph node metastasis
<u>81535</u>	<u>\$511.08</u>	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; first single drug or drug combination
<u>81536</u>	<u>\$156.61</u>	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; each additional single drug or drug combination (List separately in addition to code for primary procedure)
81538	\$2,532.22	Oncology (lung), mass spectrometric 8-protein signature, including amyloid A, utilizing serum, prognostic and predictive algorithm reported as good versus poor overall survival

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81539	<u>\$670.32</u>	Oncology (high-grade prostate cancer), biochemical assay of four proteins (Total PSA, Free PSA, Intact PSA, and human kallikrein-2 [hK2]), utilizing plasma or serum, prognostic algorithm reported as a probability score
<u>81540</u>	<u>\$3,307.50</u>	Oncology (tumor of unknown origin), mRNA, gene expression profiling by real-time RT-PCR of 92 genes (87 content and 5 housekeeping) to classify tumor into main cancer type and subtype, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a probability of a predicted main cancer type and subtype
<u>81541</u>	<u>\$3,415.99</u>	Oncology (prostate), mRNA gene expression profiling by real- time RT-PCR of 46 genes (31 content and 15 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a disease-specific mortality risk score
81542	<u>\$3,415.99</u>	Oncology (prostate), mRNA, microarray gene expression profiling of 22 content genes, utilizing formalin-fixed paraffinembedded tissue, algorithm reported as metastasis risk score
<u>81546</u>	\$3,175.20	Oncology (thyroid), mRNA, gene expression analysis of 10,196 genes, utilizing fine needle aspirate, algorithm reported as a categorical result (eg, benign or suspicious)
<u>81551</u>	<u>\$1,790.46</u>	Oncology (prostate), promoter methylation profiling by real- time PCR of 3 genes (GSTP1, APC, RASSF1), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a likelihood of prostate cancer detection on repeat biopsy
81552	<u>\$6,858.43</u>	Oncology (uveal melanoma), mRNA, gene expression profiling by real-time RT-PCR of 15 genes (12 content and 3 housekeeping), utilizing fine needle aspirate or formalin-fixed paraffin-embedded tissue, algorithm reported as risk of metastasis
81554	<u>\$4,851.00</u>	Pulmonary disease (idiopathic pulmonary fibrosis [IPF]), mRNA, gene expression analysis of 190 genes, utilizing transbronchial biopsies, diagnostic algorithm reported as categorical result (eg, positive or negative for high probability of usual interstitial pneumonia [UIP])
<u>81595</u>	<u>\$2,857.68</u>	Cardiology (heart transplant), mRNA, gene expression profiling by real-time quantitative PCR of 20 genes (11 content and 9 housekeeping), utilizing subfraction of peripheral blood, algorithm reported as a rejection risk score

Code	Rate	Description
<u>81596</u>	<u>\$63.67</u>	Infectious disease, chronic hepatitis C virus (HCV) infection, six biochemical assays (ALT, A2-macroglobulin, apolipoprotein A-1, total bilirubin, GGT, and haptoglobin) utilizing serum, prognostic algorithm reported as scores for fibrosis and necroinflammatory activity in liver
<u>81599</u>	<u>I.C.</u>	<u>Unlisted multianalyte assay with algorithmic analysis</u>
<u>G0027</u>	<u>\$5.73</u>	Semen analysis; presence and/or motility of sperm excluding Huhner
<u>G0103</u>	<u>\$17.03</u>	Prostate cancer screening; prostate specific antigen test (PSA)
<u>G0123</u>	<u>\$17.87</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
<u>G0143</u>	<u>\$23.86</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision
<u>G0144</u>	<u>\$38.78</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision
<u>G0145</u>	<u>\$23.36</u>	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision
<u>G0147</u>	<u>\$13.36</u>	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
<u>G0148</u>	<u>\$28.17</u>	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening
<u>G0306</u>	<u>\$6.85</u>	Complete CBC, automated (HgB, HCT, RBC, WBC, without platelet count) and automated WBC differential count
<u>G0307</u>	<u>\$5.71</u>	Complete CBC, automated (HgB, HCT, RBC, WBC; without platelet count)
<u>G0328</u>	<u>\$15.92</u>	Colorectal cancer screening; fecal occult blood test, immunoassay, one to three simultaneous determinations
<u>G0432</u>	<u>\$17.26</u>	Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV-1 and/or HIV-2, screening
<u>G0433</u>	<u>\$16.13</u>	Infectious agent antibody detection by enzyme-linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>G0435</u>	<u>\$10.57</u>	Infectious agent antibody detection by rapid antibody test, HIV-1 and/or HIV-2, screening
<u>G0480</u>	<u>\$59.69</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed
<u>G0481</u>	<u>\$91.84</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed

<u>Code</u>	Rate	<u>Description</u>
<u>G0482</u>	<u>\$123.97</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed
<u>G0483</u>	<u>\$160.71</u>	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 22 or more drug class(es), including metabolite(s) if performed
<u>G2023</u>	<u>\$23.46</u>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID- 19]), any specimen source
<u>G2023 CG</u>	<u>\$44.27</u>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), any specimen source. [Used when provider 1) has a qualified ordering clinician present at the specimen collection site available to order medically necessary COVID-19 diagnostic tests; and 2) ensures the test results are provided to the patient (along with any initial follow-up counseling, as appropriate), either directly or through the patient's ordering clinician.]

<u>Code</u>	<u>Rate</u>	<u>Description</u>
<u>G2024</u>	<u>\$25.46</u>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID- 19]) from an individual in a SNF or by a laboratory on behalf of a HHA, any specimen source
<u>G2024 CG</u>	<u>\$46.27</u>	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), from an individual in a SNF or by a laboratory on behalf of a HHA, any specimen source. [Used when provider 1) has a qualified ordering clinician present at the specimen collection site available to order medically necessary COVID-19 diagnostic tests; and 2) ensures the test results are provided to the patient (along with any initial follow-up counseling, as appropriate), either directly or through the patient's ordering clinician.]
<u>G9143</u>	<u>\$106.48</u>	Warfarin responsiveness testing by genetic technique using any method, any number of specimen(s)
<u>P2028</u>	<u>\$4.37</u>	Cephalin floculation, blood
<u>P2029</u>	<u>\$4.37</u>	Congo red, blood
<u>P2031</u>	<u>\$4.37</u>	Hair analysis (excluding arsenic)
<u>P2033</u>	<u>\$4.37</u>	Thymol turbidity, blood
<u>P2038</u>	<u>\$4.37</u>	Mucoprotein, blood (seromucoid) (medical necessity procedure)
<u>P9604</u>	<u>\$4.65</u>	Travel allowance, one way in connection with medically necessary laboratory specimen collection drawn from homebound or nursing homebound patient; prorated trip charge
<u>P9612</u>	<u>\$2.65</u>	Catheterization for collection of specimen, single patient, all places of service
<u>P9615</u>	<u>\$2.65</u>	Catheterization for collection of specimen(s) (multiple patients)
<u>Q0111</u>	<u>\$13.36</u>	Wet mounts, including preparations of vaginal, cervical or skin specimens
Q0112	<u>\$5.14</u>	All potassium hydroxide (KOH) preparations
Q0113	<u>\$3.77</u>	Pinworm examinations
Q0114	<u>\$8.59</u>	Fern test
Q0115	<u>\$22.05</u>	Postcoital direct, qualitative examinations of vaginal or cervical mucous
<u>U0002</u>	<u>\$51.31</u>	2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC

<u>Code</u>	Rate	<u>Description</u>
<u>U0003</u>	<u>\$75.00</u>	Infectious agent detection by nucleic acid (DNA or RNA); Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, making use of high throughput technologies as described by CMS-2020-01-R
<u>U0004</u>	<u>\$75.00</u>	2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC, making use of high throughput technologies as described by CMS-2020-01-R
<u>U0005</u>	<u>\$25.00</u>	Infectious agent detection by nucleic acid (DNA or RNA); Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, CDC or non-CDC, making use of high throughput technologies, completed within 2 calendar days from date of specimen collection (list separately in addition to either HCPCS code U0003 or U0004) as described by CMS-2020-01-R2
Code	Rate	Description
	Organ an	d Disease Oriented Panels
80047	\$10.14	Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80048	\$7.71	Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80050	\$16.94	General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thyroid stimulating hormone (TSH) (84443)
80051	\$ 6.40	Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)

Code	Rate	<u>Description</u>
80053	\$ 9.63	Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST)
80055	\$43.61	(SGOT) (84450) Urea nitrogen (BUN) (84520) Obstetric panel This panel must include the following: Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Hepatitis B surface antigen (HBsAg) (87340) Antibody, rubella (86762) Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART) (86592) Antibody screen, RBC, each serum technique (86850) Blood typing, ABO (86900) AND Blood typing, Rh (D) (86901)
80061	\$12.21	Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)
80069	\$ 7.92	Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
80074	\$43.45	Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)
80076	\$7.46	Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)
80081	\$68.29	Obstetric panel (includes HIV testing)
		ing and Therapeutic Assays
80145	\$28.50	Adalimumab

<u>Code</u>	Rate	<u>Description</u>	
80150	\$13.75	Amikacin	
80155	\$28.50	Caffeine	
80156	\$13.28	Carbamazepine; total	
80157	\$12.09	Carbamazepine; free	
80158	\$16.46	Cyclosporine	
80159	\$16.87	Clozapine	
80162	\$12.11	Digoxin; total	
80163	\$12.11	Digoxin; free	
80164	\$12.35	Valproic acid (dipropylacetic acid); total	
80165	\$12.35	Valproic acid (dipropylacetic acid); free	
80168	\$14.90	Ethosuximide	
80169	\$12.53	Everolimus	
80170	\$14.94	Gentamicin	
80171	\$16.01	Gabapentin, whole blood, serum, or plasma	
80173	\$13.28	Haloperidol	
80175	\$12.09	Lamotrigine	
80176	\$13.40	Lidocaine	
80177	\$12.09	Levetiracetam	
80178	\$6.03	Lithium	
80180	\$16.46	Mycophenolate (mycophenolic acid)	
80183	\$12.09	Oxcarbazepine	
80184	\$11.30	Phenobarbital	
80185	\$12.09	Phenytoin; total	
80186	\$12.55	Phenytoin; free	
80187	\$20.03	Posaconazole	
80188	\$15.13	Primidone	
80190	\$44.33	Procainamide	
80192	\$15.28	Procainamide; with metabolites (e.g., n-acetyl procainamide)	
80194	\$13.32	Quinidine	
80195	\$12.53	Sirolimus	
80197	\$12.53	Tacrolimus	
80198	\$12.90	Theophylline	
80199	\$20.03	Tiagabine	
80200	\$14.71	Tobramycin	
80201	\$10.88	Topiramate	
80202	\$12.35	Vancomycin	

Code	<u>Rate</u>	Description
80203	\$12.09	Zonisamide
80230	\$28.50	Infliximab
80235	\$20.03	Lacosamide
80280	\$28.50	Vedolizumab
00200	· · · · · · · · · · · · · · · · · · ·	ative Suppression Testing
00000		Quantitation of therapeutic drug, not elsewhere
80299	\$13.77	specified
80305	\$ 8.92	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; capable of being read by direct optical observation only (e.g., utilizing immunoassay [e.g., dipsticks, cups, cards, or cartridges]), includes sample validation when
80306	\$11.89	performed, per date of service Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; read by instrument assisted direct optical observation (e.g., utilizing immunoassay [e.g., dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service
80307	\$47.55	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; by instrument chemistry analyzers (e.g., utilizing immunoassay [e.g., EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (e.g., GC, HPLC), and mass spectrometry either with or without chromatography, (e.g., DART, DESI, GC MS, GC MS/MS, LC MS, LC MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service
80400	\$29.75	ACTH stimulation panel; for adrenal insufficiency This panel must include the following: Cortisol (82533 × 2)
80402	\$79.32	ACTH stimulation panel; for 21 hydroxylase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxyprogesterone (83498 x 2)
80406	\$71.39	ACTH stimulation panel; for 3 beta- hydroxydehydrogenase deficiency This panel must include the following: Cortisol (82533 x 2) 17 hydroxypregnenolone (84143 x 2)
80408	\$114.48	Aldosterone suppression evaluation panel (e.g., saline infusion) This panel must include the following: Aldosterone (82088 x 2) Renin (84244 x 2)

<u>Code</u>	<u>Rate</u>	Description
80410	\$24.44	Calcitonin stimulation panel (e.g., calcium, pentagastrin) This panel must include the following: Calcitonin (82308 x 3)
80412	\$592.28	Corticotropic releasing hormone (CRH) stimulation panel This panel must include the following: Cortisol (82533 x 6) Adrenocorticotropic hormone (ACTH) (82024 x 6)
80414	\$47.10	Chorionic gonadotropin stimulation panel; testosterone response This panel must include the following: Testosterone (84403 x 2 on 3 pooled blood samples)
80415	\$ 50.97	Chorionic gonadotropin stimulation panel; estradiol response This panel must include the following: Estradiol (82670 x 2 on 3 pooled blood samples)
80416	\$154.66	Renal vein renin stimulation panel (e.g., captopril) This panel must include the following: Renin (84244 x 6)
80417	\$40.13	Peripheral vein renin stimulation panel (e.g., captopril) This panel must include the following: Renin (84244 x 2)
80418	\$528.60	Combined rapid anterior pituitary evaluation panel This panel must include the following: Adrenocorticotropic hormone (ACTH) (82024 x 4) Luteinizing hormone (LH) (83002 x 4) Follicle stimulating hormone (FSH) (83001 x 4) Prolactin (84146 x 4) Human growth hormone (HGH) (83003 x 4) Cortisol (82533 x 4) Thyroid stimulating hormone (TSH) (84443 x 4)
80420	\$119.61	Dexamethasone suppression panel, 48 hour This panel must include the following: Free cortisol, urine (82530 x 2) Cortisol (82533 x 2) Volume measurement for timed collection (81050 x 2)
80422	\$42.03	Glucagon tolerance panel; for insulinoma This panel must include the following: Glucose (82947 x 3) Insulin (83525 x 3)
80424	\$46.06	Glucagon tolerance panel; for pheochromocytoma This panel must include the following: Catecholamines, fractionated (82384 x 2)
80426	\$135.37	Gonadotropin releasing hormone stimulation panel This panel must include the following: Follicle stimulating hormone (FSH) (83001 x 4) Luteinizing hormone (LH) (83002 x 4)
80428	\$60.84	Growth hormone stimulation panel (e.g., arginine infusion, 1 dopa administration) This panel must include the following: Human growth hormone (HGH) (83003 x 4)

Code	Rate	Description
		Growth hormone suppression panel (glucose administration) This panel must include the following:
80430	\$95.56	Glucose (82947 x 3) Human growth hormone (HGH)
		(83003 x 4)
		Insulin induced C peptide suppression panel This
80432	\$123.23	panel must include the following: Insulin (83525) C
00432	Ψ123.23	peptide (84681 x 5) Glucose (82947 x 5)
		Insulin tolerance panel; for ACTH insufficiency This
80434	\$210.60	panel must include the following: Cortisol (82533 x 5)
	Ψ=10.00	Glucose (82947 x 5)
		Insulin tolerance panel; for growth hormone deficiency
80435	\$93.97	This panel must include the following: Glucose (82947
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	x 5) Human growth hormone (HGH) (83003 x 5)
		Metyrapone panel. This panel must include the
80436	\$83.16	following: Cortisol (82533 x 2) 11 deoxycortisol
		(82634 x 2)
		Thyrotropin releasing hormone (TRH) stimulation
80438	\$45.99	panel; 1 hour This panel must include the following:
		Thyroid stimulating hormone (TSH) (84443 x 3)
	\$61.31	Thyrotropin releasing hormone (TRH) stimulation
80439		panel; 2 hour This panel must include the following:
		Thyroid stimulating hormone (TSH) (84443 x 4)
		Urinalysis
		Urinalysis, by dipstick or tablet reagent for bilirubin,
81000	\$2.97	glucose, hemoglobin, ketones, leukocytes, nitrite, pH,
01000	Ψ2.97	protein, specific gravity, urobilinogen, any number of
		these constituents; non-automated, with microscopy
		Urinalysis, by dipstick or tablet reagent for bilirubin,
81001	\$2.90	glucose, hemoglobin, ketones, leukocytes, nitrite, pH,
01001		protein, specific gravity, urobilinogen, any number of
		these constituents; automated, with microscopy
		Urinalysis, by dipstick or tablet reagent for bilirubin,
81002	\$2.57	glucose, hemoglobin, ketones, leukocytes, nitrite, pH,
01002	Ψ2.57	protein, specific gravity, urobilinogen, any number of
		these constituents; non-automated, without microscopy
		Urinalysis, by dipstick or tablet reagent for bilirubin,
81003	\$2.05	glucose, hemoglobin, ketones, leukocytes, nitrite, pH,
	Ψ2.00	protein, specific gravity, urobilinogen, any number of
		these constituents; automated, without microscopy
81005	\$1.97	Urinalysis; qualitative or semiquantitative, except
31002	Ψ1.71	immunoassays
81007	\$22.15	Urinalysis; bacteriuria screen, except by culture or
		dipstick
81015	\$2.78	Urinalysis; microscopic only

Code	Rate	<u>Description</u>
81020	\$3.47	Urinalysis; 2 or 3 glass test
81025	\$6.36	Urine pregnancy test, by visual color comparison methods
81050	\$2.74	Volume measurement for timed collection, each
81099	I.C.	Unlisted urinalysis procedure
		Chemistry
82009	\$4.12	Ketone body(s) (e.g., acetone, acetoacetic acid, beta- hydroxybutyrate); qualitative
82010	\$7.46	Ketone body(s) (e.g., acetone, acetoacetic acid, beta- hydroxybutyrate); quantitative
82013	\$10.19	Acetylcholinesterase
82016	\$12.66	Acylcarnitines; qualitative, each specimen
82017	\$15.39	Acylcarnitines; quantitative, each specimen
82024	\$35.23	Adrenocorticotropic hormone (ACTH)
82030	\$23.53	Adenosine, 5-monophosphate, cyclic (cyclic AMP)
82040	\$4.51	Albumin; serum, plasma or whole blood
82042	\$5.75	Albumin; other source, quantitative, each specimen
82043	\$5.28	Albumin; urine (e.g., microalbumin), quantitative
82044	\$4.60	Albumin; urine (e.g., microalbumin), semiquantitative (e.g., reagent strip assay)
82045	\$30.96	Albumin; ischemia modified
82075	\$22.17	Alcohol (ethanol), breath
82085	\$8.86	Aldolase
82088	\$37.17	Aldosterone
82103	\$12.26	Alpha-1-antitrypsin; total
82104	\$13.20	Alpha-1-antitrypsin; phenotype
82105	\$15.30	Alpha-fetoprotein (AFP); serum
82106	\$15.30	Alpha-fetoprotein (AFP); amniotic fluid
82107	\$58.75	Alpha fetoprotein (AFP); AFP L3 fraction isoform and total AFP (including ratio)
82108	\$23.24	Aluminum
82120	\$4.43	Amines, vaginal fluid, qualitative
82127	\$12.66	Amino acids; single, qualitative, each specimen
82128	\$12.66	Amino acids; multiple, qualitative, each specimen
82131	\$16.98	Amino acids; single, quantitative, each specimen
82135	\$15.01	Aminolevulinic acid, delta (ALA)
82136	\$15.39	Amino acids, 2 to 5 amino acids, quantitative, each specimen

<u>Code</u>	<u>Rate</u>	Description
82139	\$15.39	Amino acids, 6 or more amino acids, quantitative, each specimen
82140	\$13.29	Ammonia
82143	\$6.91	Amniotic fluid scan (spectrophotometric)
82150	\$5.91	Amylase
82154	\$26.30	Androstanediol glucuronide
82157	\$26.70	Androstenedione
82160	\$22.81	Androsterone
82163	\$18.72	Angiotensin II
82164	\$13.32	Angiotensin I converting enzyme (ACE)
82172	\$15.58	Apolipoprotein, each
82175	\$17.30	Arsenic
82180	\$9.01	Ascorbic acid (Vitamin C), blood
82190	\$13.60	Atomic absorption spectroscopy, each analyte
82232	\$14.76	Beta 2 microglobulin
82239	\$15.62	Bile acids; total
82240	\$24.24	Bile acids; cholylglycine
82247	\$4.57	Bilirubin; total
82248	\$4.57	Bilirubin; direct
82252	\$4.16	Bilirubin; feces, qualitative
82261	\$15.39	Biotinidase, each specimen
82270	\$3.24	Blood, occult, by peroxidase activity (e.g., guaiac), qualitative, feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (i.e., patient was provided 3 cards or single triple card for consecutive collection)
82271	\$3.93	Blood, occult, by peroxidase activity (e.g., guaiac), qualitative; other sources
82272	\$3.13	Blood, occult, by peroxidase activity (e.g., guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening
82274	\$14.51	Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations
82286	\$4.71	Bradykinin
82300	\$21.12	Cadmium
82306	\$27.01	Vitamin D; 25 hydroxy, includes fraction(s), if performed
82308	\$24.44	Calcitonin

<u>Code</u>	Rate	Description
82310	\$4.71	Calcium; total
82330	\$12.47	Calcium; ionized
82331	\$9.86	Calcium; after calcium infusion test
82340	\$5.50	Calcium; urine quantitative, timed specimen
82355	\$10.56	Calculus; qualitative analysis
82360	\$11.74	Calculus; quantitative analysis, chemical
82365	\$11.76	Calculus; infrared spectroscopy
82370	\$11.42	Calculus; X-ray diffraction
82373	\$16.47	Carbohydrate deficient transferrin
82374	\$4.46	Carbon dioxide (bicarbonate)
82375	\$11.24	Carboxyhemoglobin; quantitative
82376	\$10.40	Carboxyhemoglobin; qualitative
82378	\$17.30	Carcinoembryonic antigen (CEA)
82379	\$15.39	Carnitine (total and free), quantitative, each specimen
82380	\$8.42	Carotene
82382	\$20.17	Catecholamines; total urine
82383	\$22.85	Catecholamines; blood
82384	\$23.04	Catecholamines; fractionated
82387	\$16.47	Cathepsin-D
82390	\$9.80	Ceruloplasmin
82397	\$12.88	Chemiluminescent assay
82415	\$11.56	Chloramphenicol
82435	\$4.20	Chloride; blood
82436	\$4. 59	Chloride; urine
82438	\$4.46	Chloride; other source
82441	\$5.48	Chlorinated hydrocarbons, screen
82465	\$3.97	Cholesterol, serum or whole blood, total
82480	\$7.18	Cholinesterase; serum
82482	\$7.25	Cholinesterase; RBC
82485	\$18.84	Chondroitin B sulfate, quantitative
82495	\$18.50	Chromium
82507	\$25.37	Citrate
82523	\$17.05	Collagen cross links, any method
82525	\$11.32	Copper
82528	\$20.54	Corticosterone
82530	\$15.24	Cortisol; free

Code	Rate	<u>Description</u>
82533	\$14.87	Cortisol; total
82540	\$4.23	Creatine
82542	\$17.80	Column chromatography, includes mass spectrometry, if performed (e.g., HPLC, LC, LC/MS, LC/MS MS, GC, GC/MS MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen
82550	\$5.94	Creatine kinase (CK), (CPK); total
82552	\$12.21	Creatine kinase (CK), (CPK); isoenzymes
82553	\$10.54	Creatine kinase (CK), (CPK); MB fraction only
82554	\$10.82	Creatine kinase (CK), (CPK); isoforms
82565	\$4.68	Creatinine; blood
82570	\$4.72	Creatinine; other source
82575	\$8.62	Creatinine; clearance
82585	\$10.45	Cryofibrinogen
82595	\$5.90	Cryoglobulin, qualitative or semi-quantitative (e.g., cryocrit)
82600	\$17.70	Cyanide
82607	\$13.75	Cyanocobalamin (Vitamin B-12);
82608	\$13.06	Cyanocobalamin (Vitamin B-12); unsaturated binding capacity
82610	\$13.68	Cystatin C
82615	\$7.45	Cystine and homocystine, urine, qualitative
82626	\$23.05	Dehydroepiandrosterone (DHEA)
82627	\$20.28	Dehydroepiandrosterone-sulfate (DHEA-S)
82633	\$28.26	Desoxycorticosterone, 11-
82634	\$26.70	Deoxycortisol, 11-
82638	\$11.17	Dibucaine number
82642	\$24.29	Dihydrotestosterone (DHT)
82652	\$35.12	Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed
82656	\$10.52	Elastase, pancreatic (EL-1), fecal, qualitative or semi- quantitative
82657	\$16.47	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen
82658	\$32.53	Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; radioactive substrate, each specimen
82664	\$45.44	Electrophoretic technique, not elsewhere specified

<u>Code</u>	Rate	<u>Description</u>
82668	\$17.14	Erythropoietin
82670	\$25.48	Estradiol
82671	\$29.47	Estrogens; fractionated
82672	\$19.79	Estrogens; total
82677	\$22.05	Estriol
82679	\$22.76	Estrone
82693	\$13.59	Ethylene glycol
82696	\$21.52	Etiocholanolone
82705	\$4.65	Fat or lipids, feces; qualitative
82710	\$15.33	Fat or lipids, feces; quantitative
82715	\$16.97	Fat differential, feces, quantitative
82725	\$13.87	Fatty acids, nonesterified
82726	\$16.47	Very long chain fatty acids
82728	\$12.43	Ferritin
82731	\$58.75	Fetal fibronectin, cervicovaginal secretions, semi- quantitative
82735	\$16.91	Fluoride
82746	\$13.41	Folic acid; serum
82747	\$15.80	Folic acid; RBC
82757	\$15.81	Fructose, semen
82759	\$19.59	Galactokinase, RBC
82760	\$10.21	Galactose
82775	\$19.22	Galactose-1-phosphate uridyl transferase; quantitative
82776	\$8.67	Galactose-1 phosphate uridyl transferase; screen
82777	\$32.69	Galectin 3
82784	\$8.48	Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each
82785	\$15.01	Gammaglobulin (immunoglobulin); IgE
82787	\$7.31	Gammaglobulin (immunoglobulin); immunoglobulin subclasses (e.g., IgG1, 2, 3, or 4), each
82800	\$8.13	Gases, blood, pH only
82803	\$19.26	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)
82805	\$ 58.20	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry
82810	\$7.96	Gases, blood, O2 saturation only, by direct measurement, except pulse oximetry

<u>Code</u>	Rate	<u>Description</u>
82820	\$9.86	Hemoglobin-oxygen affinity (pO2 for 50% hemoglobin saturation with oxygen)
82930	\$4.97	Gastric acid analysis, includes pH if performed, each specimen
82938	\$16.14	Gastrin after secretin stimulation
82941	\$16.08	Gastrin
82943	\$13.03	Glucagon
82945	\$3.58	Glucose, body fluid, other than blood
82946	\$13.75	Glucagon tolerance test
82947	\$3.58	Glucose; quantitative, blood (except reagent strip)
82948	\$3.72	Glucose; blood, reagent strip
82950	\$4.33	Glucose; post glucose dose (includes glucose)
82951	\$11.74	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
82952	\$3.58	Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)
82955	\$8.84	Glucose 6 phosphate dehydrogenase (G6PD); quantitative
82960	\$5.52	Glucose-6-phosphate dehydrogenase (G6PD); screen
82962	\$2.42	Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use
82963	\$19.59	Glucosidase, beta
82965	\$9.72	Glutamate dehydrogenase
82977	\$6.57	Glutamyltransferase, gamma (GGT)
82978	\$13.00	Glutathione
82979	\$8.62	Glutathione reductase, RBC
82985	\$13.75	Glycated protein
83001	\$16.95	Gonadotropin; follicle stimulating hormone (FSH)
83002	\$16.89	Gonadotropin; luteinizing hormone (LH)
83003	\$15.21	Growth hormone, human (HGH) (somatotropin)
83006	\$55.86	Growth stimulation expressed gene 2 (ST2, Interleukin 1 receptor like-1)
83009	\$61.44	Helicobacter pylori, blood test analysis for urease activity, non-radioactive isotope (e.g., C-13)
83010	\$11.47	Haptoglobin; quantitative
83012	\$19.87	Haptoglobin; phenotypes
83013	\$61.44	Helicobacter pylori; breath test analysis for urease activity, non-radioactive isotope (e.g., C-13)
83014	\$7.17	Helicobacter pylori; drug administration

<u>Code</u>	Rate	Description
83015	\$17.18	Heavy metal (e.g., arsenic, barium, beryllium, bismuth, antimony, mercury); qualitative, any number of analytes
83018	\$ 20.04	Heavy metal (e.g., arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified
83020	\$11.74	Hemoglobin fractionation and quantitation; electrophoresis (e.g., A2, S, C, and/or F)
83021	\$16.47	Hemoglobin fractionation and quantitation; chromatography (e.g., A2, S, C, and/or F)
83026	\$2.96	Hemoglobin; by copper sulfate method, non-automated
83030	\$7.94	Hemoglobin; F (fetal), chemical
83033	\$5.91	Hemoglobin; F (fetal), qualitative
83036	\$8.86	Hemoglobin; glycosylated (A1C)
83037	\$8.86	Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use
83045	\$4.80	Hemoglobin; methemoglobin, qualitative
83050	\$6.69	Hemoglobin; methemoglobin, quantitative
83051	\$6.67	Hemoglobin; plasma
83060	\$7.5 4	Hemoglobin; sulfhemoglobin, quantitative
83065	\$6.65	Hemoglobin; thermolabile
83068	\$7.72	Hemoglobin; unstable, screen
83069	\$3.61	Hemoglobin; urine
83070	\$4.33	Hemosiderin, qualitative
83080	\$15.39	b-Hexosaminidase, each assay
83088	\$26.94	Histamine
83090	\$15.39	Homocysteine
83150	\$17.65	Homovanillic acid (HVA)
83491	\$15.99	Hydroxycorticosteroids, 17-(17-OHCS)
83497	\$11.76	Hydroxyindolacetic acid, 5 (HIAA)
83498	\$24.78	Hydroxyprogesterone, 17-d
83500	\$20.66	Hydroxyproline; free
83505	\$22.17	Hydroxyproline; total
83516	\$ 10.52	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method
83518	\$7.74	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, single step method (e.g., reagent strip)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
83519	\$13.59	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (e.g., RIA)
83520	\$12.76	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified
83525	\$10.43	Insulin; total
83527	\$11.81	Insulin; free
83528	\$14.64	Intrinsic factor
83540	\$5.90	Iron
83550	\$7.97	Iron binding capacity
83570	\$8.08	Isocitric dehydrogenase (IDH)
83582	\$12.93	Ketogenic steroids, fractionation
83586	\$11.67	Ketosteroids, 17- (17-KS); total
83593	\$23.99	Ketosteroids, 17 (17 KS); fractionation
83605	\$9.75	Lactate (lactic acid)
83615	\$5.50	Lactate dehydrogenase (LD), (LDH);
83625	\$11.67	Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation
83630	\$17.91	Lactoferrin, fecal; qualitative
83631	\$17.91	Lactoferrin, fecal; quantitative
83632	\$18.45	Lactogen, human placental (HPL) human chorionic somatomammotropin
83633	\$8.31	Lactose, urine, qualitative
83655	\$11.05	Lead
83661	\$20.05	Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio
83662	\$17.25	Fetal lung maturity assessment; foam stability test
83663	\$17.25	Fetal lung maturity assessment; fluorescence polarization
83664	\$17.25	Fetal lung maturity assessment; lamellar body density
83670	\$8.36	Leucine aminopeptidase (LAP)
83690	\$6.29	Lipase
83695	\$11.81	Lipoprotein (a)
83698	\$34.22	Lipoprotein-associated phospholipase A2 (Lp-PLA2)
83700	\$10.27	Lipoprotein, blood; electrophoretic separation and quantitation

Section Sect	Code	<u>Rate</u>	Description
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (e.g., by nuclear magnetic resonance spectroscopy); includes lipoprotein particle subclass(es), when performed 83718 \$7.48 Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol) 83719 \$10.61 Lipoprotein, direct measurement; VLDL cholesterol 83721 \$8.70 Lipoprotein, direct measurement; VLDL cholesterol 83722 \$26.18 Lipoprotein, direct measurement; LDL cholesterol 83727 \$15.68 Luteinizing releasing factor (LRH) 83735 \$6.11 Magnesium 83745 \$6.72 Malate dehydrogenase Mass spectrometry and tandem mass spectrometry (e.g., MS, MS/MS, MALDI, MS TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen 83825 \$11.84 Mercury, quantitative 83825 \$15.46 Metanephrines 83857 \$9.80 Methemalbumin Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity 83864 \$21.06 Metopolysaccharides, acid, quantitative 83872 \$5.35 Mucin, synovial fluid (Ropes test) 83873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nepleometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83918 \$17.44 Organic acids; total, quantitative, each specimen	83701	\$ 25.02	quantitation of lipoproteins including lipoprotein subclasses when performed (e.g., electrophoresis,
Signature Sign	83704	\$ 28.78	Lipoprotein, blood; quantitation of lipoprotein particle number(s) (e.g., by nuclear magnetic resonance spectroscopy), includes lipoprotein particle
83721 \$8.70 Lipoprotein, direct measurement; LDL cholesterol 83722 \$26.18 Lipoprotein, direct measurement; small dense LDL cholesterol 83727 \$15.68 Luteinizing releasing factor (LRH) 83735 \$6.11 Magnesium 83775 \$6.72 Malate dehydrogenase 83785 \$22.44 Manganese Mass spectrometry and tandem mass spectrometry (e.g. MS, MS/MS, MALDI, MS TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen 83825 \$14.83 Mercury, quantitative 83857 \$9.80 Methemalbumin 83861 \$16.61 Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity 83872 \$5.35 Mucin, synovial fluid (Ropes test) 83873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel	83718	\$7.48	Lipoprotein, direct measurement; high density
\$3722 \$15.68 Lipoprotein, direct measurement; small dense LDL cholesterol \$3727 \$15.68 Luteinizing releasing factor (LRH) \$3735 \$6.11 Magnesium \$3775 \$6.72 Malate dehydrogenase \$3785 \$22.44 Manganese Mass spectrometry and tandem mass spectrometry (e.g., MS, MS/MS, MALDI, MS TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen \$3825 \$14.83 Mercury, quantitative \$3835 \$15.46 Metanephrines \$3835 \$15.46 Metanephrines \$3861 \$16.61 Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity \$3864 \$21.06 Mucopolysaccharides, acid, quantitative \$3872 \$5.35 Mucin, synovial fluid (Ropes test) \$3873 \$15.69 Myelin basic protein, cerebrospinal fluid \$3874 \$11.78 Myoglobin \$3886 \$37.58 Myeloperoxidase (MPO) \$3880 \$30.96 Natriuretic peptide \$3883 \$12.41 Nephelometry, each analyte not elsewhere specified \$3885 \$22.36 Nickel \$3915 \$10.17 Nucleotidase 5'- \$3916 \$20.24 Oligoclonal immune (oligoclonal bands) Organic acids; total, quantitative, each specimen	83719	\$10.61	Lipoprotein, direct measurement; VLDL cholesterol
\$3727	83721	\$8.70	Lipoprotein, direct measurement; LDL cholesterol
83735 \$6.11 Magnesium 83775 \$6.72 Malate dehydrogenase 83785 \$22.44 Manganese Mass spectrometry and tandem mass spectrometry (e.g., MS, MS/MS, MALDI, MS TOF, QTOF), nondrug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen 83825 \$14.83 Mercury, quantitative 83857 \$9.80 Methemalbumin 83861 \$16.61 Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity 83864 \$21.06 Mucopolysaccharides, acid, quantitative 83872 \$5.35 Mucin, synovial fluid (Ropes test) 83873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5'- 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83722	\$26.18	* * *
S3775 \$6.72 Malate dehydrogenase	83727	\$15.68	Luteinizing releasing factor (LRH)
S3785 \$22.44 Manganese Mass spectrometry and tandem mass spectrometry (e.g., MS, MS, MALDI, MS TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen S3825 \$14.83 Mercury, quantitative Metanephrines S3857 \$9.80 Methemalbumin Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity S3864 \$21.06 Mucopolysaccharides, acid, quantitative S3872 \$5.35 Mucin, synovial fluid (Ropes test) S3873 \$15.69 Myelin basic protein, cerebrospinal fluid S3874 \$11.78 Myoglobin S3876 \$37.58 Myeloperoxidase (MPO) S3880 \$30.96 Natriuretic peptide S3885 \$22.36 Nickel Nickel S3915 \$10.17 Nucleotidase 5'- S3916 \$20.24 Oligoclonal immune (oligoclonal bands) S3918 \$17.44 Organic acids; total, quantitative, each specimen	83735	\$6.11	Magnesium
Saras Sara	83775	\$6.72	Malate dehydrogenase
Sand	83785	\$22.44	
83825 \$14.83 Mercury, quantitative 83835 \$15.46 Metanephrines 83857 \$9.80 Methemalbumin 83861 \$16.61 Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity 83864 \$21.06 Mucopolysaccharides, acid, quantitative 83872 \$5.35 Mucin, synovial fluid (Ropes test) 83873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5'- 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83789	\$ 17.81	(e.g., MS, MS/MS, MALDI, MS TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or
83857 \$9.80 Methemalbumin 83861 \$16.61 Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity 83864 \$21.06 Mucopolysaccharides, acid, quantitative 83872 \$5.35 Mucin, synovial fluid (Ropes test) 83873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5'- 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83825	\$14.83	
83857 \$9.80 Methemalbumin 83861 \$16.61 Microfluidic analysis utilizing an integrated collection and analysis device, tear osmolarity 83864 \$21.06 Mucopolysaccharides, acid, quantitative 83872 \$5.35 Mucin, synovial fluid (Ropes test) 83873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5'- 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83835	\$15.46	Metanephrines
83864 \$21.06 Mucopolysaccharides, acid, quantitative 83872 \$5.35 Mucin, synovial fluid (Ropes test) 83873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5'- 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83857	\$9.80	
83864\$21.06Mucopolysaccharides, acid, quantitative83872\$5.35Mucin, synovial fluid (Ropes test)83873\$15.69Myelin basic protein, cerebrospinal fluid83874\$11.78Myoglobin83876\$37.58Myeloperoxidase (MPO)83880\$30.96Natriuretic peptide83883\$12.41Nephelometry, each analyte not elsewhere specified83885\$22.36Nickel83915\$10.17Nucleotidase 5'-83916\$20.24Oligoclonal immune (oligoclonal bands)83918\$17.44Organic acids; total, quantitative, each specimen	83861	\$16.61	
\$3873 \$15.69 Myelin basic protein, cerebrospinal fluid 83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5' 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83864	\$21.06	
83874 \$11.78 Myoglobin 83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5'- 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83872	\$5.35	Mucin, synovial fluid (Ropes test)
83876 \$37.58 Myeloperoxidase (MPO) 83880 \$30.96 Natriuretic peptide 83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5' 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83873	\$15.69	Myelin basic protein, cerebrospinal fluid
83880\$30.96Natriuretic peptide83883\$12.41Nephelometry, each analyte not elsewhere specified83885\$22.36Nickel83915\$10.17Nucleotidase 5'-83916\$20.24Oligoclonal immune (oligoclonal bands)83918\$17.44Organic acids; total, quantitative, each specimen	83874	\$11.78	Myoglobin
83883 \$12.41 Nephelometry, each analyte not elsewhere specified 83885 \$22.36 Nickel 83915 \$10.17 Nucleotidase 5'- 83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83876	\$37.58	
83885\$22.36Nickel83915\$10.17Nucleotidase 5'-83916\$20.24Oligoclonal immune (oligoclonal bands)83918\$17.44Organic acids; total, quantitative, each specimen	83880	\$30.96	Natriuretic peptide
83885\$22.36Nickel83915\$10.17Nucleotidase 5'-83916\$20.24Oligoclonal immune (oligoclonal bands)83918\$17.44Organic acids; total, quantitative, each specimen	83883	\$12.41	Nephelometry, each analyte not elsewhere specified
83916 \$20.24 Oligoclonal immune (oligoclonal bands) 83918 \$17.44 Organic acids; total, quantitative, each specimen	83885	\$22.36	
\$3918 \$17.44 Organic acids; total, quantitative, each specimen	83915	\$10.17	Nucleotidase 5'-
\$3918 \$17.44 Organic acids; total, quantitative, each specimen	83916	\$20.24	Oligoclonal immune (oligoclonal bands)
83919 \$15.01 Organic acids; qualitative, each specimen	83918	\$17.44	
	83919	\$15.01	Organic acids; qualitative, each specimen

<u>Code</u>	<u>Rate</u>	Description
83921	\$15.67	Organic acid, single, quantitative
83930	\$6.03	Osmolality; blood
83935	\$6.22	Osmolality; urine
83937	\$27.23	Osteocalcin (bone g1a protein)
83945	\$11.74	Oxalate
83950	\$58.75	Oncoprotein; HER-2/neu
83951	\$58.75	Oncoprotein; des gamma carboxy prothrombin (DCP)
83970	\$37.65	Parathormone (parathyroid hormone)
83986	\$3.27	pH; body fluid, not otherwise specified
83987	\$3.27	pH; exhaled breath condensate
83992	\$15.16	Phencyclidine (PCP)
83993	\$17.91	Calprotectin, fecal
84030	\$5.02	Phenylalanine (PKU), blood
84035	\$3.34	Phenylketones, qualitative
84060	\$6.74	Phosphatase, acid; total
84066	\$8.81	Phosphatase, acid; prostatic
84075	\$4.72	Phosphatase, alkaline;
84078	\$6.66	Phosphatase, alkaline; heat stable (total not included)
84080	\$13.48	Phosphatase, alkaline; isoenzymes
84081	\$15.07	Phosphatidylglycerol
84085	\$8.62	Phosphogluconate, 6, dehydrogenase, RBC
84087	\$9.41	Phosphohexose isomerase
84100	\$4.32	Phosphorus inorganic (phosphate);
84105	\$4.72	Phosphorus inorganic (phosphate); urine
84106	\$4.30	Porphobilinogen, urine; qualitative
84110	\$7.70	Porphobilinogen, urine; quantitative
84112	\$72.49	Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (e.g., placental alpha macroglobulin 1 [PAMG-1], placental protein 12 [PP12], alpha fetoprotein), qualitative, each specimen
84119	\$9.87	Porphyrins, urine; qualitative
84120	\$13.42	Porphyrins, urine; quantitation and fractionation
84126	\$28.90	Porphyrins, feces, quantitative
84132	\$4.20	Potassium; serum, plasma or whole blood
84133	\$3.93	Potassium; urine
84134	\$13.31	Prealbumin
84135	\$17.46	Pregnanediol

<u>Code</u>	<u>Rate</u>	<u>Description</u>
84138	\$17.27	Pregnanetriol
84140	\$18.86	Pregnenolone
84143	\$20.81	17-hydroxypregnenolone
84144	\$19.03	Progesterone
84145	\$24.44	Procalcitonin (PCT)
84146	\$17.67	Prolactin
84150	\$30.86	Prostaglandin, each
84152	\$16.78	Prostate specific antigen (PSA); complexed (direct measurement)
84153	\$16.78	Prostate specific antigen (PSA); total
84154	\$16.78	Prostate specific antigen (PSA); free
84155	\$3.35	Protein, total, except by refractometry; serum, plasma or whole blood
84156	\$3.35	Protein, total, except by refractometry; urine
84157	\$3.35	Protein, total, except by refractometry; other source (e.g., synovial fluid, cerebrospinal fluid)
84160	\$4.72	Protein, total, by refractometry, any source
84163	\$13.74	Pregnancy associated plasma protein A (PAPP A)
84165	\$9.80	Protein; electrophoretic fractionation and quantitation, serum
84166	\$16.26	Protein; electrophoretic fractionation and quantitation, other fluids with concentration (e.g., urine, CSF)
84181	\$15.53	Protein; Western Blot, with interpretation and report, blood or other body fluid
84182	\$21.58	Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each
84202	\$13.09	Protoporphyrin, RBC; quantitative
84203	\$7.85	Protoporphyrin, RBC; screen
84206	\$19.72	Proinsulin
84207	\$25.63	Pyridoxal phosphate (Vitamin B-6)
84210	\$10.70	Pyruvate
84220	\$8.62	Pyruvate kinase
84228	\$10.61	Quinine
84233	\$64.93	Receptor assay; estrogen
84234	\$59.18	Receptor assay; progesterone
84235	\$52.63	Receptor assay; endocrine, other than estrogen or progesterone (specify hormone)
	\$33.35	Receptor assay; non-endocrine (specify receptor)

84244 \$20.06 Renin 84252 \$18.46 Riboflavin (Vitamin B-2) 84255 \$23.29 Selenium 84260 \$28.26 Serotonin 84270 \$19.82 Sex hormone binding globulin (SHBG) 84275 \$12.26 Sinlie neid 84285 \$21.47 Siliea 84295 \$4.39 Sodium; serum, plasma or whole blood 84300 \$4.43 Sodium; urine 84305 \$19.40 Somatostatin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono, di., and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono, di., and oligosaccharides); single qualitative, each specimen 84379 \$10.51 Sugars (mono, di., and oligosaccharides); multiple qualitative, each specimen 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; free	Code	Rate	<u>Description</u>
84255 \$23.29 Selenium 84260 \$28.26 Serotonin 84270 \$19.82 Sex hormone binding globulin (SHBG) 84275 \$12.26 Sialic acid 84285 \$21.47 Silica 84285 \$21.47 Silica 84295 \$4.39 Sodium; serum, plasma or whole blood 84300 \$4.43 Sodium; other source 84302 \$4.43 Sodium; other source 84305 \$19.40 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono, di., and oligosaccharides); single qualitative, each specimen 84378 \$10.51 Sugars (mono, di., and oligosaccharides); multiple qualitative, each specimen 84392 \$4.33 Sulfate, urine 84403 \$23.24 Testosterone; fotal 84410 \$46.78 Testosterone; bioavailable, direct measureme	84244	\$20.06	Renin
84260 \$28.26 Serotonin 84270 \$19.82 Sex hormone binding globulin (SHBG) 84275 \$19.82 Sex hormone binding globulin (SHBG) 84275 \$12.26 Sialic acid 84285 \$21.47 Silica 84295 \$4.39 Sodium; serum, plasma or whole blood 84300 \$4.43 Sodium; other source 84302 \$4.43 Sodium; other source 84307 \$16.67 Somatomedin 84307 \$16.67 Somatomedin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars (mono et i., and oligosaccharides); single qualitative, each specimen 84376 \$5.02 Sugars (mono et i., and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono et i., and oligosaccharides); multiple quanitative, each specimen 84379 \$10.51 Sugars (mono et i., and oligosaccharides); multiple quanitative, each specimen 84402 \$23.24 Testosterone; bioavailable, direct measurement (e.g.,	84252	\$18.46	Riboflavin (Vitamin B-2)
84270 \$19.82 Sex hormone binding globulin (SHBG) 84275 \$12.26 Sialic acid 84285 \$21.47 Silica 84295 \$4.39 Sodium; serum, plasma or whole blood 84300 \$4.43 Sodium; urine 84302 \$4.43 Sodium; other source 84305 \$19.40 Somatomedin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono, di., and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono, di., and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono, di., and oligosaccharides); multiple quantitative, each specimen 84379 \$10.51 Sugars (mono, di., and oligosaccharides); multiple quantitative, each specimen 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; bioavailable, direct m	84255	\$23.29	Selenium
84275 \$12.26 Sialic acid 84285 \$21.47 Silica 84295 \$4.39 Sodium; serum, plasma or whole blood 84300 \$4.43 Sodium; other source 84305 \$19.40 Somatomedin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; free 84404 \$46.78 differential precipitation) 84425 \$19.37 Thiamine (Vitamin B 1) <td>84260</td> <td>\$28.26</td> <td>Serotonin</td>	84260	\$28.26	Serotonin
84275 \$12.26 Sialic acid 84285 \$21.47 Silica 84295 \$4.39 Sodium; serum, plasma or whole blood 84300 \$4.43 Sodium; other source 84305 \$19.40 Somatomedin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84390 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; free 84403 \$23.55 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B 1)	84270	\$19.82	Sex hormone binding globulin (SHBG)
84295 \$4.39 Sodium; serum, plasma or whole blood 84300 \$4.43 Sodium; urine 84302 \$4.43 Sodium; other source 84305 \$19.40 Somatostatin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono, di, and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono, di, and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono, di, and oligosaccharides); multiple quantitative, each specimen 84379 \$10.51 Sugars (mono, di, and oligosaccharides); multiple quantitative, each specimen 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; free 84403 \$23.55 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B-1) 84430	84275	\$12.26	
84300 \$4.43 Sodium; urine 84302 \$4.43 Sodium; other source 84305 \$19.40 Somatomedin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, fromatographic, TLC or paper chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84492 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B-1) 84430 \$10.61 Thiceyanate 84431	84285	\$21.47	Silica
84300 \$4.43 Sodium; urine 84302 \$4.43 Sodium; other source 84305 \$19.40 Somatomedin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, fromatographic, TLC or paper chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84492 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B-1) 84430 \$10.61 Thiceyanate 84431	84295	\$4.39	Sodium; serum, plasma or whole blood
84305 \$19.40 Somatomedin 84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84392 \$4.33 Sulfate, urine 84403 \$23.24 Testosterone; free 84400 \$23.24 Testosterone; free 84410 \$46.78 differential precipitation) 84425 \$19.37 Thiamine (Vitamin B-1) 84430 \$10.61 Thiocyanate 84431 \$25.94 Thyroxine; total 84432 \$14.65 Thyroxine; requiring elution (e.g., neonatal)	84300	\$4.43	
84307 \$16.67 Somatostatin 84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84392 \$4.33 Sulfate, urine 84403 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; total 84410 \$46.78 differential precipitation) 84425 \$19.37 Thiamine (Vitamin B 1) 84430 \$10.61 Thiocyanate 84431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine 84432 \$14.65 Thyroxine; total 84437 \$5.90	84302	\$4.43	Sodium; other source
84311 \$6.38 Spectrophotometry, analyte not elsewhere specified 84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographic, TLC or paper ehromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84392 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; total 84410 \$46.78 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B -1) 84430 \$10.61 Thiocyanate 84431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine 84432 \$14.65 Thyroxine; total 84437 \$5.90 Thyroxine; requiring elution	84305	\$19.40	Somatomedin
84315 \$2.42 Specific gravity (except urine) 84375 \$28.82 Sugars, chromatographie, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84392 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; total 84410 \$46.78 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B -1) 84430 \$10.61 Thioeyanate 84431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine 84432 \$14.65 Thyroglobulin 84433 \$5.90 Thyroxine; total 84439 \$8.22 Thyroxine; free 84442	84307	\$16.67	Somatostatin
84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84392 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; total 84410 \$46.78 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B-1) 84430 \$10.61 Thiocyanate 84431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine 84432 \$14.65 Thyroglobulin 84436 \$6.27 Thyroxine; total 84439 \$8.22 Thyroxine; free 84442 \$13.48 Thyroxine; free	84311	\$6.38	Spectrophotometry, analyte not elsewhere specified
84375 \$28.82 Sugars, chromatographic, TLC or paper chromatography 84376 \$5.02 Sugars (mono , di , and oligosaccharides); single qualitative, each specimen 84377 \$5.02 Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen 84378 \$10.51 Sugars (mono , di , and oligosaccharides); single quantitative, each specimen 84379 \$10.51 Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen 84392 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; total 84410 \$46.78 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B-1) 84430 \$10.61 Thiocyanate 84431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine 84432 \$14.65 Thyroglobulin 84436 \$6.27 Thyroxine; total 84439 \$8.22 Thyroxine; free 84442 \$13.48 Thyroxine; free	84315	\$2.42	Specific gravity (except urine)
84376\$5.02Sugars (mono , di , and oligosaccharides); single qualitative, each specimen84377\$5.02Sugars (mono , di , and oligosaccharides); multiple qualitative, each specimen84378\$10.51Sugars (mono , di , and oligosaccharides); single quantitative, each specimen84379\$10.51Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen84392\$4.33Sulfate, urine84402\$23.24Testosterone; free84403\$23.55Testosterone; total84410\$46.78Testosterone; bioavailable, direct measurement (e.g., differential precipitation)84425\$19.37Thiamine (Vitamin B-1)84430\$10.61Thiocyanate84431\$25.94Thromboxane metabolite(s), including thromboxane if performed, urine84432\$14.65Thyroglobulin84436\$6.27Thyroxine; total84437\$5.90Thyroxine; requiring elution (e.g., neonatal)84439\$8.22Thyroxine; free84442\$13.48Thyroxine binding globulin (TBG)	84375	\$28.82	
\$4377 \$5.02 \$\text{Sugars (mono - di -, and oligosaccharides); multiple qualitative, each specimen}\$\$84378 \$\$10.51 \$\text{Sugars (mono - di -, and oligosaccharides); single quantitative, each specimen}\$\$\$84379 \$\$10.51 \$\text{Sugars (mono - di -, and oligosaccharides); multiple quantitative, each specimen}\$\$\$\$\$84392 \$\$4.33 \$\text{Sulfate, urine}\$\$\$\$\$\$\$84402 \$\$23.24 \$\text{Testosterone; free}\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$4403 \$\$23.55 \$\text{Testosterone; total}\$	84376	\$5.02	Sugars (mono, di, and oligosaccharides); single
\$4378 \$10.51 \$Sugars (mono , di , and oligosaccharides); single quantitative, each specimen \$4379 \$10.51 \$Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen \$4392 \$4.33 \$Sulfate, urine \$4402 \$23.24 Testosterone; free \$4403 \$23.55 Testosterone; total \$4410 \$46.78 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) \$4425 \$19.37 Thiamine (Vitamin B-1) \$4430 \$10.61 Thiocyanate \$4431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine \$4432 \$14.65 Thyroglobulin \$4434 \$5.90 Thyroxine; total \$4437 \$5.90 Thyroxine; requiring elution (e.g., neonatal) \$4439 \$8.22 Thyroxine; free \$4442 \$13.48 Thyroxine binding globulin (TBG)	84377	\$5.02	Sugars (mono, di, and oligosaccharides); multiple
\$4379 \$10.51 \$\text{Sugars (mono , di , and oligosaccharides); multiple quantitative, each specimen}\$ \$4392 \$4.33 \$\text{Sulfate, urine}\$ \$4402 \$23.24 \$\text{Testosterone; free}\$ \$4403 \$23.55 \$\text{Testosterone; bioavailable, direct measurement (e.g., differential precipitation)}\$ \$4410 \$46.78 \$\text{Thiamine (Vitamin B-1)}\$ \$4430 \$10.61 \$\text{Thiocyanate}\$ \$4431 \$25.94 \$\text{Thromboxane metabolite(s), including thromboxane if performed, urine}\$ \$4432 \$14.65 \$\text{Thyroglobulin}\$ \$4436 \$6.27 \$\text{Thyroxine; total}\$ \$4437 \$5.90 \$\text{Thyroxine; requiring elution (e.g., neonatal)}\$ \$4439 \$8.22 \$\text{Thyroxine; free}\$ \$4442 \$13.48 \$\text{Thyroxine binding globulin (TBG)}\$	84378	\$10.51	Sugars (mono , di , and oligosaccharides); single
84392 \$4.33 Sulfate, urine 84402 \$23.24 Testosterone; free 84403 \$23.55 Testosterone; total 84410 \$46.78 Testosterone; bioavailable, direct measurement (e.g., differential precipitation) 84425 \$19.37 Thiamine (Vitamin B-1) 84430 \$10.61 Thiocyanate 84431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine 84432 \$14.65 Thyroglobulin 84436 \$6.27 Thyroxine; total 84437 \$5.90 Thyroxine; requiring elution (e.g., neonatal) 84439 \$8.22 Thyroxine; free 84442 \$13.48 Thyroxine binding globulin (TBG)	84379	\$10.51	Sugars (mono , di , and oligosaccharides); multiple
84403\$23.55Testosterone; total84410\$46.78Testosterone; bioavailable, direct measurement (e.g., differential precipitation)84425\$19.37Thiamine (Vitamin B-1)84430\$10.61Thiocyanate84431\$25.94Thromboxane metabolite(s), including thromboxane if performed, urine84432\$14.65Thyroglobulin84436\$6.27Thyroxine; total84437\$5.90Thyroxine; requiring elution (e.g., neonatal)84439\$8.22Thyroxine; free84442\$13.48Thyroxine binding globulin (TBG)	84392	\$4.33	
84403\$23.55Testosterone; total84410\$46.78Testosterone; bioavailable, direct measurement (e.g., differential precipitation)84425\$19.37Thiamine (Vitamin B-1)84430\$10.61Thiocyanate84431\$25.94Thromboxane metabolite(s), including thromboxane if performed, urine84432\$14.65Thyroglobulin84436\$6.27Thyroxine; total84437\$5.90Thyroxine; requiring elution (e.g., neonatal)84439\$8.22Thyroxine; free84442\$13.48Thyroxine binding globulin (TBG)	84402	\$23.24	Testosterone; free
84410\$46.78Testosterone; bioavailable, direct measurement (e.g., differential precipitation)84425\$19.37Thiamine (Vitamin B-1)84430\$10.61Thiocyanate84431\$25.94Thromboxane metabolite(s), including thromboxane if performed, urine84432\$14.65Thyroglobulin84436\$6.27Thyroxine; total84437\$5.90Thyroxine; requiring elution (e.g., neonatal)84439\$8.22Thyroxine; free84442\$13.48Thyroxine binding globulin (TBG)	84403	\$23.55	
84425 \$19.37 Thiamine (Vitamin B-1) 84430 \$10.61 Thiocyanate 84431 \$25.94 Thromboxane metabolite(s), including thromboxane if performed, urine 84432 \$14.65 Thyroglobulin 84436 \$6.27 Thyroxine; total 84437 \$5.90 Thyroxine; requiring elution (e.g., neonatal) 84439 \$8.22 Thyroxine; free 84442 \$13.48 Thyroxine binding globulin (TBG)	84410	\$46.78	,
84430\$10.61Thiocyanate84431\$25.94Thromboxane metabolite(s), including thromboxane if performed, urine84432\$14.65Thyroglobulin84436\$6.27Thyroxine; total84437\$5.90Thyroxine; requiring elution (e.g., neonatal)84439\$8.22Thyroxine; free84442\$13.48Thyroxine binding globulin (TBG)	84425	\$19.37	
State	+		
84432 \$14.65 Thyroglobulin 84436 \$6.27 Thyroxine; total 84437 \$5.90 Thyroxine; requiring elution (e.g., neonatal) 84439 \$8.22 Thyroxine; free 84442 \$13.48 Thyroxine binding globulin (TBG)			Thromboxane metabolite(s), including thromboxane if
84436\$6.27Thyroxine; total84437\$5.90Thyroxine; requiring elution (e.g., neonatal)84439\$8.22Thyroxine; free84442\$13.48Thyroxine binding globulin (TBG)	84432	\$14.65	
84437\$5.90Thyroxine; requiring elution (e.g., neonatal)84439\$8.22Thyroxine; free84442\$13.48Thyroxine binding globulin (TBG)	+		
\$4439 \$8.22 Thyroxine; free \$4442 \$13.48 Thyroxine binding globulin (TBG)	_		·
\$4442 \$13.48 Thyroxine binding globulin (TBG)			
	84442	\$13.48	Thyroxine binding globulin (TBG)
	84443	\$15.33	Thyroid stimulating hormone (TSH)

Code	<u>Rate</u>	Description
84445	\$46.39	Thyroid stimulating immune globulins (TSI)
84446	\$12.94	Tocopherol alpha (Vitamin E)
84449	\$16.42	Transcortin (cortisol binding globulin)
84450	\$4.72	Transferase; aspartate amino (AST) (SGOT)
84460	\$4.83	Transferase; alanine amino (ALT) (SGPT)
84466	\$11.64	Transferrin
84478	\$5.24	Triglycerides
84479	\$5.90	Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)
84480	\$12.94	Triiodothyronine T3; total (TT-3)
84481	\$15.46	Triiodothyronine T3; free
84482	\$14.38	Triiodothyronine T3; reverse
84484	\$9.21	Troponin, quantitative
84485	\$6.57	Trypsin; duodenal fluid
84488	\$6.66	Trypsin; feces, qualitative
84490	\$7.34	Trypsin; feces, quantitative, 24-hour collection
84510	\$9.49	Tyrosine
84512	\$7.46	Troponin, qualitative
84520	\$3.61	Urea nitrogen; quantitative
84525	\$3.79	Urea nitrogen; semiquantitative (e.g., reagent strip test)
84540	\$4.33	Urea nitrogen, urine
84545	\$6.03	Urea nitrogen, clearance
84550	\$4.12	Uric acid; blood
84560	\$4.33	Uric acid; other source
84577	\$15.33	Urobilinogen, feces, quantitative
84578	\$3.30	Urobilinogen, urine; qualitative
84580	\$7.45	Urobilinogen, urine; quantitative, timed specimen
84583	\$4.59	Urobilinogen, urine; semiquantitative
84585	\$14.13	Vanillylmandelic acid (VMA), urine
84586	\$32.23	Vasoactive intestinal peptide (VIP)
84588	\$30.96	Vasopressin (antidiuretic hormone, ADH)
84590	\$10.59	Vitamin A
84591	\$12.60	Vitamin, not otherwise specified
84597	\$12.52	Vitamin K
84600	\$14.67	Volatiles (e.g., acetic anhydride, diethylether)
84620	\$10.81	Xylose absorption test, blood and/or urine
84630	\$10.39	Zine

\$4702 \$13.74 Gonadotropin, chorionic (hCG); quantitative \$4703 \$6.86 Gonadotropin, chorionic (hCG); qualitative \$4704 \$13.74 Gonadotropin, chorionic (hCG); free-beta chain \$4830 \$0.38 Ovulation tests, by visual color comparison methods for human luteinizing hormone \$4899 \$4.28 Unlisted chemistry procedure Hematology and Coagulation \$5002 \$4.12 Bleeding time \$5004 \$5.90 Blood count; automated differential WBC count \$5007 \$3.13 Blood count; blood smear, microscopic examination with manual differential WBC count \$5008 \$3.13 Blood count; blood smear, microscopic examination without manual differential WBC count, buffy coat \$5009 \$3.75 Blood count; manual differential WBC count, buffy coat \$5013 \$5.17 Blood count; plant microhematocrit \$5014 \$2.16 Blood count; hematocrit (Het) \$5025 \$7.09 Blood count; hematocrit (Het) \$5025 \$7.09 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count \$5032 \$3.93 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each \$5044 \$3.93 Blood count; reticulocyte, automated \$5045 \$3.64 Blood count; reticulocyte, automated \$5046 \$5.08 Blood count; reticulocyte, automated \$5046 \$5.08 Blood count; reticulocyte, automated \$5047 \$5.08 Blood count; reticulocyte, automated \$5048 \$2.36 Blood count; reticulocyte, automated \$5049 \$3.64 Blood count; reticulocyte, automated \$5040 \$5.08 Blood count; reticulocyte, automated \$5041 \$5.08 Blood count; reticulocyte, automated \$5042 \$5.08 Blood count; reticulocyte, automated \$5043 \$5.08 Blood count; reticulocyte, automated \$5044 \$3.93 Blood count; reticulocyte, automated \$5045 \$5.08 Chromogenic substrate assay \$5046 \$5.08 Chromogenic substrate assay \$5047 \$5.00 \$1.85 Chromogenic substrate assay	<u>Code</u>	<u>Rate</u>	Description
\$4703 \$6.86 Gonadotropin, chorionic (hCG); qualitative \$48704 \$13.74 Gonadotropin, chorionic (hCG); free beta chain \$4830 \$9.38 Ovulation tests, by visual color comparison methods for human luteinizing hormone \$4999 \$4.28 Unlisted chemistry procedure Hematology and Coagulation \$5900 \$4.12 Bleeding time \$5900 \$5.90 Blood count; automated differential WBC count \$5900 \$3.13 Blood count; blood smear, microscopic examination with manual differential WBC count \$5000 \$3.13 Blood count; blood smear, microscopic examination without manual differential WBC count \$5000 \$3.75 Blood count; blood smear, microscopic examination without manual differential WBC count \$5013 \$5.17 Blood count; spun microhematocrit \$5014 \$2.16 Blood count; hematocrit (Het) \$5018 \$2.16 Blood count; hematocrit (Hgb) \$5025 \$7.09 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count \$5032 \$3.93 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each \$5044 \$3.93 Blood count; reticulocyte, automated \$5045 \$3.64 Blood count; reticulocyte, automated Blood count; leukocyte (WBC), automated Blood count; leukocyte (WBC	84681	\$18.99	C-peptide
84704 \$13.74 Gonadotropin, chorionic (hCG); free beta chain 84830 \$9.38 Ovulation tests, by visual color comparison methods for human luteinizing hormone 84999 \$4.28 Unlisted chemistry procedure Hematology and Coagulation 85002 \$4.12 Bleeding time 85004 \$5.90 Blood count; automated differential WBC count 85007 \$3.13 Blood count; blood smear, microscopic examination with manual differential WBC count 85008 \$3.13 Blood count; blood smear, microscopic examination without manual differential WBC count, buffy cont 85009 \$3.75 Blood count; manual differential WBC count, buffy cont 85013 \$5.17 Blood count; spun microhematocrit 85014 \$2.16 Blood count; hematocrit (Het) 85018 \$2.16 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count 85027 \$5.90 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count 85032 \$3.03 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) 85044 \$3.93 Blood count; reticulocyte, automated (Hgb, Het, RBC, WBC and platelet count) 85044 \$3.93 Blood count; reticulocyte, automated 85045 \$3.64 Blood count; reticulocyte, automated 85046 \$5.08 Blood count; reticulocyte, automated 85047 Reticular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; platelet, automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	84702	\$13.74	Gonadotropin, chorionic (hCG); quantitative
\$4.28 Substitute of the state	84703	\$6.86	Gonadotropin, chorionic (hCG); qualitative
Section	84704	\$13.74	Gonadotropin, chorionic (hCG); free beta chain
Hematology and Coagulation	84830	\$9.38	
\$5.00 \$4.12 Bleeding time \$5004 \$5.90 Blood count; automated differential WBC count \$5.90 Blood count; blood smear, microscopic examination with manual differential WBC count \$5.008 \$3.13 Blood count; blood smear, microscopic examination with manual differential WBC count \$5.009 \$3.75 Blood count; blood smear, microscopic examination without manual differential WBC count \$5.013 \$5.17 Blood count; manual differential WBC count, buffy count \$5.014 \$2.16 Blood count; spun microhematocrit \$5.015 \$1.17 Blood count; hematocrit (Het) \$5.016 Blood count; hematocrit (Het) \$5.017 Blood count; manual differential WBC count \$5.018 \$2.16 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count \$5.019 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) \$5.019 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each \$5.019 Blood count; red blood cell (RBC), automated \$5.019 Blood count; reticulocyte, manual \$5.019 Blood count; reticulocyte, automated \$5.019 Blood count; reticulocyte, manual \$5.019 Bl	84999	\$4.28	Unlisted chemistry procedure
85004 \$5.90 Blood count; automated differential WBC count 85007 \$3.13 Blood count; blood smear, microscopic examination with manual differential WBC count 85008 \$3.13 Blood count; blood smear, microscopic examination with manual differential WBC count 85009 \$3.75 Blood count; manual differential WBC count, buffy count 85013 \$5.17 Blood count; spun microhematocrit 85014 \$2.16 Blood count; hematocrit (Het) 85018 \$2.16 Blood count; hematocrit (Het) 85025 \$7.09 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count 85027 \$5.90 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) 85032 \$3.93 Blood count; remanual cell count (crythrocyte, leukocyte, or platelet) each 85044 \$2.76 Blood count; red blood cell (RBC), automated 85045 \$3.64 Blood count; reticulocyte, manual 85046 \$3.64 Blood count; reticulocyte, automated 85046 Blood count; reticulocyte, automated 85047 Blood count; reticulocyte, automated 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; leukocyte (WBC), automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction		Hen	natology and Coagulation
\$3.13 Blood count; blood smear, microscopic examination with manual differential WBC count Blood count; blood smear, microscopic examination without manual differential WBC count Blood count; blood smear, microscopic examination without manual differential WBC count Blood count; manual differential WBC count, buffy coat Blood count; manual differential WBC count, buffy coat Blood count; spun microhematocrit Blood count; spun microhematocrit Blood count; hematocrit (Het) Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) (erythrocyte, leukocyte, or platelet) each Blood count; ranual cell count (erythrocyte, leukocyte, or platelet) each Blood count; reticulocyte, automated Blood count; reticulocyte, automated Blood count; reticulocyte, automated Blood count; reticulocyte, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement Blood count; platelet, automated Blood count; platelet, automated South St. Sc. Sc. Sc. Sc. Sc. Sc. Sc. Sc. Sc. Sc	85002	\$4.12	Bleeding time
with manual differential WBC count Blood count; blood smear, microscopic examination without manual differential WBC count Blood count; blood smear, microscopic examination without manual differential WBC count Blood count; manual differential WBC count, buffy coat 85013 \$5.17 Blood count; spun microhematocrit 85014 \$2.16 Blood count; hematocrit (Het) 85018 \$2.16 Blood count; hematocrit (Het) 85019 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) RBC, WBC and platelet count Blood count; manual cell count (crythrocyte, leukocyte, or platelet) each RS041 \$2.76 Blood count; reticulocyte, automated RS044 \$3.93 Blood count; reticulocyte, manual RS045 \$3.64 Blood count; reticulocyte, automated Blood count; reticulocyte, automated RS046 S5.08 Blood count; reticulocyte, automated, including 1 or more cellular parameters (c.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement RS048 \$2.31 Blood count; platelet, automated RS049 \$4.09 Blood count; platelet, automated RS049 \$4.09 Blood count; platelet, automated RS055 \$26.41 Reticulated platelet assay RS130 \$10.85 Chromogenic substrate assay RS170 S12.04 Clot retraction	85004	\$5.90	Blood count; automated differential WBC count
## without manual differential WBC count ## Blood count; manual differential WBC count, buffy coat ## Blood count; spun microhematocrit ## Blood count; spun microhematocrit ## Blood count; hematocrit (Het) ## Blood count; hematocrit (Het) ## Blood count; hemoglobin (Hgb) ## Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count ## Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) ## Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) ## Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) ## Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each ## Blood count; red blood cell (RBC), automated ## Blood count; reticulocyte, manual ## Blood count; reticulocyte, automated ## Blood count; reticulocyte (WBC), automated ## Blood count; leukocyte (WBC), automated ## Blood	85007	\$3.13	
85013 \$5.17 Blood count; spun microhematocrit 85014 \$2.16 Blood count; hematocrit (Het) 85018 \$2.16 Blood count; hematocrit (Het) 85018 \$2.16 Blood count; hemoglobin (Hgb) Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count 85027 \$5.90 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) 85032 \$3.93 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) 85041 \$2.76 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each 85044 \$3.93 Blood count; reticulocyte, manual 85045 \$3.64 Blood count; reticulocyte, automated 85046 Blood count; reticulocyte, automated 85047 Blood count; reticulocyte hemoglobin content [CHr], immature reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85008	\$3.13	without manual differential WBC count
\$5014 \$2.16 Blood count; hematocrit (Het) \$5018 \$2.16 Blood count; hemoglobin (Hgb) Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated differential WBC count \$5027 \$5.90 Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) \$5032 \$3.93 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each \$5041 \$2.76 Blood count; red blood cell (RBC), automated \$5044 \$3.93 Blood count; red blood cell (RBC), automated \$5045 \$3.64 Blood count; reticulocyte, manual \$5045 \$3.64 Blood count; reticulocyte, automated Blood count; reticulocytes, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [RF], reticulocyte volume [MRV], RNA content), direct measurement \$5048 \$2.31 Blood count; leukocyte (WBC), automated \$5049 \$4.09 Blood count; platelet, automated \$5055 \$26.41 Reticulated platelet assay \$10.85 Chromogenic substrate assay \$5170 \$12.04 Clot retraction	85009	\$3.75	
85018 \$2.16 Blood count; hemoglobin (Hgb) 85025 \$7.09 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count 85027 \$5.90 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) 85032 \$3.93 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each 85041 \$2.76 Blood count; red blood cell (RBC), automated 85044 \$3.93 Blood count; reticulocyte, manual 85045 \$3.64 Blood count; reticulocyte, automated 85046 \$5.08 Blood count; reticulocyte, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85013	\$5.17	Blood count; spun microhematocrit
Blood count; complete (CBC), automated (Hgb, Het, RBC, WBC and platelet count) and automated (differential WBC count) 85027	85014	\$2.16	Blood count; hematocrit (Hct)
85025 \$7.09 RBC, WBC and platelet count) and automated differential WBC count 85027 \$5.90 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) 85032 \$3.93 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each 85041 \$2.76 Blood count; red blood cell (RBC), automated 85044 \$3.93 Blood count; reticulocyte, manual 85045 \$3.64 Blood count; reticulocyte, automated Blood count; reticulocytes, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay \$5170 Clot retraction	85018	\$2.16	Blood count; hemoglobin (Hgb)
\$5.90 \$5.90 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) \$5.93 \$3.93 Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each \$5.041 \$2.76 Blood count; red blood cell (RBC), automated \$5.044 \$3.93 Blood count; reticulocyte, manual \$5.045 \$3.64 Blood count; reticulocyte, automated Blood count; reticulocytes, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement \$5.048 \$2.31 Blood count; leukocyte (WBC), automated \$5.049 \$4.09 Blood count; platelet, automated \$5.055 \$26.41 Reticulated platelet assay \$5130 \$10.85 Chromogenic substrate assay \$12.04 Clot retraction	85025	\$7.09	RBC, WBC and platelet count) and automated
85032 \$3.93 Blood count; manual cell count (erythrocyte; leukocyte, or platelet) each 85041 \$2.76 Blood count; red blood cell (RBC), automated 85044 \$3.93 Blood count; reticulocyte, manual 85045 \$3.64 Blood count; reticulocyte, automated Blood count; reticulocytes, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85027	\$5.90	Blood count; complete (CBC), automated (Hgb, Hct,
85044 \$3.93 Blood count; reticulocyte, manual 85045 \$3.64 Blood count; reticulocyte, automated Blood count; reticulocytes, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85032	\$3.93	Blood count; manual cell count (erythrocyte,
85045 \$3.64 Blood count; reticulocyte, automated Blood count; reticulocytes, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85041	\$2.76	Blood count; red blood cell (RBC), automated
Blood count; reticulocytes, automated, including 1 or more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement 85048 \$2.31 Blood count; leukocyte (WBC), automated 85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85044	\$3.93	Blood count; reticulocyte, manual
### style="font-size: 150%;"> ### style="font-size: 150%; sais: 15	85045	\$3.64	Blood count; reticulocyte, automated
85049 \$4.09 Blood count; platelet, automated 85055 \$26.41 Reticulated platelet assay 85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85046	\$5.08	more cellular parameters (e.g., reticulocyte hemoglobin content [CHr], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct
85049\$4.09Blood count; platelet, automated85055\$26.41Reticulated platelet assay85130\$10.85Chromogenic substrate assay85170\$12.04Clot retraction	85048	\$2.31	Blood count; leukocyte (WBC), automated
85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85049	\$4.09	
85130 \$10.85 Chromogenic substrate assay 85170 \$12.04 Clot retraction	85055	\$26.41	Reticulated platelet assay
85170 \$12.04 Clot retraction	85130	\$10.85	Chromogenic substrate assay
85175 \$15.05 Clot lysis time, whole blood dilution	85170	\$12.04	
	85175	\$15.05	Clot lysis time, whole blood dilution

<u>Code</u>	<u>Rate</u>	Description
85210	\$11.84	Clotting; factor II, prothrombin, specific
85220	\$16.10	Clotting; factor V (AcG or proaccelerin), labile factor
85230	\$16.33	Clotting; factor VII (proconvertin, stable factor)
85240	\$16.33	Clotting; factor VIII (AHG), 1-stage
85244	\$18.63	Clotting; factor VIII related antigen
85245	\$20.92	Clotting; factor VIII, VW factor, ristocetin cofactor
85246	\$20.92	Clotting; factor VIII, VW factor antigen
85247	\$20.92	Clotting; factor VIII, von Willebrand factor, multimetric analysis
85250	\$17.37	Clotting; factor IX (PTC or Christmas)
85260	\$16.33	Clotting; factor X (Stuart Prower)
85270	\$16.33	Clotting; factor XI (PTA)
85280	\$17.65	Clotting; factor XII (Hageman)
85290	\$14.90	Clotting; factor XIII (fibrin stabilizing)
85291	\$8.11	Clotting; factor XIII (fibrin stabilizing), screen solubility
85292	\$17.27	Clotting; prekallikrein assay (Fletcher factor assay)
85293	\$17.27	Clotting; high molecular weight kininogen assay (Fitzgerald factor assay)
85300	\$10.81	Clotting inhibitors or anticoagulants; antithrombin III, activity
85301	\$9.86	Clotting inhibitors or anticoagulants; antithrombin III, antigen assay
85302	\$10.96	Clotting inhibitors or anticoagulants; protein C, antigen
85303	\$12.62	Clotting inhibitors or anticoagulants; protein C, activity
85305	\$10.59	Clotting inhibitors or anticoagulants; protein S, total
85306	\$13.98	Clotting inhibitors or anticoagulants; protein S, free
85307	\$13.98	Activated Protein C (APC) resistance assay
85335	\$11.74	Factor inhibitor test
85337	\$12.76	Thrombomodulin
85345	\$3.93	Coagulation time; Lee and White
85347	\$3.89	Coagulation time; activated
85348	\$3.40	Coagulation time; other methods
85360	\$7.67	Euglobulin lysis
85362	\$6.29	Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative
85366	\$59.45	Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation

Sister S	Code	Rate	<u>Description</u>
\$5379 \$9.28 Fibrin degradation products, D-dimer; quantitative Fibrin degradation for venous thromboembolism); qualitative or semiquantitative Fibrinogen; activity \$5384 \$7.75 Fibrinogen; activity \$5385 \$10.68 Fibrinogen; antigen \$5390 \$11.44 Fibrinogen; activity \$5397 \$22.80 Coagulation and fibrinolysis, functional activity, not otherwise specified (e.g., ADAMTS 13), each analyte \$5400 \$7.03 Fibrinolytic factors and inhibitors; plasmin \$5415 \$15.68 Fibrinolytic factors and inhibitors; plasmin products \$5420 \$5.96 Fibrinolytic factors and inhibitors; plasminogen activator Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay \$5421 \$9.29 Fibrinolytic factors and inhibitors; plasminogen, antigenic assay \$5441 \$3.83 Heinz bodies; direct Heinz bodies; induced, acetyl phenylhydrazine Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette \$5461 \$6.92 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette \$550 \$11.94 Heparin assay Helparin assay Helparin protamine tolerance test \$5530 \$11.94 Heparin protamine tolerance test \$5530 \$7.85 Leukocyte alkaline phosphatase with count \$5547 \$7.85 Mechanical fragility, RBC; unincubated \$5557 \$12.18 Osmotic fragility, RBC; incubated \$5576 \$19.59 Platelet, aggregation (in vitro), each agent	85370	\$10.36	
S5379 S9.28 Fibrin degradation products, D dimer; quantitative Fibrin degradation products, D dimer; ultrasensitive (c-g., for evaluation for venous thromboembolism), qualitative or semiquantitative S5384 S7.75 Fibrinogen; activity Fibrinogen; activity S5385 S10.68 Fibrinogen; antigen Fibrinolysins or coagulopathy screen, interpretation and report Coagulation and fibrinolysis, functional activity, not otherwise specified (c-g., ADAMTS 13), each analyte S5400 S7.03 Fibrinolytic factors and inhibitors; plasmin S5410 S7.03 Fibrinolytic factors and inhibitors; plasmin Fibrinolytic factors and inhibitors; plasminogen activator Fibrinolytic factors and inhibitors; plasminogen activator Fibrinolytic factors and inhibitors; plasminogen antigenic assay S5421 S9.29 Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay Fibrinolytic factors and inhibitors; plasminogen, antigenic assay S5441 S3.83 Heinz bodies; direct Heinz bodies; induced, acetyl phenylhydrazine Hemoglobin or RBCs, fetal, for fotomaternal hemorrhage; differential lysis (Kleihauer Betke) Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; for fetomaternal hemor	85378	\$7.18	
Signature Sign	85379	\$9.28	
85385\$10.68Fibrinogen; antigen85390\$11.44Fibrinolysins or coagulopathy screen, interpretation and report85397\$22.80Coagulation and fibrinolysis, functional activity, not otherwise specified (e.g., ADAMTS-13), each analyte85400\$7.03Fibrinolytic factors and inhibitors; plasmin85410\$7.03Fibrinolytic factors and inhibitors; plasminogen85415\$15.68Fibrinolytic factors and inhibitors; plasminogen85420\$5.96Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay85421\$9.29Fibrinolytic factors and inhibitors; plasminogen, antigenic assay85441\$3.83Heinz bodies; direct85445\$6.22Heinz bodies; induced, acetyl phenylhydrazine85460\$7.06Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke)85461\$6.92Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette85475\$8.09Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette85520\$11.94Heparin neutralization85530\$11.94Heparin protamine tolerance test85536\$5.90Iron stain, peripheral blood85540\$7.85Leukocyte alkaline phosphatase with count85547\$7.85Mechanical fragility, RBC85549\$17.10Muramidase85557\$12.18Osmotic fragility, RBC; incubated85576\$19.59Platelet, aggregation (in vitro), each agent	85380	\$9.28	Fibrin degradation products, D-dimer; ultrasensitive (e.g., for evaluation for venous thromboembolism),
Signature Sign	85384	\$7.75	Fibrinogen; activity
85397 \$22.80 \$22.80 \$22.80 \$22.80 \$3410 \$5410 \$57.03 \$4520 \$57.03 \$4520 \$55415 \$45.68 \$45420 \$55.96 \$45420 \$55.96 \$45421 \$55.96 \$56.22 \$56.22 \$56.22 \$56.22 \$56.22 \$56.30 \$56.92 \$56.92 \$56.92 \$56.92 \$56.92 \$56.92 \$56.92 \$57.03 \$56.92 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.03 \$57.04 \$57.05 \$57.06 \$57	85385	\$10.68	Fibrinogen; antigen
85397 \$22.80 Coagulation and fibrinolysis, functional activity, not otherwise specified (e.g., ADAMTS 13), each analyte 85400 \$7.03 Fibrinolytic factors and inhibitors; plasmin 85410 \$7.03 Fibrinolytic factors and inhibitors; plasminogen 85415 \$15.68 Fibrinolytic factors and inhibitors; plasminogen activator 85420 \$5.96 Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay 85421 \$9.29 Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay 85441 \$3.83 Heinz bodies; direct 85445 \$6.22 Heinz bodies; induced, acetyl phenylhydrazine 85460 \$7.06 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) 85475 \$8.09 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosettle 85520 \$11.94 Heparin assay 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85555	85390	\$11.44	
85400 \$7.03 Fibrinolytic factors and inhibitors; plasmin 85410 \$7.03 Fibrinolytic factors and inhibitors; alpha 2 antiplasmin 85415 \$15.68 Fibrinolytic factors and inhibitors; plasminogen activator 85420 \$5.96 Fibrinolytic factors and inhibitors; plasminogen, antigenic assay 85421 \$9.29 Fibrinolytic factors and inhibitors; plasminogen, antigenic assay 85441 \$3.83 Heinz bodies; direct 85445 \$6.22 Heinz bodies; induced, acetyl phenylhydrazine 85460 \$7.06 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) 85461 \$6.92 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette 85475 \$8.09 Hemolysin, acid 85520 \$11.94 Heparin assay 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85559 \$17.10 Muramidase 85557	85397	\$22.80	Coagulation and fibrinolysis, functional activity, not
\$15.68 Fibrinolytic factors and inhibitors; plasminogen activator	85400	\$7.03	
85415\$15.68Fibrinolytic factors and inhibitors; plasminogen activator85420\$5.96Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay85421\$9.29Fibrinolytic factors and inhibitors; plasminogen, antigenic assay85441\$3.83Heinz bodies; direct85445\$6.22Heinz bodies; induced, acetyl phenylhydrazine85460\$7.06Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke)85461\$6.92Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette85475\$8.09Hemolysin, acid85520\$11.94Heparin assay85525\$10.80Heparin neutralization85530\$11.94Heparin protamine tolerance test85536\$5.90Iron stain, peripheral blood85540\$7.85Leukocyte alkaline phosphatase with count85547\$7.85Mechanical fragility, RBC85549\$17.10Muramidase85555\$6.10Osmotic fragility, RBC; unincubated85557\$12.18Osmotic fragility, RBC; incubated85576\$19.59Platelet, aggregation (in vitro), each agent	85410	\$7.03	
85421 \$9.29 Fibrinolytic factors and inhibitors; plasminogen, antigenic assay 85441 \$3.83 Heinz bodies; direct 85445 \$6.22 Heinz bodies; induced, acetyl phenylhydrazine 85460 \$7.06 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) 85461 \$6.92 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette 85475 \$8.09 Hemolysin, acid 85520 \$11.94 Heparin assay 85525 \$10.80 Heparin neutralization 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85555 \$6.10 Osmotic fragility, RBC; unincubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85415	\$15.68	Fibrinolytic factors and inhibitors; plasminogen
Solution	85420	\$5.96	
85441 \$3.83 Heinz bodies; direct 85445 \$6.22 Heinz bodies; induced, acetyl phenylhydrazine 85460 \$7.06 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) 85461 \$6.92 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette 85475 \$8.09 Hemolysin, acid 85520 \$11.94 Heparin assay 85525 \$10.80 Heparin protamine tolerance test 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85549 \$17.10 Muramidase 85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85421	\$9.29	Fibrinolytic factors and inhibitors; plasminogen,
85460 \$7.06 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) 85461 \$6.92 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette 85475 \$8.09 Hemolysin, acid 85520 \$11.94 Heparin assay 85525 \$10.80 Heparin neutralization 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85441	\$3.83	
85460 \$7.06 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer Betke) 85461 \$6.92 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette 85475 \$8.09 Hemolysin, acid 85520 \$11.94 Heparin assay 85525 \$10.80 Heparin neutralization 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85445	\$6.22	Heinz bodies; induced, acetyl phenylhydrazine
85461 \$6.92 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette 85475 \$8.09 Hemolysin, acid 85520 \$11.94 Heparin assay 85525 \$10.80 Heparin neutralization 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85549 \$17.10 Muramidase 85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85460	\$7.06	
85475 \$8.09 Hemolysin, acid 85520 \$11.94 Heparin assay 85525 \$10.80 Heparin neutralization 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85549 \$17.10 Muramidase 85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85461	\$ 6.92	Hemoglobin or RBCs, fetal, for fetomaternal
85520 \$11.94 Heparin assay 85525 \$10.80 Heparin neutralization 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85549 \$17.10 Muramidase 85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85475	\$8.09	
85525 \$10.80 Heparin neutralization 85530 \$11.94 Heparin protamine tolerance test 85536 \$5.90 Iron stain, peripheral blood 85540 \$7.85 Leukocyte alkaline phosphatase with count 85547 \$7.85 Mechanical fragility, RBC 85549 \$17.10 Muramidase 85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent	85520	\$11.94	
85530\$11.94Heparin-protamine tolerance test85536\$5.90Iron stain, peripheral blood85540\$7.85Leukocyte alkaline phosphatase with count85547\$7.85Mechanical fragility, RBC85549\$17.10Muramidase85555\$6.10Osmotic fragility, RBC; unincubated85557\$12.18Osmotic fragility, RBC; incubated85576\$19.59Platelet, aggregation (in vitro), each agent	85525	\$10.80	Heparin neutralization
85536\$5.90Iron stain, peripheral blood85540\$7.85Leukocyte alkaline phosphatase with count85547\$7.85Mechanical fragility, RBC85549\$17.10Muramidase85555\$6.10Osmotic fragility, RBC; unincubated85557\$12.18Osmotic fragility, RBC; incubated85576\$19.59Platelet, aggregation (in vitro), each agent		\$11.94	
85540\$7.85Leukocyte alkaline phosphatase with count85547\$7.85Mechanical fragility, RBC85549\$17.10Muramidase85555\$6.10Osmotic fragility, RBC; unincubated85557\$12.18Osmotic fragility, RBC; incubated85576\$19.59Platelet, aggregation (in vitro), each agent			
85547\$7.85Mechanical fragility, RBC85549\$17.10Muramidase85555\$6.10Osmotic fragility, RBC; unincubated85557\$12.18Osmotic fragility, RBC; incubated85576\$19.59Platelet, aggregation (in vitro), each agent	85540	\$7.85	
85549\$17.10Muramidase85555\$6.10Osmotic fragility, RBC; unincubated85557\$12.18Osmotic fragility, RBC; incubated85576\$19.59Platelet, aggregation (in vitro), each agent			
85555 \$6.10 Osmotic fragility, RBC; unincubated 85557 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent			
85577 \$12.18 Osmotic fragility, RBC; incubated 85576 \$19.59 Platelet, aggregation (in vitro), each agent			Osmotic fragility, RBC; unincubated
\$19.59 Platelet, aggregation (in vitro), each agent		\$12.18	
	85576	\$19.59	
	85597	\$16.40	

Code	<u>Rate</u>	Description
85598	\$16.40	Phospholipid neutralization; hexagonal phospholipid
85610	\$3.58	Prothrombin time
85611	\$3.60	Prothrombin time; substitution, plasma fractions, each
85612	\$12.92	Russell viper venom time (includes venom); undiluted
85613	\$8.74	Russell viper venom time (includes venom); diluted
85635	\$8.98	Reptilase test
85651	\$3.24	Sedimentation rate, erythrocyte; non-automated
85652	\$2.46	Sedimentation rate, erythrocyte; automated
85660	\$ 5.02	Sickling of RBC, reduction
85670	\$5.26	Thrombin time; plasma
85675	\$6.24	Thrombin time; titer
85705	\$8.79	Thromboplastin inhibition, tissue
85730	\$5.48	Thromboplastin time, partial (PTT); plasma or whole blood
85732	\$5.90	Thromboplastin time, partial (PTT); substitution, plasma fractions, each
85810	\$10.65	Viscosity
85999	I.C.	Unlisted hematology and coagulation procedure
1		Immunology
		Agglutinins, febrile (e.g., Brucella, Francisella, Murine
86000	\$6.37	typhus, Q fever, Rocky Mountain spotted fever, scrub typhus), each antigen
86001	\$5.78	Allergen specific IgG; quantitative or semiquantitative, each allergen
86003	\$4.76	Allergen specific IgE; quantitative or semiquantitative, crude allergen extract, each
86005	\$7.27	Allergen specific IgE; qualitative, multiallergen screen (e.g., disk, sponge, card)
86008	\$16.36	Allergen specific IgE; quantitative or semiquantitative, recombinant or purified component, each
86021	\$13.74	Antibody identification; leukocyte antibodies
86022	\$16.76	Antibody identification; platelet antibodies
86023	\$11.36	Antibody identification; platelet associated immunoglobulin assay
86038	\$11.02	Antinuclear antibodies (ANA)
86039	\$10.18	Antinuclear antibodies (ANA); titer
86060	\$6.66	Antistreptolysin 0; titer
86063	\$5.26	Antistreptolysin 0; screen
86140	\$4.72	C reactive protein

Code	Rate	Description
86141	\$11.81	C reactive protein; high sensitivity (hsCRP)
86146	\$23.21	Beta 2 Glycoprotein I antibody, each
86147	\$23.21	Cardiolipin (phospholipid) antibody, each Ig class
86148	\$14.66	Anti-phosphatidylserine (phospholipid) antibody
86152	\$224.13	Cell enumeration using immunologic selection and identification in fluid specimen (e.g., circulating tumor cells in blood);
86155	\$14.59	Chemotaxis assay, specify method
86156	\$6.11	Cold agglutinin; screen
86157	\$7.35	Cold agglutinin; titer
86160	\$10.94	Complement; antigen, each component
86161	\$10.94	Complement; functional activity, each component
86162	\$18.54	Complement; total hemolytic (CH50)
86171	\$9.13	Complement fixation tests, each antigen
86200	\$11.81	Cyclic citrullinated peptide (CCP), antibody
86215	\$12.08	Deoxyribonuclease, antibody
86225	\$12.54	Deoxyribonucleic acid (DNA) antibody; native or double stranded
86226	\$11.05	Deoxyribonucleic acid (DNA) antibody; single stranded
86235	\$16.36	Extractable nuclear antigen, antibody to, any method (e.g., nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody
86255	\$10.99	Fluorescent noninfectious agent antibody; screen, each antibody
86256	\$10.99	Fluorescent noninfectious agent antibody; titer, each antibody
86277	\$14.36	Growth hormone, human (HGH), antibody
86280	\$7.48	Hemagglutination inhibition test (HAI)
86294	\$18.89	Immunoassay for tumor antigen, qualitative or semiquantitative (e.g., bladder tumor antigen)
86300	\$18.99	Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)
86301	\$18.99	Immunoassay for tumor antigen, quantitative; CA 19-9
86304	\$18.99	Immunoassay for tumor antigen, quantitative; CA 125
86305	\$18.99	Human epididymis protein 4 (HE4)
86308	\$4.72	Heterophile antibodies; screening
86309	\$5.90	Heterophile antibodies; titer
86310	\$6.72	Heterophile antibodies; titers after absorption with beef cells and guinea pig kidney

Code	<u>Rate</u>	Description
86316	\$18.99	Immunoassay for tumor antigen, other antigen, quantitative (e.g., CA 50, 72-4, 549), each
86317	\$13.67	Immunoassay for infectious agent antibody, quantitative, not otherwise specified
86318	\$ 13.37	Immunoassay for infectious agent antibody, qualitative or semiquantitative, single step method (e.g., reagent strip)
86320	\$22.11	Immunoelectrophoresis; serum
86325	\$20.40	Immunoelectrophoresis; other fluids (e.g., urine, cerebrospinal fluid) with concentration
86327	\$22.11	Immunoelectrophoresis; crossed (2 dimensional assay)
86328	\$45.23	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step method (e.g., reagent strip); severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID-19]).
86329	\$12.81	Immunodiffusion; not elsewhere specified
86331	\$10.93	Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody
86332	\$22.23	Immune complex assay
86334	\$20.39	Immunofixation electrophoresis; serum
86335	\$26.77	Immunofixation electrophoresis; other fluids with concentration (e.g., urine, CSF)
86336	\$14.22	Inhibin A
86337	\$19.53	Insulin antibodies
86340	\$13.75	Intrinsic factor antibodies
86341	\$18.05	Islet cell antibody
86343	\$11.36	Leukocyte histamine release test (LHR)
86344	\$7.68	Leukocyte phagocytosis
86352	\$123.93	Cellular function assay involving stimulation (e.g., mitogen or antigen) and detection of biomarker (e.g., ATP)
86353	\$44.72	Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis
86355	\$34.42	B cells, total count
86356	\$24.43	Mononuclear cell antigen, quantitative (e.g., flow eytometry), not otherwise specified, each antigen
86357	\$34.42	Natural killer (NK) cells, total count
86359	\$34.42	T cells; total count
86360	\$42.86	T cells; absolute CD4 and CD8 count, including ratio
86361	•	
6361	\$24.43	T cells; absolute CD4 count

disease [COVID-19]); screen 86409 I.C. Neutralizing antibody, severe acute respiratory	Code	Rate	Description
86382 \$15.43 Neutralization test, viral 86384 \$10.39 Nitroblue tetrazolium dye test (NTD) 86386 \$16.09 Nuclear Matrix Protein 22 (NMP22), qualitative 86403 \$9.29 Particle agglutination; screen, each antibody 86406 \$9.70 Particle agglutination; screen, each antibody 86408 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV-2) (Coronavirus disease [COVID 19]); screen 86409 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV-2) (Coronavirus disease [COVID 19]); titer 86413 I.C. Severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (Coronavirus 2) (SARS CoV-2) (Coronavirus 3) (SARS CoV-2) (Coronavirus 3) (SARS CoV-2) (Coronavirus 2) (SARS CoV-2) (Coronavirus 3) (SARS CoV-2) (Coronavirus 4) (SARS CoV-2) (Coronavirus 4) (SARS	86367	\$57.47	Stem cells (i.e., CD34), total count
86384 \$10.39 Nitroblue tetrazolium dye test (NTD) 86386 \$16.09 Nuclear Matrix Protein 22 (NMP22), qualitative 86403 \$9.29 Particle agglutination; screen, each antibody 86406 \$9.70 Particle agglutination; titer, each antibody 86408 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); streen 86409 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARSCoV 2) (Coronavirus disease [COVID 19]); titer 86413 I.C. Severe acute respiratory syndrome coronavirus 2 (SARSCoV 2) (Coronavirus disease [COVID 19]); antibody, quantitative 86430 \$5.17 Rheumatoid factor; qualitative 86481 \$5.17 Rheumatoid factor; quantitative 86480 \$56.54 Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon 86481 \$73.89 Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon producing T cells in cell suspension 86485 \$24.14 Skin test; candida 86590 \$10.08 Streptokinase, antibody 86692 \$3.89 Syphilis test, non treponemal antibody; quantitative (e.g., VDRL, RPR, ART)	86376	\$13.27	
86386 \$16.09 Nuclear Matrix Protein 22 (NMP22), qualitative 86403 \$9.29 Particle agglutination; screen, each antibody 86406 \$9.70 Particle agglutination; titer, each antibody 86408 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); screen 86409 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); titer 86413 I.C. Severe acute respiratory syndrome coronavirus 2 (SARSCoV 2) (Coronavirus disease [COVID 19]); antibody, quantitative 86430 \$5.17 Rheumatoid factor; qualitative 86431 \$5.17 Rheumatoid factor; quantitative 86430 \$5.17 Rheumatoid factor; quantitative 86480 \$56.54 Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon 86481 \$73.89 Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon producing T cells in cell suspension 86485 \$24.14 Skin test; candida 86590 \$10.08 Streptokinase, antibody 86591 \$3.89 Syphilis test, non treponemal antibod	86382	\$15.43	Neutralization test, viral
Section	86384	\$10.39	Nitroblue tetrazolium dye test (NTD)
86406 \$9.70 Particle agglutination; titer, each antibody 86408 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); screen 86409 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); titer 86413 I.C. Severe acute respiratory syndrome coronavirus 2 (SARSCoV 2) (Coronavirus disease [COVID 19]) antibody, quantitative 86430 \$5.17 Rheumatoid factor; quantitative 86431 \$5.17 Rheumatoid factor; quantitative 86480 \$56.54 Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon 86481 \$73.89 response measurement; enumeration of gamma interferon producing T cells in cell suspension 86485 \$24.14 Skin test; candida 86590 \$10.08 Streptokinase, antibody 86592 \$3.89 Syphilis test, non treponemal antibody; qualitative (e.g., VDRL, RPR, ART) 86693 \$4.02 Syphilis test, non treponemal antibody; quantitative 86602 \$9.28 Antibody; actinomyces 86609 \$11.74 Antibody; Appergillus 86611 \$9.28 Antibody; Bartonella	86386	\$16.09	Nuclear Matrix Protein 22 (NMP22), qualitative
86406 \$9.70 Particle agglutination; titer, each antibody 86408 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); screen 86409 I.C. Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); titer 86413 I.C. Severe acute respiratory syndrome coronavirus 2 (SARSCoV 2) (Coronavirus disease [COVID 19]) antibody, quantitative 86430 \$5.17 Rheumatoid factor; quantitative 86431 \$5.17 Rheumatoid factor; quantitative 86480 \$56.54 Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon 86481 \$73.89 response measurement; enumeration of gamma interferon producing T cells in cell suspension 86485 \$24.14 Skin test; candida 86590 \$10.08 Streptokinase, antibody 86592 \$3.89 Syphilis test, non treponemal antibody; qualitative (e.g., VDRL, RPR, ART) 86693 \$4.02 Syphilis test, non treponemal antibody; quantitative 86602 \$9.28 Antibody; actinomyces 86609 \$11.74 Antibody; Appergillus 86611 \$9.28 Antibody; Bartonella	86403	\$9.29	Particle agglutination; screen, each antibody
syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]); sereen Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]); itter 86413 I.C. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) antibody, quantitative 86430 \$5.17 Rheumatoid factor; qualitative 86481 \$5.17 Rheumatoid factor; qualitative 7 Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon producing T-cells in cell suspension 86485 \$24.14 Skin test; candida 86590 \$10.08 Streptokinase, antibody 86592 \$3.89 Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART) 86603 \$4.02 Syphilis test, non-treponemal antibody; quantitative 86603 \$11.74 Antibody; actinomyces 86604 \$13.74 Antibody; adenovirus 86615 \$12.03 Antibody; Bartonella 86617 \$14.13 Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot) 86618 \$15.53 Antibody; Borrelia burgdorferi (Lyme disease)	86406	\$9.70	
syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID 19]); titer Severe acute respiratory syndrome coronavirus 2 (SARSCOV 2) (Coronavirus disease [COVID 19]) antibody, quantitative 86430	86408	I.C.	syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus
SARSCOV 2) (Coronavirus disease [COVID 19]) antibody, quantitative	86409	I.C.	syndrome coronavirus 2 (SARS CoV 2) (Coronavirus disease [COVID-19]); titer
86430 \$5.17 Rheumatoid factor; qualitative 86431 \$5.17 Rheumatoid factor; quantitative 86480 \$56.54 Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon 86481 \$73.89 Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon producing T cells in cell suspension 86485 \$24.14 Skin test; candida 86590 \$10.08 Streptokinase, antibody 86592 \$3.89 Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART) 86593 \$4.02 Syphilis test, non-treponemal antibody; quantitative 86602 \$9.28 Antibody; actinomyces 86603 \$11.74 Antibody; adenovirus 86609 \$11.75 Antibody; Aspergillus 86611 \$9.28 Antibody; Bacterium, not elsewhere specified 86612 \$11.77 Antibody; Blastomyces 86615 \$12.03 Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot) 86618 \$15.53 Antibody; Borrelia burgdorferi (Lyme disease)	86413	I.C.	(SARSCoV-2) (Coronavirus disease [COVID-19])
\$6480 \$56.54 Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon producing T cells in cell suspension \$6485 \$24.14 Skin test; candida \$6590 \$10.08 Streptokinase, antibody \$6592 \$3.89 Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART) \$6593 \$4.02 Syphilis test, non-treponemal antibody; quantitative \$6602 \$9.28 Antibody; actinomyces \$6603 \$11.74 Antibody; adenovirus \$6606 \$13.74 Antibody; Aspergillus \$6609 \$11.75 Antibody; bacterium, not elsewhere specified \$6611 \$9.28 Antibody; Bartonella \$6612 \$11.77 Antibody; Blastomyces \$6615 \$12.03 Antibody; Bordetella \$6617 \$14.13 Antibody; Bordetella \$6618 \$15.53 Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)	86430	\$5.17	
response measurement; gamma interferon Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon producing T cells in cell suspension Skin test; candida Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART) Syphilis test, non-treponemal antibody; quantitative Syphilis test, non-treponemal antibody; quantitative Syphilis test, non-treponemal antibody; quantitative Antibody; actinomyces Antibody; adenovirus Antibody; Aspergillus Second Social Social Antibody; Aspergillus Antibody; Bartonella Social Social Antibody; Blastomyces Antibody; Blastomyces Antibody; Bordetella Antibody; Bordetella Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot) Antibody; Borrelia burgdorferi (Lyme disease)	86431	\$5.17	Rheumatoid factor; quantitative
86481\$73.89response measurement; enumeration of gamma interferon producing T cells in cell suspension86485\$24.14Skin test; candida86590\$10.08Streptokinase, antibody86592\$3.89Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART)86593\$4.02Syphilis test, non-treponemal antibody; quantitative86602\$9.28Antibody; actinomyces86603\$11.74Antibody; adenovirus86606\$13.74Antibody; Aspergillus86609\$11.75Antibody; Bacterium, not elsewhere specified86611\$9.28Antibody; Bartonella86612\$11.77Antibody; Blastomyces86615\$12.03Antibody; Bordetella86617\$14.13Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)86618\$15.53Antibody; Borrelia burgdorferi (Lyme disease)	86480	\$56.54	
86485\$24.14Skin test; candida86590\$10.08Streptokinase, antibody86592\$3.89Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART)86593\$4.02Syphilis test, non-treponemal antibody; quantitative86602\$9.28Antibody; actinomyces86603\$11.74Antibody; adenovirus86606\$13.74Antibody; Aspergillus86609\$11.75Antibody; bacterium, not elsewhere specified86611\$9.28Antibody; Bartonella86612\$11.77Antibody; Blastomyces86615\$12.03Antibody; Bordetella86617\$14.13Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)86618\$15.53Antibody; Borrelia burgdorferi (Lyme disease)	86481	\$73.89	response measurement; enumeration of gamma
\$3.89 \$\text{Syphilis test, non-treponemal antibody; qualitative} \(\(\elliup\) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	86485	\$24.14	
\$3.89 \$3.89 \$\text{Syphilis test, non-treponemal antibody; qualitative} \(\(\text{(e.g., VDRL, RPR, ART}\)\) \$4.02 \$\text{Syphilis test, non-treponemal antibody; quantitative} \(\text{86602}\) \$\text{\$9.28} \$\text{Antibody; actinomyces} \\ \$6603 \$11.74 \$\text{Antibody; adenovirus} \\ \$6606 \$13.74 \$\text{Antibody; Aspergillus} \\ \$6609 \$11.75 \$\text{Antibody; bacterium, not elsewhere specified} \\ \$6611 \$9.28 \$\text{Antibody; Bartonella} \\ \$6612 \$11.77 \$\text{Antibody; Blastomyces} \\ \$6615 \$12.03 \$\text{Antibody; Bordetella} \\ \$6617 \$14.13 \$\text{Antibody; Borrelia burgdorferi (Lyme disease)} \\ \$confirmatory test (e.g., Western Blot or immunoblot)} \\ \$Antibody; Borrelia burgdorferi (Lyme disease)} \\ \$\text{Confirmatory test (e.g., Western Blot or immunoblot)} \\ \$\text{\$Antibody; Borrelia burgdorferi (Lyme disease)} \\ \$\text{Confirmatory test (e.g., Western Blot or immunoblot)} \\ \$\text{\$Antibody; Borrelia burgdorferi (Lyme disease)} \\ \$\text{Confirmatory test (e.g., Western Blot or immunoblot)} \\ \$\text{\$Antibody; Borrelia burgdorferi (Lyme disease)} \\ \$\text{Confirmatory test (e.g., Western Blot or immunoblot)} \\ \$\text{\$Antibody; Borrelia burgdorferi (Lyme disease)} \\ \$\text{Confirmatory test (e.g., Western Blot or immunoblot)} \\ \$\text{\$Antibody; Borrelia burgdorferi (Lyme disease)} \\ \$\$Antibody; Borrelia burgdo	86590	\$10.08	Streptokinase, antibody
86602\$9.28Antibody; actinomyces86603\$11.74Antibody; adenovirus86606\$13.74Antibody; Aspergillus86609\$11.75Antibody; bacterium, not elsewhere specified86611\$9.28Antibody; Bartonella86612\$11.77Antibody; Blastomyces86615\$12.03Antibody; Bordetella86617\$14.13Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)86618\$15.53Antibody; Borrelia burgdorferi (Lyme disease)	86592	\$3.89	Syphilis test, non-treponemal antibody; qualitative
86603\$11.74Antibody; adenovirus86606\$13.74Antibody; Aspergillus86609\$11.75Antibody; bacterium, not elsewhere specified86611\$9.28Antibody; Bartonella86612\$11.77Antibody; Blastomyces86615\$12.03Antibody; Bordetella86617\$14.13Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)86618\$15.53Antibody; Borrelia burgdorferi (Lyme disease)	86593	\$4.02	Syphilis test, non-treponemal antibody; quantitative
86606 \$13.74 Antibody; Aspergillus 86609 \$11.75 Antibody; bacterium, not elsewhere specified 86611 \$9.28 Antibody; Bartonella 86612 \$11.77 Antibody; Blastomyces 86615 \$12.03 Antibody; Bordetella 86617 \$14.13 Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot) 86618 \$15.53 Antibody; Borrelia burgdorferi (Lyme disease)	86602	\$9.28	Antibody; actinomyces
86609\$11.75Antibody; bacterium, not elsewhere specified86611\$9.28Antibody; Bartonella86612\$11.77Antibody; Blastomyces86615\$12.03Antibody; Bordetella86617\$14.13Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)86618\$15.53Antibody; Borrelia burgdorferi (Lyme disease)	86603	\$11.74	Antibody; adenovirus
86611\$9.28Antibody; Bartonella86612\$11.77Antibody; Blastomyces86615\$12.03Antibody; Bordetella86617\$14.13Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)86618\$15.53Antibody; Borrelia burgdorferi (Lyme disease)	86606	\$13.74	Antibody; Aspergillus
86611\$9.28Antibody; Bartonella86612\$11.77Antibody; Blastomyces86615\$12.03Antibody; Bordetella86617\$14.13Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)86618\$15.53Antibody; Borrelia burgdorferi (Lyme disease)	86609	\$11.75	Antibody; bacterium, not elsewhere specified
86615 \$12.03 Antibody; Bordetella 86617 \$14.13 Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot) 86618 \$15.53 Antibody; Borrelia burgdorferi (Lyme disease)	86611	\$9.28	Antibody; Bartonella
86617 \$14.13 Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot) Antibody; Borrelia burgdorferi (Lyme disease)	86612	\$11.77	Antibody; Blastomyces
86618 \$15.53 confirmatory test (e.g., Western Blot or immunoblot) Antibody; Borrelia burgdorferi (Lyme disease)	86615	\$12.03	Antibody; Bordetella
\$15.53 Antibody; Borrelia burgdorferi (Lyme disease)	86617	\$14.13	
\$12.21 Antibody; Borrelia (relapsing fever)	86618	\$15.53	
	86619	\$12.21	Antibody; Borrelia (relapsing fever)

<u>Code</u>	Rate	Description
86622	\$8.15	Antibody; Brucella
86625	\$11.97	Antibody; Campylobacter
86628	\$10.95	Antibody; Candida
86631	\$10.79	Antibody; Chlamydia
86632	\$11.57	Antibody; Chlamydia, IgM
86635	\$10.47	Antibody; Coccidioides
86638	\$11.06	Antibody; Coxiella burnetii (Q fever)
86641	\$13.14	Antibody; Cryptococcus
86644	\$13.13	Antibody; cytomegalovirus (CMV)
86645	\$15.37	Antibody; cytomegalovirus (CMV), IgM
86648	\$13.87	Antibody; Diphtheria
86651	\$12.03	Antibody; encephalitis, California (La Crosse)
86652	\$12.03	Antibody; encephalitis, Eastern equine
86653	\$12.03	Antibody; encephalitis, St. Louis
86654	\$12.03	Antibody; encephalitis, Western equine
86658	\$11.88	Antibody; enterovirus (e.g., coxsackie, echo, polio)
86663	\$11.97	Antibody; Epstein-Barr (EB) virus, early antigen (EA)
86664	\$13.95	Antibody; Epstein Barr (EB) virus, nuclear antigen (EBNA)
86665	\$16.55	Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)
86666	\$9.28	Antibody; Ehrlichia
86668	\$10.46	Antibody; Francisella tularensis
86671	\$11.18	Antibody; fungus, not elsewhere specified
86674	\$13.43	Antibody; Giardia lamblia
86677	\$13.23	Antibody; Helicobacter pylori
86682	\$11.87	Antibody; helminth, not elsewhere specified
86684	\$14.45	Antibody; Haemophilus influenza
86687	\$7.65	Antibody; HTLV-I
86688	\$12.77	Antibody; HTLV-II
86689	\$17.66	Antibody; HTLV or HIV antibody, confirmatory test (e.g., Western Blot)
86692	\$15.66	Antibody; hepatitis, delta agent
86694	\$13.13	Antibody; herpes simplex, non-specific type test
86695	\$12.03	Antibody; herpes simplex, type 1
86696	\$17.66	Antibody; herpes simplex, type 2
86698	\$11.40	Antibody; histoplasma
86701	\$8.11	Antibody; HIV-1
		•

Code	Rate	Description
86702	\$12.33	Antibody; HIV-2
86703	\$12.50	Antibody; HIV-1 and HIV-2, single result
86704	\$10.99	Hepatitis B core antibody (HbcAb); total
86705	\$10.74	Hepatitis B-core antibody (HbcAb); IgM antibody
86706	\$9.80	Hepatitis B surface antibody (HbsAb)
86707	\$10.55	Hepatitis Be antibody (HbeAb)
86708	\$11.30	Hepatitis A antibody (HAAb)
86709	\$10.27	Hepatitis A antibody (HAAb), IgM antibody
86710	\$12.36	Antibody; influenza virus
86711	\$13.13	Antibody; JC (John Cunningham) virus
86713	\$13.96	Antibody; Legionella
86717	\$11.17	Antibody; Leishmania
86720	\$12.03	Antibody; Leptospira
86723	\$12.03	Antibody; Listeria monocytogenes
86727	\$11.74	Antibody; lymphocytic choriomeningitis
86732	\$12.03	Antibody; mucormycosis
86735	\$11.90	Antibody; mumps
86738	\$12.07	Antibody; mycoplasma
86741	\$12.03	Antibody; Neisseria meningitidis
86744	\$12.03	Antibody; Nocardia
86747	\$13.71	Antibody; parvovirus
86750	\$12.03	Antibody; Plasmodium (malaria)
86753	\$11.30	Antibody; protozoa, not elsewhere specified
86756	\$11.76	Antibody; respiratory syncytial virus
86757	\$17.66	Antibody; Rickettsia
86759	\$13.47	Antibody; rotavirus
86762	\$13.13	Antibody; rubella
86765	\$11.75	Antibody; rubeola
86768	\$12.03	Antibody; Salmonella
	·	Antibody; severe acute respiratory syndrome
86769	\$42.13	coronavirus 2 (SARS-CoV-2)
0.6771	0.1 0.00	(Coronavirus disease [COVID-19])
86771	\$18.09	Antibody; Shigella
86774	\$13.50	Antibody; tetanus
86777	\$13.13	Antibody; Toxoplasma
86778	\$13.14	Antibody; Toxoplasma, IgM
86780	\$12.07	Antibody; Treponema pallidum

Code	<u>Rate</u>	<u>Description</u>
86784	\$11.46	Antibody; Trichinella
86787	\$11.75	Antibody; varicella zoster
86788	\$15.37	Antibody; West Nile virus, IgM
86789	\$13.13	Antibody; West Nile virus
86790	\$11.75	Antibody; virus, not elsewhere specified
86793	\$12.03	Antibody; Yersinia
86794	\$15.37	Antibody; Zika virus, IgM
86800	\$14.51	Thyroglobulin antibody
86803	\$13.01	Hepatitis C antibody
86804	\$14.13	Hepatitis C antibody; confirmatory test (e.g.,
00004	Ψ14.13	immunoblot)
86805	\$140.02	Lymphocytotoxicity assay, visual crossmatch; with titration
86806	\$43.41	Lymphocytotoxicity assay, visual crossmatch; without titration
86807	\$58.11	Serum screening for cytotoxic percent reactive antibody (PRA); standard method
86808	\$27.07	Serum screening for cytotoxic percent reactive antibody (PRA); quick method
86812	\$23.54	HLA typing; A, B, or C (e.g., A10, B7, B27), single antigen
86813	\$52.90	HLA typing; A, B, or C, multiple antigens
86816	\$25.41	HLA typing; DR/DQ, single antigen
86817	\$78.42	HLA typing; DR/DQ, multiple antigens
86821	\$33.35	HLA typing; lymphocyte culture, mixed (MLC)
86825	\$80.90	Human leukocyte antigen (HLA) crossmatch, non- eytotoxic (e.g., using flow cytometry); first serum sample or dilution
86826	\$26.99	Human leukocyte antigen (HLA) crossmatch, non- cytotoxic (e.g., using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)
86828	\$47.43	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I and Class II HLA antigens

<u>Code</u>	<u>Rate</u>	<u>Description</u>
86829	\$ 47.43	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, Flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I or Class II HLA antigens
86830	\$ 73.65	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I
86831	\$ 63.13	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II
86832	\$239.21	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (e.g., individual antigen per bead methodology), HLA Class I
86833	\$240.72	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (e.g., individual antigen per bead methodology), HLA Class II
86834	\$326.15	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (e.g., titer), HLA Class I
86835	\$294.60	Antibody to human leukocyte antigens (HLA), solid phase assays (e.g., microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (e.g., titer), HLA Class II
86849	I.C.	Unlisted immunology procedure
		Transformation
86850	\$7.22	Antibody screen, RBC, each serum technique
86860	I.C.	Antibody elution (RBC), each elution
86870	I.C.	Antibody identification, RBC antibodies, each panel for each serum technique
86880	\$4.91	Antihuman globulin test (Coombs test); direct, each antiserum
86885	\$5.22	Antihuman globulin test (Coombs test); indirect, qualitative, each reagent red cell
86886	\$4.72	Antihuman globulin test (Coombs test); indirect, each antibody titer

<u>Code</u>	<u>Rate</u>	Description
86890	I.C.	Autologous blood or component, collection processing and storage; predeposited
86891	I.C.	Autologous blood or component, collection processing and storage; intra- or postoperative salvage
86900	\$2.73	Blood typing, serologic; ABO
86901	\$2.73	Blood typing, serologic; Rh (D)
86902	\$4.69	Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test
86904	\$12.07	Blood typing, serologic; antigen screening for compatible unit using patient serum, per unit screened
86905	\$3.49	Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each
86906	\$7.07	Blood typing, serologic; Rh phenotyping, complete
86920	I.C.	Compatibility test each unit; immediate spin technique
86921	I.C.	Compatibility test each unit; incubation technique
86922	I.C.	Compatibility test each unit; antiglobulin technique
86923	I.C.	Compatibility test each unit; electronic
86927	I.C.	Fresh frozen plasma, thawing, each unit
86930	I.C.	Frozen blood, each unit; freezing (includes preparation)
86931	I.C.	Frozen blood, each unit; thawing
86932	I.C.	Frozen blood, each unit; freezing (includes preparation) and thawing
86940	\$7.48	Hemolysins and agglutinins; auto, screen, each
86941	\$11.05	Hemolysins and agglutinins; incubated
86945	\$23.15	Irradiation of blood product, each unit
86960	I.C.	Volume reduction of blood or blood product (e.g., red blood cells or platelets), each unit
86965	\$23.15	Pooling of platelets or other blood products
86970	\$18.50	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with chemical agents or drugs, each
86971	\$18.50	Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with enzymes, each
86976	\$18.50	Pretreatment of serum for use in RBC antibody identification; by dilution
86977	\$18.50	Pretreatment of serum for use in RBC antibody identification; incubation with inhibitors, each

Code	Rate	Description
86978	\$ 18.50	Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption
86985	I.C.	Splitting of blood or blood products, each unit
86999	I.C.	Unlisted transfusion medicine procedure
L		Microbiology
87003	\$15.36	Animal inoculation, small animal, with observation and dissection
87015	\$6.09	Concentration (any type), for infectious agents
87040	\$9.41	Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)
87045	\$8.62	Culture, bacterial; stool, aerobic, with isolation and preliminary examination (e.g., KIA, LIA), Salmonella and Shigella species
87046	\$8.62	Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate
87070	\$7.86	Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates
87071	\$8.62	Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
87073	\$8.62	Culture, bacterial; quantitative, anaerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool
87075	\$8.64	Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates
87076	\$7.37	Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate
87077	\$7.37	Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate
87081	\$6.04	Culture, presumptive, pathogenic organisms, screening only
87084	\$20.00	Culture, presumptive, pathogenic organisms, screening only; with colony estimation from density chart
87086	\$7.36	Culture, bacterial; quantitative colony count, urine
87088	\$7.38	Culture, bacterial; with isolation and presumptive identification of each isolate, urine

Code	<u>Rate</u>	Description
87101	\$7.03	Culture, fungi (mold or yeast) isolation, with
0/101	टिए. । क	presumptive identification of isolates; skin, hair, or nail
		Culture, fungi (mold or yeast) isolation, with
87102	\$7.67	presumptive identification of isolates; other source
		(except blood)
87103	\$15.12	Culture, fungi (mold or yeast) isolation, with
07103	Ψ13.12	presumptive identification of isolates; blood
87106	\$9.41	Culture, fungi, definitive identification, each organism;
07100	Ψ2.11	yeast
87107	\$9.41	Culture, fungi, definitive identification, each organism;
	· 	mold
87109	\$14.04	Culture, mycoplasma, any source
87110	\$17.87	Culture, chlamydia, any source
		Culture, tubercle or other acid-fast bacilli (e.g., TB,
87116	\$9.86	AFB, mycobacteria) any source, with isolation and
		presumptive identification of isolates
87118	\$10.79	Culture, mycobacterial, definitive identification, each
07110	Ψ10.77	isolate
87140	\$5.08	Culture, typing; immunofluorescent method, each
07140	Ψ3.00	antiserum
87143	\$11.42	Culture, typing; gas liquid chromatography (GLC) or
07143	Ψ11.42	high pressure liquid chromatography (HPLC) method
	\$4.72	Culture, typing; immunologic method, other than
87147		immunofluorescence (e.g., agglutination grouping), per
		antiserum
	\$18.29	Culture, typing; identification by nucleic acid (DNA or
87149		RNA) probe, direct probe technique, per culture or
		isolate, each organism probed
07150	ф22 O1	Culture, typing; identification by nucleic acid (DNA or
87150	\$32.01	RNA) probe, amplified probe technique, per culture or
97152	¢5.70	isolate, each organism probed Culture, typing identification by pulse field cell typing
87152	\$5.72	Culture, typing; identification by pulse field gel typing
87158	\$5.72	Culture, typing; other methods
87164	\$9.80	Dark field examination, any source (e.g., penile,
3,10.	Ψ /.	vaginal, oral, skin); includes specimen collection
87166	\$10.31	Dark field examination, any source (e.g., penile,
		vaginal, oral, skin); without collection
87168	\$3.89	Macroscopic examination; arthropod
87169	\$3.89	Macroscopic examination; parasite
87172	\$3.89	Pinworm exam (e.g., cellophane tape prep)
87176	\$5.36	Homogenization, tissue, for culture

<u>Code</u>	Rate	Description
87177	\$8.12	Ova and parasites, direct smears, concentration and identification
87181	\$4.33	Susceptibility studies, antimicrobial agent; agar dilution method, per agent (e.g., antibiotic gradient strip)
87184	\$6.29	Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)
87185	\$4.33	Susceptibility studies, antimicrobial agent; enzyme detection (e.g., beta lactamase), per enzyme
87186	\$7.88	Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi- antimicrobial, per plate
87187	\$ 29.68	Susceptibility studies, antimicrobial agent; microdilution or agar dilution, minimum lethal concentration (MLC), each plate (List separately in addition to code for primary procedure)
87188	\$6.06	Susceptibility studies, antimicrobial agent; macrobroth dilution method, each agent
87190	\$5.40	Susceptibility studies, antimicrobial agent; mycobacteria, proportion method, each agent
87197	\$13.71	Serum bactericidal titer (Schlichter test)
87205	\$3.89	Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types
87206	\$4.91	Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types
87207	\$5.47	Smear, primary source with interpretation; special stain for inclusion bodies or parasites (e.g., malaria, coccidia, microsporidia, trypanosomes, herpes viruses)
87209	\$16.40	Smear, primary source with interpretation; complex special stain (e.g., trichrome, iron hemotoxylin) for ova and parasites
87210	\$4.30	Smear, primary source with interpretation; wet mount for infectious agents (e.g., saline, India ink, KOH preps)
87220	\$3.89	Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (e.g., scabies)
87230	\$18.01	Toxin or antitoxin assay, tissue culture (e.g., Clostridium difficile toxin)
87250	\$17.84	Virus isolation; inoculation of embryonated eggs, or small animal, includes observation and dissection

Code	Rate	<u>Description</u>
87252	\$22.70	Virus isolation; tissue culture inoculation, observation,
01232	\$23.78	and presumptive identification by cytopathic effect
		Virus isolation; tissue culture, additional studies or
87253	\$18.43	definitive identification (e.g., hemabsorption,
		neutralization, immunofluorescence stain), each isolate
		Virus isolation; centrifuge enhanced (shell vial)
8725 4	\$17.84	technique, includes identification with
		immunofluorescence stain, each virus
		Virus isolation; including identification by non-
87255	\$30.89	immunologic method, other than by cytopathic effect
		(e.g., virus specific enzymatic activity)
07260	\$10.04	Infectious agent antigen detection by
87260	\$10.94	immunofluorescent technique; adenovirus
		Infectious agent antigen detection by
87265	\$10.94	immunofluorescent technique; Bordetella
		pertussis/parapertussis
		Infectious agent antigen detection by
87267	\$10.94	immunofluorescent technique; Enterovirus, direct
	ψ1 0.21	fluorescent antibody (DFA)
		Infectious agent antigen detection by
87269	\$10.94	immunofluorescent technique; giardia
		Infectious agent antigen detection by
87270	\$10.94	immunofluorescent technique; Chlamydia trachomatis
		Infectious agent antigen detection by
87271	\$10.94	immunofluorescent technique; Cytomegalovirus, direct
0/2/1		fluorescent antibody (DFA)
87272	\$10.94	Infectious agent antigen detection by
		immunofluorescent technique; cryptosporidium
		Infectious agent antigen detection by
87273	\$10.94	immunofluorescent technique; Herpes simplex virus
0,2,3		type 2
		Infectious agent antigen detection by
87274	\$10.94	immunofluorescent technique; Herpes simplex virus
07274		
		type 1 Infectious agent antigen detection by
87275	\$10.94	immunoflyoroscont techniques inflyonas P virus
		immunofluorescent technique; influenza B virus
87276	\$11.87	Infectious agent antigen detection by
	,	immunofluorescent technique; influenza A virus
87278	\$11.53	Infectious agent antigen detection by
		immunofluorescent technique; Legionella pneumophila
07070	φ10.14	Infectious agent antigen detection by
87279	\$12.14	immunofluorescent technique; Parainfluenza virus,
		each type

<u>Code</u>	Rate	Description
87280	\$10.94	Infectious agent antigen detection by immunofluorescent technique; respiratory syncytial virus
87281	\$10.94	Infectious agent antigen detection by immunofluorescent technique; Pneumocystis carinii
87283	\$44.92	Infectious agent antigen detection by immunofluorescent technique; Rubeola
87285	\$10.94	Infectious agent antigen detection by immunofluorescent technique; Treponema pallidum
87290	\$10.94	Infectious agent antigen detection by immunofluorescent technique; Varicella zoster virus
87299	\$11.90	Infectious agent antigen detection by immunofluorescent technique; not otherwise specified, each organism
87300	\$ 10.94	Infectious agent antigen detection by immunofluorescent technique; polyvalent for multiple organisms, each polyvalent antiserum
87301	\$ 10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; adenovirus enteric types 40/41
87305	\$10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Aspergillus
87320	\$11.08	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Chlamydia trachomatis
87324	\$1 0.9 4	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Clostridium difficile toxin(s)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87327	\$ 10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Cryptococcus neoformans
87328	\$ 10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; cryptosporidium
87329	\$ 10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple step method; giardia
87332	\$ 10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; cytomegalovirus
87335	\$ 10.9 4	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Escherichia coli 0157
87336	\$11.82	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Entamoeba histolytica dispar group
87337	\$ 10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Entamoeba histolytica group

Code	<u>Rate</u>	Description
87338	\$13.12	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Helicobacter pylori, stool
87339	\$11.82	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple step method; Helicobacter pylori
87340	\$9.42	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple step method; hepatitis B surface antigen (HbsAg)
87341	\$9.42	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple step method; hepatitis B surface antigen (HbsAg) neutralization
87350	\$10.51	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple step method; hepatitis Beantigen (HbeAg)
87380	\$14.97	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple step method; hepatitis, delta agent
87385	\$10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Histoplasma capsulatum

<u>Code</u>	<u>Rate</u>	<u>Description</u>
		Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme
		linked immunosorbent assay [ELISA],
87389	\$21.97	immunochemiluminometric assay [IMCA]) qualitative
		or semiquantitative, multiple-step method; HIV-1
		antigen(s), with HIV-1 and HIV-2 antibodies, single result
		Infectious agent antigen detection by immunoassay
07200	0.4 7 9 0	technique, (e.g., enzyme immunoassay [EIA], enzyme-
87390	\$17.78	linked immunosorbent assay [ELISA],
		immunochemiluminometric assay [IMCA]) qualitative
		or semiquantitative, multiple-step method; HIV-1
		Infectious agent antigen detection by immunoassay
0776	.	technique, (e.g., enzyme immunoassay [EIA], enzyme-
87391	\$16.18	linked immunosorbent assay [ELISA],
		immunochemiluminometric assay [IMCA]) qualitative
		or semiquantitative, multiple step method; HIV 2
		Infectious agent antigen detection by immunoassay
		technique, (e.g., enzyme immunoassay [EIA], enzyme-
87400	\$10.94	linked immunosorbent assay [ELISA],
07100	Ψ10.24	immunochemiluminometric assay [IMCA]) qualitative
		or semiquantitative, multiple step method; Influenza, A
		or B, each
		Infectious agent antigen detection by immunoassay
	\$10.94	technique, (e.g., enzyme immunoassay [EIA], enzyme-
87420		linked immunosorbent assay [ELISA],
020		immunochemiluminometric assay [IMCA]) qualitative
		or semiquantitative, multiple-step method; respiratory
		syncytial virus
		Infectious agent antigen detection by immunoassay
07.40.5	* .	technique, (e.g., enzyme immunoassay [EIA], enzyme-
87425	\$10.94	linked immunosorbent assay [ELISA],
		immunochemiluminometric assay [IMCA]) qualitative
		or semiquantitative, multiple step method; rotavirus
		Infectious agent antigen detection by immunoassay
		technique, (e.g., enzyme immunoassay [EIA], enzyme-
07.45		linked immunosorbent assay [ELISA],
87426	\$10.94	immunochemiluminometric assay [IMCA]) qualitative
		or semiquantitative, multiple step method; severe acute
		respiratory syndrome coronavirus (e.g., SARS-CoV,
		SARS CoV 2 [COVID-19])

<u>Code</u>	<u>Rate</u>	Description
87427	\$10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Shiga-like toxin
87428	I.C.	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (e.g., SARS-CoV, SARS-CoV 2 [COVID-19]) and influenza virus types A and B
87430	\$12.42	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple step method; Streptococcus, group A
87449	\$10.94	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism
87450	\$ 8.75	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; single step method, not otherwise specified, each organism
87451	\$8.75	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzymelinked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple step method, polyvalent for multiple organisms, each polyvalent antiserum
87471	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique
87472	\$39.07	Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, quantification

Code	<u>Rate</u>	Description
87475	\$18.29	Infectious agent detection by nucleic acid (DNA or
8/4/3	\$18.29	RNA); Borrelia burgdorferi, direct probe technique
07.47.6	¢22.01	Infectious agent detection by nucleic acid (DNA or
87476	\$32.01	RNA); Borrelia burgdorferi, amplified probe technique
07400	¢10.20	Infectious agent detection by nucleic acid (DNA or
87480	\$18.29	RNA); Candida species, direct probe technique
07401	¢22.01	Infectious agent detection by nucleic acid (DNA or
87481	\$32.01	RNA); Candida species, amplified probe technique
07400	ф41 10	Infectious agent detection by nucleic acid (DNA or
87482	\$41.18	RNA); Candida species, quantification
		Infectious agent detection by nucleic acid (DNA or
		RNA); central nervous system pathogen (e.g.,
		Neisseria meningitidis, Streptococcus pneumoniae,
		Listeria, Haemophilus influenza, E. coli, Streptococcus
07.400	#200.10	agalactiae, enterovirus, human parechovirus, herpes
87483	\$380.18	simplex virus type 1 and 2, human herpesvirus 6,
		eytomegalovirus, varicella zoster virus, Cryptococcus),
		includes multiplex reverse transcription, when
		performed, and multiplex amplified probe technique,
		multiple types or subtypes, 12-25 targets
07.407	\$18.29	Infectious agent detection by nucleic acid (DNA or
87485		RNA); Chlamydia pneumoniae, direct probe technique
		Infectious agent detection by nucleic acid (DNA or
87486	\$32.01	RNA); Chlamydia pneumoniae, amplified probe
	·	technique
25.425	420.0	Infectious agent detection by nucleic acid (DNA or
87487	\$39.07	RNA); Chlamydia pneumoniae, quantification
25.400	0.4.0.2.0	Infectious agent detection by nucleic acid (DNA or
87490	\$18.29	RNA); Chlamydia trachomatis, direct probe technique
		Infectious agent detection by nucleic acid (DNA or
87491	\$32.01	RNA); Chlamydia trachomatis, amplified probe
	+- -	technique
0=105	***	Infectious agent detection by nucleic acid (DNA or
87492	\$39.51	RNA); Chlamydia trachomatis, quantification
		Infectious agent detection by nucleic acid (DNA or
87493	\$32.01	RNA); Clostridium difficile, toxin gene(s), amplified
07173	ψ <i>32.</i> 01	probe technique
		Infectious agent detection by nucleic acid (DNA or
87495	\$22.19	RNA); cytomegalovirus, direct probe technique
87496		Infectious agent detection by nucleic acid (DNA or
	\$32.01	RNA); cytomegalovirus, amplified probe technique
		Infectious agent detection by nucleic acid (DNA or
87497	\$39.07	RNA); cytomegalovirus, quantification

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87498	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed
87500	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (e.g., enterococcus species van A, van B), amplified probe technique
87501	\$4 6.81	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, includes reverse transcription, when performed, and amplified probe technique, each type or subtype
87502	\$ 77.62	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, first 2 types or sub types
87503	\$ 21.59	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, each additional influenza virus type or sub type beyond 2 (List separately in addition to code for primary procedure)
87505	\$117.02	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (e.g., Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets
87506	\$194.68	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (e.g., Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets
87507	\$380.18	Infectious agent detection by nucleic acid (DNA or RNA); gastrointestinal pathogen (e.g., Clostridium difficile, E. coli, Salmonella, Shigella, norovirus, Giardia), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12–25 targets
87510	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique

<u>Code</u>	Rate	<u>Description</u>
87511	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, amplified probe technique
87512	\$38.09	Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, quantification
87516	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique
87517	\$39.07	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification
87520	\$23.07	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, direct probe technique
87521	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed
87522	\$39.07	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed
87525	\$22.02	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, direct probe technique
87526	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, amplified probe technique
87527	\$38.09	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis G, quantification
87528	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, direct probe technique
87529	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique
87530	\$39.07	Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification
87531	\$42.85	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus 6, direct probe technique
87532	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus 6, amplified probe technique
87533	\$38.09	Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus 6, quantification
87534	\$18.2 9	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique
87535	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed
87536	\$77.62	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed

<u>Code</u>	Rate	<u>Description</u>
87537	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); HIV 2, direct probe technique
87538	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); HIV 2, amplified probe technique, includes reverse transcription when performed
87539	\$43.31	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, quantification, includes reverse transcription when performed
87540	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, direct probe technique
87541	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, amplified probe technique
87542	\$38.09	Infectious agent detection by nucleic acid (DNA or RNA); Legionella pneumophila, quantification
87550	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, direct probe technique
87551	\$35.64	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique
87552	\$39.07	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, quantification
87555	\$ 19.86	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, direct probe technique
87556	\$ 32.01	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique
87557	\$39.07	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, quantification
87560	\$ 20.16	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium intracellulare, direct probe technique
87561	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium intracellulare, amplified probe technique
87562	\$ 39.07	Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, quantification
87563	\$ 25.93	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma genitalium, amplified probe technique

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87580	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, direct probe technique
87581	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique
87582	\$223.59	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, quantification
87590	\$19.86	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique
87591	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique
87592	\$39.07	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, quantification
87623	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low risk types (e.g., 6, 11, 42, 43, 44)
87624	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)
87625	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed
87631	\$ 117.02	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (e.g., adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets
87632	\$ 194.68	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (e.g., adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87633	\$380.18	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (e.g., adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets
87634	\$64.03	Infectious agent detection by nucleic acid (DNA or RNA); respiratory syncytial virus, amplified probe technique
87635	\$ 51.31	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique
87636	I.C.	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) and influenza virus types A and B, multiplex amplified probe technique
87637	I.C.	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), influenza virus types A and B, and respiratory syncytial virus, multiplex amplified probe technique
87640	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique
87641	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique
87650	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique
87651	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique
87652	\$38.09	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, quantification
87653	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique
87660	\$18.29	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique

<u>Code</u>	Rate	Description
87661	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique
87662	\$46.81	Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique
87797	\$22.19	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; direct probe technique, each organism
87798	\$32.01	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism
87799	\$ 39.07	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism
87800	\$36.60	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique
87801	\$64.03	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique
87802	\$10.94	Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group B
87803	\$11.82	Infectious agent antigen detection by immunoassay with direct optical observation; Clostridium difficile toxin A
87804	\$12.23	Infectious agent antigen detection by immunoassay with direct optical observation; Influenza
87806	\$24.21	Infectious agent antigen detection by immunoassay with direct optical observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies
87807	\$ 10.94	Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus
87808	\$11.30	Infectious agent antigen detection by immunoassay with direct optical observation; Trichomonas vaginalis
87809	\$16.08	Infectious agent antigen detection by immunoassay with direct optical observation; adenovirus
87810	\$26.07	Infectious agent antigen detection by immunoassay with direct optical observation; Chlamydia trachomatis
87811	I.C.	Infectious agent antigen detection by immunoassay with direct optical (i.e., visual) observation; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
87850	\$18.15	Infectious agent antigen detection by immunoassay with direct optical observation; Neisseria gonorrhoeae

<u>Code</u>	<u>Rate</u>	<u>Description</u>
87880	\$12.21	Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group A
87899	\$11.87	Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified
87900	\$118.90	Infectious agent drug susceptibility phenotype prediction using regularly updated genotypic bioinformatics
87901	\$234.84	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions
87902	\$234.84	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus
87903	\$445.74	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; first through 10 drugs tested
87904	\$23.78	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; each additional drug tested (List separately in addition to code for primary procedure)
87905	\$11.14	Infectious agent enzymatic activity other than virus (e.g., sialidase activity in vaginal fluid)
87906	\$117.42	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, other region (e.g., integrase, fusion)
87910	\$234.84	Infectious agent genotype analysis by nucleic acid (DNA or RNA); cytomegalovirus
87912	\$234.84	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis B virus
87999	I.C.	Unlisted microbiology procedure
	:	Anatomic Pathology
88000	I.C.	Necropsy (autopsy), gross examination only; without CNS
88005	I.C.	Necropsy (autopsy), gross examination only; with brain
88007	I.C.	Necropsy (autopsy), gross examination only; with brain and spinal cord
88012	I.C.	Necropsy (autopsy), gross examination only; infant with brain
88014	I.C.	Necropsy (autopsy), gross examination only; stillborn or newborn with brain
88016	I.C.	Necropsy (autopsy), gross examination only; macerated stillborn

Code	<u>Rate</u>	Description
88020	I.C.	Necropsy (autopsy), gross and microscopic; without CNS
88025	I.C.	Necropsy (autopsy), gross and microscopic; with brain
88027	I.C.	Necropsy (autopsy), gross and microscopic; with brain and spinal cord
88028	I.C.	Necropsy (autopsy), gross and microscopic; infant with brain
88029	I.C.	Necropsy (autopsy), gross and microscopic; stillborn or newborn with brain
88036	I.C.	Necropsy (autopsy), limited, gross and/or microscopic; regional
88037	I.C.	Necropsy (autopsy), limited, gross and/or microscopic; single organ
88040	I.C.	Necropsy (autopsy); forensic examination
88045	I.C.	Necropsy (autopsy); coroner's call
88099	I.C.	Unlisted necropsy (autopsy) procedure
		Cytopathology
88130	\$16.40	Sex chromatin identification; Barr bodies
88140	\$7.29	Sex chromatin identification; peripheral blood smear, polymorphonuclear drumsticks
88142	\$18.48	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision
88143	\$18.48	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with manual screening and rescreening under physician supervision
88147	\$37.36	Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision
88148	\$13.86	Cytopathology smears, cervical or vaginal; screening by automated system with manual rescreening under physician supervision
88150	\$10.82	Cytopathology, slides, cervical or vaginal; manual screening under physician supervision
88152	\$20.42	Cytopathology, slides, cervical or vaginal; with manual screening and computer assisted rescreening under physician supervision
88153	\$ 17.75	Cytopathology, slides, cervical or vaginal; with manual screening and rescreening under physician supervision

<u>Code</u>	<u>Rate</u>	<u>Description</u>
		Cytopathology, slides, cervical or vaginal; definitive
		hormonal evaluation (e.g., maturation index,
88155	\$10.82	karyopyknotic index, estrogenic index) (List separately
		in addition to code[s] for other technical and
		interpretation services)
		Cytopathology, slides, cervical or vaginal (the
88164	\$10.82	Bethesda System); manual screening under physician
		supervision
		Cytopathology, slides, cervical or vaginal (the
88165	\$31.19	Bethesda System); with manual screening and
		rescreening under physician supervision
		Cytopathology, slides, cervical or vaginal (the
004.55	410.00	Bethesda System); with manual screening and
88166	\$10.82	computer assisted rescreening under physician
		supervision
		Cytopathology, slides, cervical or vaginal (the
001.6	φ10.0 0	Bethesda System); with manual screening and
88167	\$10.82	computer assisted rescreening using cell selection and
		review under physician supervision
		Cytopathology, cervical or vaginal (any reporting
00151	#10.40	system), collected in preservative fluid, automated thin
88174	\$19.49	layer preparation; screening by automated system,
		under physician supervision
		Cytopathology, cervical or vaginal (any reporting
		system), collected in preservative fluid, automated thin
88175	\$24.17	layer preparation; with screening by automated system
		and manual rescreening or review, under physician
		supervision
		Cytogenic Studies
88230	\$106.26	Tissue culture for non-neoplastic disorders;
00230	Ψ100.20	lymphocyte
88233	\$128.37	Tissue culture for non-neoplastic disorders; skin or
00233	Ψ120.57	other solid tissue biopsy
88235	\$134.33	Tissue culture for non-neoplastic disorders; amniotic
00233	Ψ134.33	fluid or chorionic villus cells
88237	\$115.21	Tissue culture for neoplastic disorders; bone marrow,
00257		blood cells
88239	\$134.56	Tissue culture for neoplastic disorders; solid tumor
88240	\$9.66	Cryopreservation, freezing and storage of cells, each
	· 	cell line
88241	\$9.21	Thawing and expansion of frozen cells, each aliquot
88245	\$157.97	Chromosome analysis for breakage syndromes;
00273	φ137.97	baseline Sister Chromatid Exchange (SCE), 20-25 cells

Code	Rate	Description
		Chromosome analysis for breakage syndromes;
00240	0177 07	baseline breakage, score 50-100 cells, count 20 cells, 2
88248	\$157.97	karyotypes (e.g., for ataxia telangiectasia, Fanconi
		anemia, fragile X)
		Chromosome analysis for breakage syndromes; score
88249	\$157.97	100 cells, clastogen stress (e.g., diepoxybutane,
	4-5-7-7-7	mitomycin C, ionizing radiation, UV radiation)
000.11	*****	Chromosome analysis; count 5 cells, 1 karyotype, with
88261	\$195.31	banding
000.10	****	Chromosome analysis; count 15-20 cells, 2 karyotypes,
88262	\$113.70	with banding
		Chromosome analysis; count 45 cells for mosaicism, 2
88263	\$137.09	karyotypes, with banding
88264	\$113.70	Chromosome analysis; analyze 20-25 cells
		Chromosome analysis; amniotic fluid or chorionic
88267	\$163.99	villus, count 15 cells, 1 karyotype, with banding
		Chromosome analysis; <i>in situ</i> for amniotic fluid cells,
88269	\$151.72	count cells from 6-12 colonies, 1 karyotype, with
00207	Ψ131.72	banding
88271	\$19.54	<u> </u>
002/1	\$19.34	Molecular cytogenetics; DNA probe, each (e.g., FISH)
00070	ф20.0 7	Molecular cytogenetics; chromosomal in situ
88272	\$30.07	hybridization, analyze 3-5 cells (e.g., for derivatives
		and markers)
00072	#20.20	Molecular cytogenetics; chromosomal in situ
88273	\$29.30	hybridization, analyze 10-30 cells (e.g., for
		microdeletions)
88274	\$31.76	Molecular cytogenetics; interphase in situ
	•	hybridization, analyze 25-99 cells
88275	\$37.82	Molecular cytogenetics; interphase in situ
	•	hybridization, analyze 100-300 cells
88280	\$24.73	Chromosome analysis; additional karyotypes, each
	•	study
88283	\$62.57	Chromosome analysis; additional specialized banding
	, , , , , , , , , , , , , , , , , , , ,	technique (e.g., NOR, C-banding)
88285	\$19.88	Chromosome analysis; additional cells counted, each
	·	study
88289	\$31.41	Chromosome analysis; additional high resolution study
88371	\$20.27	Protein analysis of tissue by Western Blot, with
00371	Ψ ΔV.Δ1	interpretation and report
88372		Protein analysis of tissue by Western Blot, with
	\$20.75	interpretation and report; immunological probe for
		band identification, each

Code	Rate	Description
88720	\$4.57	Bilirubin, total, transcutaneous
88738	\$4.57	Hemoglobin (Hgb), quantitative, transcutaneous
88740	\$6.92	Hemoglobin, quantitative, transcutaneous, per day; carboxyhemoglobin
88741	\$6.92	Hemoglobin, quantitative, transcutaneous, per day; methemoglobin
•		Other Procedures
89050	\$4.31	Cell count, miscellaneous body fluids (e.g., cerebrospinal fluid, joint fluid), except blood;
89051	\$5.02	Cell count, miscellaneous body fluids (e.g., cerebrospinal fluid, joint fluid), except blood; with differential count
89055	\$3.89	Leukocyte assessment, fecal, qualitative or semiquantitative
89060	\$6.52	Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)
89125	\$4.34	Fat stain, feces, urine, or respiratory secretions
89160	\$3.58	Meat fibers, feces
89190	\$4.33	Nasal smear for eosinophils
	Reproc	luctive Medicine Procedures
89250	I.C.	Culture of oocyte(s)/embryo(s), less than 4 days
89251	I.C.	Culture of oocyte(s)/embryo(s), less than 4 days; with co-culture of oocyte(s)/embryos
89253	I.C.	Assisted embryo hatching, microtechniques (any method)
89254	I.C.	Oocyte identification from follicular fluid
89255	I.C.	Preparation of embryo for transfer (any method)
89257	I.C.	Sperm identification from aspiration (other than seminal fluid)
89258	I.C.	Cryopreservation; embryo(s)
89259	I.C.	Cryopreservation; sperm
89264	I.C.	Sperm identification from testis tissue, fresh or cryopreserved
89268	I.C.	Insemination of oocytes
89272	I.C.	Extended culture of oocyte(s)/embryo(s), 4-7 days
89280	I.C.	Assisted oocyte fertilization, microtechnique; less than or equal to 10 oocytes
89281	I.C.	Assisted oocyte fertilization, microtechnique; greater than 10 oocytes

Code	<u>Rate</u>	<u>Description</u>
		Biopsy, oocyte polar body or embryo blastomere,
89290	I.C.	microtechnique (for pre-implantation genetic
		diagnosis); less than or equal to 5 embryos
		Biopsy, oocyte polar body or embryo blastomere,
89291	I.C.	microtechnique (for pre-implantation genetic
		diagnosis); greater than 5 embryos
89300	\$8.15	Semen analysis; presence and/or motility of sperm
		including Huhner test (post coital)
89310	\$7.85	Semen analysis; motility and count (not including
		Huhner test)
89320	\$10.99	Semen analysis; volume, count, motility, and differential
		Semen analysis; sperm presence and motility of sperm,
89321	\$10.99	if performed
		Semen analysis; volume, count, motility, and
89322	\$14.13	differential using strict morphologic criteria $(e.g.,$
0,322	Ψ1.113	Kruger)
89325	\$9.74	Sperm antibodies
89329	\$17.87	Sperm evaluation; hamster penetration test
00220	\$ 9.02	Sperm evaluation; cervical mucus penetration test, with
89330		or without spinnbarkeit test
	\$17.87	Sperm evaluation, for retrograde ejaculation, urine
89331		(sperm concentration, motility, and morphology, as
		indicated)
89335	I.C.	Cryopreservation, reproductive tissue, testicular
89342	I.C.	Storage (per year); embryo(s)
89343	I.C.	Storage (per year); sperm/semen
89344	I.C.	Storage (per year); reproductive tissue,
07511	1.0.	testicular/ovarian
89346	I.C.	Storage (per year); oocyte(s)
89352	I.C.	Thawing of cryopreserved; embryo(s)
89353	I.C.	Thawing of cryopreserved; sperm/semen, each aliquot
89354	I.C.	Thawing of cryopreserved; reproductive tissue,
07334	1.C.	testicular/ovarian
89356	I.C.	Thawing of cryopreserved; oocytes, each aliquot
89398	I.C.	Unlisted reproductive medicine laboratory procedure
	Other	Pathology and Laboratory
36415	\$2.22	Collection of venous blood by venipuncture
79267	¢0 17	Urea breath test, C-14 (isotopic); acquisition for
78267	\$8.17	analysis
78268	\$69.76	Urea breath test, C-14 (isotopic); analysis

Code	Rate	Description
		Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen
81105	\$111.49	CD61 [GPIHa]) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura),
		gene analysis, common variant, HPA-1a/b (L33P)
81106	\$111.49	Human Platelet Antigen 2 genotyping (HPA 2), GP1BA (glycoprotein Ib [platelet], alpha polypeptide [GPIba]) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant, HPA 2a/b (T145M)
81107	\$111.49	Human Platelet Antigen 3 genotyping (HPA-3), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-3a/b (I843S)
81108	\$111.49	Human Platelet Antigen 4 genotyping (HPA-4), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-4a/b (R143Q)
81109	\$111.49	Human Platelet Antigen 5 genotyping (HPA-5), ITGA2 (integrin, alpha 2 [CD49B, alpha 2 subunit of VLA 2 receptor] [GPIa]) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant (e.g., HPA-5a/b (K505E))
81110	\$111.49	Human Platelet Antigen 6 genotyping (HPA-6w), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa, antigen CD61] [GPIIIa]) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-6a/b (R489Q)
81111	\$111.49	Human Platelet Antigen 9 genotyping (HPA-9w), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41] [GPIIb]) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post- transfusion purpura), gene analysis, common variant, HPA-9a/b (V837M)
81112	\$111.49	Human Platelet Antigen 15 genotyping (HPA-15), CD109 (CD109 molecule) (e.g., neonatal alloimmune thrombocytopenia [NAIT], post transfusion purpura), gene analysis, common variant, HPA-15a/b (S682Y)
81120	\$142.78	IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (e.g., glioma), common variants (e.g., R132H, R132C)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
		IDH2 (isocitrate dehydrogenase 2 [NADP+],
81121	\$218.55	mitochondrial) (e.g., glioma), common variants (e.g.,
		R140W, R172M)
		DMD (dystrophin) (e.g., Duchenne/Becker muscular
81161	I.C.	dystrophy) deletion analysis, and duplication analysis,
		if performed
		BRCA1, BRCA2 (breast cancer 1 and 2) (e.g.,
81162	\$1,664.60	hereditary breast and ovarian cancer) gene analysis;
01102	Ψ1,004.00	full sequence analysis and full duplication/deletion
		analysis
		BRCA1 (BRCA1, DNA repair associated), BRCA2
81163	\$349.46	(BCA2, DNA repair associated) (e.g., hereditary breast
01103	Ψ υποπο	and ovarian cancer) gene analysis; full sequence
		analysis
		BRCA1 (BRCA1, DNA repair associated), BRCA2
		(BCA2, DNA repair associated) (e.g., hereditary breast
81164	\$436.24	and ovarian cancer) gene analysis; full
		duplication/deletion analysis (i.e., detection of large
		gene rearrangements)
		BRCA1 (BRCA1, DNA repair associated) (e.g.,
81165	\$211.23	hereditary breast and ovarian cancer) gene analysis;
		full sequence analysis
		BRCA1 (BRCA1, DNA repair associated) (e.g.,
81166	\$225.02	hereditary breast and ovarian cancer) gene analysis;
01100	Ψ223.02	full duplication/deletion analysis (i.e., detection of
		large gene rearrangements)
		BRCA2 (BRCA2, DNA repair associated) (e.g.,
81167	\$211.23	hereditary breast and ovarian cancer) gene analysis;
01107	\$211.23	full duplication/deletion analysis (i.e., detection of
		large rearrangements)
		ABL1 (ABL proto-oncogene 1, non-receptor tyrosine
81170	\$221.66	kinase) (e.g., acquired imatinib tyrosine kinase
01170	Ψ221.00	inhibitor resistance), gene analysis, variants in the
		kinase domain
81171		AFF2 (AF4/FMR2 family, member 2 [FMR2] (e.g.,
	\$102.30	fragile X mental retardation 2 [FRAXE]) gene
011/1		analysis; evaluation to detect abnormal (e.g.,
		expanded) alleles
		AFF2 (AF4/FMR2 family, member 2 [FMR2] (e.g.,
81172	\$205.22	fragile X mental retardation 2 [FRAXE]) gene
011/2		analysis; characterization of alleles (e.g., expanded size
		and methylation status)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
		AR (androgen receptor) (e.g., spinal and bulbar
81173	\$225.02	muscular atrophy, Kennedy disease, X chromosome
		inactivation) gene analysis; full gene sequence
		AR (androgen receptor) (e.g., spinal and bulbar
81174	\$138.29	muscular atrophy, Kennedy disease, X chromosome
		inactivation) gene analysis; known familial variant
		ASXL1 (additional sex combs like 1, transcriptional
		regulator) (e.g., myelodysplastic syndrome,
81175	\$522.39	myeloproliferative neoplasms, chronic
		myelomonocytic leukemia), gene analysis; full gene
		sequence
		ASXL1 (additional sex combs like 1, transcriptional
		regulator) (e.g., myelodysplastic syndrome,
81176	\$220.65	myeloproliferative neoplasms, chronic
		myelomonocytic leukemia), gene analysis; targeted
		sequence analysis (e.g., exon 12)
		ATN1 (atrophin 1) (e.g., dentatorural-pallidoluysian
81177	\$102.30	atrophy) gene analysis; evaluation to detect abnormal
		(e.g., expanded) alleles
	\$102.30	ATXN1 (ataxin 1) (e.g., spinocerebellar ataxia) gene
81178		analysis; evaluation to detect abnormal (e.g.,
		expanded) alleles
		ATXN2 (ataxin 2) (e.g., spinocerebellar ataxia) gene
81179	\$102.30	analysis; evaluation to detect abnormal (e.g.,
		expanded) alleles
		ATXN3 (ataxin 3) (e.g., spinocerebellar ataxia,
81180	\$102.30	Machado Joseph disease) gene analysis; evaluation to
		detect abnormal (e.g., expanded) alleles
		ATXN7 (ataxin 7) (e.g., spinocerebellar ataxia) gene
81181	\$102.30	analysis; evaluation to detect abnormal (e.g.,
		expanded) alleles
		ATXN8OS (ATXN8 opposite strand [non-protein
81182	\$102.30	coding]) (e.g., spinocerebellar ataxia) gene analysis;
		evaluation to detect abnormal (e.g., expanded) alleles
		ATXN10 (ataxin 10) (e.g., spinocerebellar ataxia) gene
81183	\$102.30	analysis; evaluation to detect abnormal (e.g.,
		expanded) alleles
		CACNA1A (calcium voltage-gated channel subunit
81184	\$102.30	alpha1 A) (e.g., spinocerebellar ataxia) gene analysis;
		evaluation to detect abnormal (e.g., expanded) alleles
		CACNA1A (calcium voltage-gated channel subunit
81185	\$631.91	alpha1 A) (e.g., spinocerebellar ataxia) gene analysis;
		full gene sequence

<u>Code</u>	<u>Rate</u>	Description
81186	\$138.29	CACNA1A (calcium voltage gated channel subunit alpha1 A) (e.g., spinocerebellar ataxia) gene analysis; known familial variant
81187	\$ 102.30	CNBP (CCHC type zinc finger nucleic acid binding protein) (e.g., myotonic dystrophy type 2) gene analysis; evaluation to detect abnormal (e.g., expanded) alleles
81188	\$ 102.30	CSTB (cystatin B) (e.g., Unverricht-Lundborg disease) gene analysis; evaluation to detect abnormal (e.g., expanded) alleles
81189	\$205.22	CSTB (cystatin B) (e.g., Unverricht Lundborg disease) gene analysis; full gene sequence
81190	\$138.29	CSTB (cystatin B) (e.g., Unverricht Lundborg disease) gene analysis; known familial variant
81200	I.C.	ASPA (aspartoacylase) (e.g., Canavan disease) gene analysis; common variants (e.g., E285A, Y231X)
81201	I.C.	APC (adenomatous polyposis coli) (e.g., familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence
81202	I.C.	APC (adenomatous polyposis coli) (e.g., familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; known familial variants
81203	I.C.	APC (adenomatous polyposis coli) (e.g., familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants
81204	\$ 102.30	AR (androgen receptor) (e.g., spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation) gene analysis; characterization of alleles (e.g., expanded size of methylation status)
81205	I.C.	BCKDHB (branched chain keto acid dehydrogenase E1, beta polypeptide) (e.g., maple syrup urine disease) gene analysis; common variants (e.g., R183P, G278S, E422X)
81206	\$ 149.56	BCR/ABL1 (t(9;22)) (e.g., chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative
81207	\$ 132.12	BCR/ABL1 (t(9;22)) (e.g., chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative
81208	\$ 158.57	BCR/ABL1 (t(9;22)) (e.g., chronic myelogenous leukemia) translocation analysis; other breakpoint, qualitative or quantitative
81209	I.C.	BLM (Bloom syndrome, RecQ helicase like) (e.g., Bloom syndrome) gene analysis; 2281del6ins7 variant

Code	<u>Rate</u>	Description
		BRAF (B-Raf proto-oncogene, serine/threonine kinase)
81210	\$129.60	(e.g., colon cancer, melanoma), gene analysis; V600
		variant(s)
		BRCA1, BRCA2 (breast cancer 1 and 2) (e.g.,
81212	\$325.10	hereditary breast and ovarian cancer) gene analysis;
		185delAG, 5385insC, 6174delT variants
81215	\$277.26	BRCA1 (breast cancer 1) (e.g., hereditary breast and
01/213	\$211.20	ovarian cancer) gene analysis; known familial variant
01216	IC	BRCA2 (breast cancer 2) (e.g., hereditary breast and
81216	I.C.	ovarian cancer) gene analysis; full sequence analysis
01017	Ф077.06	BRCA2 (breast cancer 2) (e.g., hereditary breast and
81217	\$277.26	ovarian cancer) gene analysis; known familial variant
		CEBPA (CCAAT/enhancer binding protein [C/EBP],
81218	\$220.65	alpha) (e.g., acute myeloid leukemia), gene analysis;
		full gene sequence
01010	\$110.0#	CALR (calreticulin) (e.g., myeloproliferative
81219	\$110.95	disorders), gene analysis; common variants in exon 9
		CFTR (cystic fibrosis transmembrane conductance
81220	\$411.25	regulator) (e.g., cystic fibrosis) gene analysis; common
01220	Ψ.111.20	variants (e.g., ACMG/ACOG guidelines)
		CFTR (cystic fibrosis transmembrane conductance
81221	I.C.	regulator) (e.g., cystic fibrosis) gene analysis; known
		familial variants
		CFTR (cystic fibrosis transmembrane conductance
81222	I.C.	regulator) (e.g., cystic fibrosis) gene analysis;
01222	1.0.	duplication/deletion variants
		CFTR (cystic fibrosis transmembrane conductance
81223	I.C.	regulator) (e.g., cystic fibrosis) gene analysis; full gene
01220	1.0.	sequence
		CFTR (cystic fibrosis transmembrane conductance
81224	I.C.	regulator) (e.g., cystic fibrosis) gene analysis; intron 8
01221	1.0.	poly T analysis (e.g., male infertility)
		CYP2C19 (cytochrome P450, family 2, subfamily C,
81225	\$215.27	polypeptide 19) (e.g., drug metabolism), gene analysis;
01223	Ψ213.27	common variants (e.g., *2, *3, *4, *8, *17)
		CYP2D6 (cytochrome P450, family 2, subfamily D,
81226		polypeptide 6) (e.g., drug metabolism), gene analysis;
	\$333.16	eommon variants (e.g., *2, *3, *4, *5, *6, *9, *10, *17,
		*19, *29, *35, *41, *1XN, *2XN, *4XN)
		CYP2C9 (cytochrome P450, family 2, subfamily C,
81227	\$129.16	polypeptide 9) (e.g., drug metabolism), gene analysis;
01<i>221</i>		common variants $(e.g., *2, *3, *5, *6)$
		$\frac{\text{common variants }(e.g., +2, +3, +3, +0)}{\text{common variants }(e.g., +2, +3, +0)}$

<u>Code</u>	<u>Rate</u>	<u>Description</u>
		Cytogenomic constitutional (genome-wide) microarray
		analysis; interrogation of genomic regions for copy
81228	I.C.	number variants (e.g., bacterial artificial chromosome
		[BAC] or oligo-based comparative genomic
		hybridization [CGH] microarray analysis)
		Cytogenomic constitutional (genome wide) microarray
0.1.000	* 0	analysis; interrogation of genomic regions for copy
81229	I.C.	number and single nucleotide polymorphism (SNP)
		variants for chromosomal abnormalities
		CYP3A4 (cytochrome P450 family 3 subfamily A
81230	\$129.16	member 4) (e.g., drug metabolism), gene analysis;
01230	Ψ127.10	common variant(s) (e.g., *2, *22)
		CYP3A5 (cytochrome P450 family 3 subfamily A
81231	\$129.16	member 5) (e.g., drug metabolism), gene analysis;
01231	ψ1 27.10	common variants $(e.g., *2, *3, *4, *5, *6, *7)$
		DPYD (dihydropyrimidine dehydrogenase) (e.g., 5-
		fluorouracil/5 FU and capecitabine drug metabolism),
81232	\$129.16	
		gene analysis; common variant(s) (e.g., *2A, *4, *5,
		* 6)
01000	¢120.07	BTK (Bruton's tyrosine kinase) (e.g., chronic
81233	\$130.97	lymphocytic leukemia) gene analysis; common
		variants (e.g., C481S, C481R, C481F)
0.4.0.4	****	DMPK (DM1 protein kinase) (e.g., myotonic
81234	\$102.30	dystrophy type 1) gene analysis; evaluation to detect
		abnormal (expanded) alleles
		EGFR (epidermal growth factor receptor) (e.g., non-
81235	\$239.82	small cell lung cancer) gene analysis; common variants
01233	Ψ237.02	(e.g., exon 19 LREA deletion, L858R, T790M,
		G719A, G719S, L861Q)
		EZH2 (enhancer of zeste 2 polycomb repressive
81236	\$211.23	complex 2 subunit) (e.g., diffuse large B-cell
01230		lymphoma) gene analysis; common variant(s) (e.g.,
		codon 646)
		EZH2 (enhancer of zeste 2 polycomb repressive
01227	¢120.07	complex 2 subunit) (e.g., myelodysplastic syndrome,
81237	\$130.97	myeloproliferative neoplasms) gene analysis, common
		variant(s) (eg, codon 646)
01000	Φ.4.42.22	F9 (coagulation factor IX) (e.g., hemophilia B), full
81238	\$443.32	gene sequence
		DMPK (DM1 protein kinase) (e.g., myotonic
81239	\$205.22	dystrophy type 1) gene analysis; characterization of
01209	Ψ200.22	alleles (e.g., expanded size)
		F2 (prothrombin, coagulation factor II) (e.g., hereditary
81240	\$48.54	hypercoagulability) gene analysis; 20210G>A variant
	,	hypercoagulaointy, gene allarysis, 202100711 Variant

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81241	Φ55 7A	F5 (coagulation factor V) (e.g., hereditary
01241	\$55.74	hypercoagulability) gene analysis; Leiden variant
		FANCC (Fanconi anemia, complementation group C)
81242	I.C.	(e.g., Fanconi anemia, type C) gene analysis; common
		variant (e.g., IVS4+4A>T)
		FMR1 (fragile X mental retardation 1) (e.g., fragile X
81243	I.C.	mental retardation) gene analysis; evaluation to detect
		abnormal (e.g., expanded) alleles
		FMR1 (fragile X mental retardation 1) (e.g., fragile X
81244	I.C.	mental retardation) gene analysis; characterization of
		alleles (e.g., expanded size and methylation status)
		FLT3 (fms related tyrosine kinase 3) (e.g., acute
81245	\$122.29	myeloid leukemia), gene analysis; internal tandem
		duplication (ITD) variants (i.e., exons 14, 15)
		FLT3 (fms-related tyrosine kinase 3) (e.g., acute
81246	\$61.33	myeloid leukemia), gene analysis; tyrosine kinase
		domain (TKD) variants (e.g., D835, I836)
		G6PD (glucose 6-phosphate dehydrogenase) (e.g.,
81247	\$129.16	hemolytic anemia, jaundice), gene analysis; common
		variant(s) (e.g., A, A)
		G6PD (glucose 6-phosphate dehydrogenase) (e.g.,
81248	\$277.26	hemolytic anemia, jaundice), gene analysis; known
		familial variant(s)
		G6PD (glucose 6-phosphate dehydrogenase) (e.g.,
81249	\$443.32	hemolytic anemia, jaundice), gene analysis; full gene
		sequence
	I.C.	G6PC (glucose 6 phosphatase, catalytic subunit) (e.g.,
81250		Glycogen storage disease, type 1a, von Gierke disease)
		gene analysis; common variants (e.g., R83C, Q347X)
		GBA (glucosidase, beta, acid) (e.g., Gaucher disease)
81251	I.C.	gene analysis; common variants (e.g., N370S, 84GG,
		L444P, IVS2+1G>A)
		GJB2 (gap junction protein, beta 2, 26kDa, connexin
81252	I.C.	26) (e.g., nonsyndromic hearing loss) gene analysis;
		full gene sequence
81253		GJB2 (gap junction protein, beta 2, 26kDa, connexin
	I.C.	26) (e.g., nonsyndromic hearing loss) gene analysis;
		known familial variants
		GJB6 (gap junction protein, beta 6, 30kDa, connexin
81254	I.C.	30) (e.g., nonsyndromic hearing loss) gene analysis;
		common variants (e.g., 309kb [del(GJB6-D13S1830)]
		and 232kb [del(GJB6-D13S1854)])

<u>Code</u>	<u>Rate</u>	<u>Description</u>
		HEXA (hexosaminidase A [alpha polypeptide]) (e.g.,
81255	I.C.	Tay Sachs disease) gene analysis; common variants
		(e.g., 1278insTATC, 1421+1G>C, G269S)
		HFE (hemochromatosis) (e.g., hereditary
81256	\$59.62	hemochromatosis) gene analysis; common variants
		(e.g., C282Y, H63D)
		HBA1/HBA2 (alpha globin 1 and alpha globin 2) (e.g.,
		alpha thalassemia, Hb Bart hydrops fetalis syndrome,
81257	I.C.	HbH disease), gene analysis; common deletions or
01231	1.C.	variant (e.g., Southeast Asian, Thai, Filipino,
		Mediterranean, alpha3.7, alpha4.2, alpha20.5, Constant
		Spring)
		HBA1/HBA2 (alpha globin 1 and alpha globin 2) (e.g.,
81258	\$277.26	alpha thalassemia, Hb Bart hydrops fetalis syndrome,
		HbH disease), gene analysis; known familial variant
		HBA1/HBA2 (alpha globin 1 and alpha globin 2) (e.g.,
81259	\$443.32	alpha thalassemia, Hb Bart hydrops fetalis syndrome,
		HbH disease), gene analysis; full gene sequence
		IKBKAP (inhibitor of kappa light polypeptide gene
81260	I.C.	enhancer in B-cells, kinase complex-associated
01200	1.C.	protein) (e.g., familial dysautonomia) gene analysis;
		common variants (e.g., 2507+6T>C, R696P)
		IGH@ (Immunoglobulin heavy chain locus) (e.g.,
		leukemias and lymphomas, B-cell), gene
81261	\$180.60	rearrangement analysis to detect abnormal clonal
		population(s); amplified methodology (e.g.,
		polymerase chain reaction)
		IGH@ (Immunoglobulin heavy chain locus) (e.g.,
		leukemias and lymphomas, B-cell), gene
81262	\$50.65	rearrangement analysis to detect abnormal clonal
		population(s); direct probe methodology (e.g.,
		Southern blot)
		IGH@ (Immunoglobulin heavy chain locus) (e.g.,
81263	\$268.65	leukemia and lymphoma, B-cell), variable region
		somatic mutation analysis
		IGK@ (Immunoglobulin kappa light chain locus) (e.g.,
81264	\$136.21	leukemia and lymphoma, B-cell), gene rearrangement
01204		analysis, evaluation to detect abnormal clonal
		population(s)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81265	\$196.16	Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (e.g., pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [e.g., buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)
81266	I.C.	Comparative analysis using Short Tandem Repeat (STR) markers; each additional specimen (e.g., additional cord blood donor, additional fetal samples from different cultures, or additional zygosity in multiple birth pregnancies) (List separately in addition to code for primary procedure)
81267	\$189.24	Chimerism (engraftment) analysis, post transplantation specimen (e.g., hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection
81268	\$237.88	Chimerism (engraftment) analysis, post transplantation specimen (e.g., hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (e.g., CD3, CD33), each cell type
81269	\$149.54	HBA1/HBA2 (alpha globin 1 and alpha globin 2) (e.g., alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants
81270	\$83.62	JAK2 (Janus kinase 2) (e.g., myeloproliferative disorder) gene analysis; p. Val617Phe (V617F) variant
81271	\$ 102.30	HTT (huntingtin) (e.g., Huntington disease) gene analysis; evaluation to detect abnormal (e.g., expanded) alleles
81272	\$243.46	KIT (v kit Hardy Zuckerman 4 feline sarcoma viral oncogene homolog) (e.g., gastrointestinal stromal tumor [GIST], acute myeloid leukemia, melanoma), gene analysis; targeted sequence analysis (e.g., exons 8, 11, 13, 17, 18)
81273	\$92.26	KIT (v kit Hardy Zuckerman 4 feline sarcoma viral oncogene homolog) (e.g., mastocytosis), gene analysis; D816 variant(s)
81274	\$ 205.22	HTT (huntingtin) (e.g., Huntington disease) gene analysis; characterization of alleles (e.g., expanded) alleles
81275	\$ 142.78	KRAS (Kirsten rat sarcoma viral oncogene homolog) (e.g., carcinoma) gene analysis; variants in exon 2 (e.g., codons 12 and 13)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81276	\$142.78	KRAS (Kirsten rat sarcoma viral oncogene homolog) (e.g., carcinoma) gene analysis; additional variant(s) (e.g., codon 61, codon 146)
81277	\$857.12	Cytogenomic neoplasia (genome wide) microarray analysis, interrogation of genomic regions for copy number and loss of heterozygosity variants for chromosomal abnormalities
81283	\$55.74	IFNL3 (interferon, lambda 3) (e.g., drug response), gene analysis; rs12979860 variant
81284	\$102.30	FXN (frataxin) (e.g., Friedreich ataxia) gene analysis; evaluation to detect abnormal (expanded) alleles
81285	\$205.22	FXN (frataxin) (e.g., Friedreich ataxia) gene analysis; characterization of alleles (e.g., expanded size)
81286	\$205.22	FXN (frataxin) (e.g., Friedreich ataxia) gene analysis; full gene sequence
81287	I.C.	MGMT (O-6-methylguanine DNA methyltransferase) (e.g., glioblastoma multiforme), methylation analysis
81288	\$ 142.10	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; promoter methylation analysis
81289	\$138.29	FXN (frataxin) (e.g., Friedreich ataxia) gene analysis; known familial variant(s)
81290	I.C.	MCOLN1 (mucolipin 1) (e.g., Mucolipidosis, type IV) gene analysis; common variants (e.g., IVS3-2A>G, del6.4kb)
81291	\$48.28	MTHFR (5,10 methylenetetrahydrofolate reductase) (e.g., hereditary hypercoagulability) gene analysis; common variants (e.g., 677T, 1298C)
81292	\$499. <u>02</u>	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81293	\$244. 56	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81294	\$149.54	MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants

Code	<u>Rate</u>	<u>Description</u>
81295	\$282.02	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81296	\$249.53	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81297	\$157.60	MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (e.g., hereditary non polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
81298	\$474.24	MSH6 (mutS homolog 6 [E. coli]) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis
81299	\$ 227.57	MSH6 (mutS homolog 6 [E. coli]) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants
81300	\$175.85	MSH6 (mutS homolog 6 [E. coli]) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
81301	\$264.13	Microsatellite instability analysis (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) of markers for mismatch repair deficiency (e.g., BAT25, BAT26), includes comparison of neoplastic and normal tissue, if performed
81302	I.C.	MECP2 (methyl CpG binding protein 2) (e.g., Rett syndrome) gene analysis; full sequence analysis
81303	I.C.	MECP2 (methyl CpG binding protein 2) (e.g., Rett syndrome) gene analysis; known familial variant
81304	I.C.	MECP2 (methyl CpG binding protein 2) (e.g., Rett syndrome) gene analysis; duplication/deletion variants
81305	\$130.97	MYD88 (myeloid differentiation primary response 88) (e.g., Waldenstrom's macroglobulinemia), lymphoplasmacytic leukemia) gene analysis; p.Leu265Pro (L265P) variant
81306	\$218.56	NUTD15 (nudix hydrolase 15) (e.g., drug metabolism) gene analysis; common variant(s) (e.g., *2, *3, *4, *5, *6)
81307	\$209.02	PALB2 (partner and localizer of BRCA2) (e.g., breast and pancreatic cancer) gene analysis; full gene sequence

<u>Code</u>	<u>Rate</u>	Description
		PALB2 (partner and localizer of BRCA2) (e.g., breast
81308	\$222.67	and pancreatic cancer) gene analysis; known familial
		variant
		PIK3CA (phosphatidylinositol 4, 5-biphosphate 3-
81309	\$203.07	kinase, catalytic subunit alpha) (e.g., colorectal and
01309	\$203.07	breast cancer) gene analysis, targeted sequence
		analysis (e.g., exons 7, 9, 20)
81310	\$182.14	NPM1 (nucleophosmin) (e.g., acute myeloid leukemia)
0131U	\$102.14	gene analysis, exon 12 variants
		NRAS (neuroblastoma RAS viral [v-ras] oncogene
01211	\$210 <i>55</i>	homolog) (e.g., colorectal carcinoma), gene analysis;
81311	\$218.55	variants in exon 2 (e.g., codons 12 and 13) and exon 3
		(e.g., codon 61)
		PABPN1 (poly [A] binding proteinnuclear 1) (e.g.,
81312	\$102.30	oculopharyngeal muscular dystrophy) gene analysis,
		evaluation to detect abnormal (e.g., expanded) alleles
	\$188.45	PCA3/KLK3 (prostate cancer antigen 3 [non-protein
81313		coding]/kallikrein related peptidase 3 [prostate specific
		antigen]) ratio (e.g., prostate cancer)
		PDGFRA (platelet-derived growth factor receptor,
01014	Φ2.42.46	alpha polypeptide) (e.g., gastrointestinal stromal tumor
81314	\$243.46	[GIST]), gene analysis; targeted sequence analysis
		(e.g., exons 12, 18)
		PML/RARalpha, (t(15;17)), (promyelocytic
		leukemia/retinoic acid receptor alpha) (e.g.,
81315	\$189.10	promyelocytic leukemia) translocation analysis;
	,	common breakpoints (e.g., intron 3 and intron 6),
		qualitative or quantitative
		PML/RARalpha, (t(15;17)), (promyelocytic
		leukemia/retinoic acid receptor alpha) (e.g.,
81316	\$189.10	promyelocytic leukemia) translocation analysis; single
		breakpoint (e.g., intron 3, intron 6 or exon 6),
		qualitative or quantitative
		PMS2 (postmeiotic segregation increased 2 [S.
01217	φ 500.20	cerevisiae]) (e.g., hereditary non-polyposis colorectal
81317	\$522.39	cancer, Lynch syndrome) gene analysis; full sequence
		analysis
		PMS2 (postmeiotic segregation increased 2 [S.
01210	\$244.56	cerevisiae]) (e.g., hereditary non-polyposis colorectal
81318		cancer, Lynch syndrome) gene analysis; known
		familial variants

Code	<u>Rate</u>	Description
81319	\$150.36	PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (e.g., hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants
81320	\$217.56	PLCG2 (phospholipase C gamma 2) (e.g., chronic lymphocytic leukemia) gene analysis; common variants (e.g., R665W, S707F, L845F)
81321	\$443.32	PTEN (phosphatase and tensin homolog) (e.g., Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis
81322	\$39.05	PTEN (phosphatase and tensin homolog) (e.g., Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant
81323	\$221.66	PTEN (phosphatase and tensin homolog) (e.g., Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; duplication/deletion variant
8132 4	I.C.	PMP22 (peripheral myelin protein 22) (e.g., Charcot- Marie Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis
81325	I.C.	PMP22 (peripheral myelin protein 22) (e.g., Charcot- Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; full sequence analysis
81326	I.C.	PMP22 (peripheral myelin protein 22) (e.g., Charcot- Marie Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; known familial variant
81327	I.C.	SEPT9 (Septin9) (e.g., colorectal cancer) methylation analysis
81328	\$129.16	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (e.g., adverse drug reaction), gene analysis; common variant(s) (e.g., *5)
81329	\$102.30	SMN1 (survival of motor neon 1, telemetric) (e.g., spinal muscular atrophy) gene analysis; dosage/deletion analysis (e.g., carrier testing), includes SMN2 (survival of motor neuron 2, centromeric) analysis, if performed
81330	I.C.	SMPD1(sphingomyelin phosphodiesterase 1, acid lysosomal) (e.g., Niemann Pick disease, Type A) gene analysis; common variants (e.g., R496L, L302P, fsP330)
81331	I.C.	SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (e.g., Prader Willi syndrome and/or Angelman syndrome), methylation analysis

<u>Code</u>	<u>Rate</u>	Description
81332	\$39.82	SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1-antiproteinase, antitrypsin, member 1) (e.g., alpha-1-antitrypsin deficiency), gene analysis; common variants (e.g., *S and *Z)
81333	\$ 102.30	TGFBI (transforming growth factor beta-induced) (e.g., corneal dystrophy) gene analysis; common variants (e.g., R124H, R124C, R124L, R555W, R555Q)
81334	\$243.46	RUNX1 (runt related transcription factor 1) (e.g., acute myeloid leukemia, familial platelet disorder with associated myeloid malignancy), gene analysis; targeted sequence analysis (e.g., exons 3-8)
81335	\$129.16	TPMT (thiopurine S-methyltransferase) (e.g., drug metabolism), gene analysis; common variants (e.g., *2, *3)
81336	\$225.02	SMN1 (survival of motor neon 1, telemetric) (e.g., spinal muscular atrophy) gene analysis; full gene analysis
81337	\$138.29	SMN1 (survival of motor neon 1, telemetric) (e.g., spinal muscular atrophy) gene analysis; known familial variant(s)
81340	\$ 190.57	TRB@ (T cell antigen receptor, beta) (e.g., leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using amplification methodology (e.g., polymerase chain reaction)
81341	\$45.23	TRB@ (T cell antigen receptor, beta) (e.g., leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using direct probe methodology (e.g., Southern blot)
81342	\$183.80	TRG@ (T cell antigen receptor, gamma) (e.g., leukemia and lymphoma), gene rearrangement analysis; evaluation to detect abnormal clonal population(s)
81343	\$102.30	PPP2R2B (protein phosphatase 2 regulatory subunit Bbeta) (e.g., spinocerebellar ataxia) gene analysis; evaluation to detect abnormal (e.g., expanded) alleles
81344	\$102.30	TBP (TATA box binding protein) (spinoceenellar ataxia) gene analysis; evaluation to detect abnormal (e.g., expanded) alleles
81345	\$138.2 9	TERT (telomerase reverse transcriptase) (e.g., thyroid carcinoma, glioblastoma multiforme) gene analysis; targeted sequence analysis (e.g., promoter region)

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81346	\$129.16	TYMS (thymidylate synthetase) (e.g., 5-fluorouracil/5- FU drug metabolism), gene analysis; common variant(s) (e.g., tandem repeat variant)
81350	I.C.	UGT1A1 (UDP glucuronosyltransferase 1 family, polypeptide A1) (e.g., irinotecan metabolism), gene analysis; common variants (e.g., *28, *36, *37)
81355	I.C.	VKORC1 (vitamin K epoxide reductase complex, subunit 1) (e.g., warfarin metabolism), gene analysis; common variant(s) (e.g., 1639G>A, c.173+1000C>T)
81361	\$ 129.16	HBB (hemoglobin, subunit beta) (e.g., sickle cell anemia, beta thalassemia, hemoglobinopathy); common variant(s) (e.g., HbS, HbC, HbE)
81362	\$ 277.26	HBB (hemoglobin, subunit beta) (e.g., sickle cell anemia, beta thalassemia, hemoglobinopathy); known familial variant(s)
81363	\$149. 5 4	HBB (hemoglobin, subunit beta) (e.g., sickle cell anemia, beta thalassemia, hemoglobinopathy); duplication/deletion variant(s)
81364	\$239.82	HBB (hemoglobin, subunit beta) (e.g., sickle cell anemia, beta thalassemia, hemoglobinopathy); full gene sequence
81370	\$366.81	HLA Class I and II typing, low resolution (e.g., antigen equivalents); HLA A, B, C, DRB1/3/4/5, and DQB1
81371	\$298.88	HLA Class I and II typing, low resolution (e.g., antigen equivalents); HLA A, B, and DRB1 (e.g., verification typing)
81372	\$298.20	HLA Class I typing, low resolution (e.g., antigen equivalents); complete (i.e., HLA A, B, and C)
81373	\$101.58	HLA Class I typing, low resolution (e.g., antigen equivalents); one locus (e.g., HLA A, B, or C), each
81374	\$66.36	HLA Class I typing, low resolution (e.g., antigen equivalents); one antigen equivalent (e.g., B*27), each
81375	\$201.35	HLA Class II typing, low resolution (e.g., antigen equivalents); HLA-DRB1/3/4/5 and DQB1
81376	\$111.49	HLA Class II typing, low resolution (e.g., antigen equivalents); one locus (e.g., HLA DRB1, DRB3/4/5, DQB1, DQA1, DPB1, or DPA1), each
81377	\$83.75	HLA Class II typing, low resolution (e.g., antigen equivalents); one antigen equivalent, each
81378	\$315.22	HLA Class I and II typing, high resolution (i.e., alleles or allele groups), HLA A, B, C, and DRB1
81379	\$305.92	HLA Class I typing, high resolution (i.e., alleles or allele groups); complete (i.e., HLA-A, B, and C)

Code	<u>Rate</u>	<u>Description</u>
81380	\$161.68	HLA Class I typing, high resolution (i.e., alleles or allele groups); one locus (e.g., HLA A, B, or C), each
81381	\$ 125.53	HLA Class I typing, high resolution (i.e., alleles or allele groups); one allele or allele group (e.g., B*57:01P), each
81382	\$112.82	HLA Class II typing, high resolution (i.e., alleles or allele groups); one locus (e.g., HLA-DRB1, -DRB3/4/5, DQB1, DQA1, DPB1, or DPA1), each
81383	\$99.55	HLA Class II typing, high resolution (i.e., alleles or allele groups); one allele or allele group (e.g., HLA-DQB1*06:02P), each
81400	I.C.	Molecular Pathology Procedure Level 1
81401	I.C.	Molecular Pathology Procedure Level 2
81402	I.C.	Molecular Pathology Procedure Level 3
81403	I.C.	Molecular Pathology Procedure Level 4
81404	I.C.	Molecular Pathology Procedure Level 5
81405	I.C.	Molecular Pathology Procedure Level 6
81406	I.C.	Molecular Pathology Procedure Level 7
81407	I.C.	Molecular Pathology Procedure Level 8
81408	I.C.	Molecular Pathology Procedure Level 9
81410	\$ 372.38	Aortic dysfunction or dilation (e.g., Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); genomic sequence analysis panel, must include sequencing of at least 9 genes, including FBN1, TGFBR1, TGFBR2, COL3A1, MYH11, ACTA2, SLC2A10, SMAD3, and MYLK
81411	\$997.60	Aortic dysfunction or dilation (e.g., Marfan syndrome, Loeys Dietz syndrome, Ehler Danlos syndrome type IV, arterial tortuosity syndrome); duplication/deletion analysis panel, must include analyses for TGFBR1, TGFBR2, MYH11, and COL3A1
81412	\$1,809.1 4	Ashkenazi Jewish associated disorders (e.g., Bloom syndrome, Canavan disease, cystic fibrosis, familial dysautonomia, Fanconi anemia group C, Gaucher disease, Tay Sachs disease); genomic sequence analysis panel, must include sequencing of at least 9 genes, including ASPA, BLM, CFTR, FANCC, GBA, HEXA, IKBKAP, MCOLN1, and SMPD1

Code	<u>Rate</u>	Description
	1	Cardiac ion channelopathies (e.g., Brugada syndrome, long QT syndrome, short QT syndrome,
		catecholaminergic polymorphic ventricular
81413	\$533.53	tachycardia); genomic sequence analysis panel, must
		include sequencing of at least 10 genes, including
		ANK2, CASQ2, CAV3, KCNE1, KCNE2, KCNH2,
		KCNJ2, KCNQ1, RYR2, and SCN5A
		Cardiac ion channelopathies (e.g., Brugada syndrome,
		long QT syndrome, short QT syndrome,
81414	\$533.53	catecholaminergic polymorphic ventricular
		tachycardia); duplication/deletion gene analysis panel,
		must include analysis of at least 2 genes, including KCNH2 and KCNQ1
		Exome (e.g., unexplained constitutional or heritable
81415	\$3,531.74	disorder or syndrome); sequence analysis
		Exome (e.g., unexplained constitutional or heritable
		disorder or syndrome); sequence analysis, each
81416	\$8,866.30	comparator exome (e.g., parents, siblings) (List
		separately in addition to code for primary procedure)
		Exome (e.g., unexplained constitutional or heritable
01417	\$20 = 10	disorder or syndrome); re-evaluation of previously
81417	\$236.43	obtained exome sequence (e.g., updated knowledge or
		unrelated condition/syndrome)
		Fetal chromosomal aneuploidy (e.g., trisomy 21,
81420	\$560.83	monosomy X) genomic sequence analysis panel,
01420	Ψ300.03	circulating cell-free fetal DNA in maternal blood, must
		include analysis of chromosomes 13, 18, and 21
		Fetal chromosomal microdeletion(s) genomic sequence
81422	\$560.83	analysis (e.g., DiGeorge syndrome, Cri-du-chat
		syndrome), circulating cell-free fetal DNA in maternal
		blood Genome (e.g., unexplained constitutional or heritable
81425	I.C	disorder or syndrome); sequence analysis
		Genome (e.g., unexplained constitutional or heritable
81426		disorder or syndrome); sequence analysis, each
	I.C.	comparator genome (e.g., parents, siblings) (List
		separately in addition to code for primary procedure)
		Genome (e.g., unexplained constitutional or heritable
01.407	T.C.	disorder or syndrome); re-evaluation of previously
81427	I.C.	obtained genome sequence (e.g., updated knowledge or
		unrelated condition/syndrome)

Code	<u>Rate</u>	<u>Description</u>
		Hearing loss (e.g., nonsyndromic hearing loss, Usher syndrome, Pendred syndrome); genomic sequence
81430	\$1,200.64	analysis panel, must include sequencing of at least 60 genes, including CDH23, CLRN1, GJB2, GPR98, MTRNR1, MYO7A, MYO15A, PCDH15, OTOF,
		SLC26A4, TMC1, TMPRSS3, USH1C, USH1G, USH2A, and WFS1
		Hearing loss (e.g., nonsyndromic hearing loss, Usher
81431	\$502.11	syndrome, Pendred syndrome); duplication/deletion
		analysis panel, must include copy number analyses for STRC and DFNB1 deletions in GJB2 and GJB6 genes
		Hereditary breast cancer related disorders (e.g.,
		hereditary breast cancer, hereditary ovarian cancer,
		hereditary endometrial cancer); genomic sequence
81432	\$619.41	analysis panel, must include sequencing of at least 10
		genes, always including BRCA1, BRCA2, CDH1,
		MLH1, MSH2, MSH6, PALB2, PTEN, STK11, and
		TP53
		Hereditary breast cancer-related disorders (e.g.,
		hereditary breast cancer, hereditary ovarian cancer,
81433	\$400.38	hereditary endometrial cancer); duplication/deletion
		analysis panel, must include analyses for BRCA1,
		BRCA2, MLH1, MSH2, and STK11
		Hereditary retinal disorders (e.g., retinitis pigmentosa,
		Leber congenital amaurosis, cone-rod dystrophy);
		genomic sequence analysis panel, must include
81434	\$441.77	sequencing of at least 15 genes, including ABCA4,
		CNGA1, CRB1, EYS, PDE6A, PDE6B, PRPF31,
		PRPH2, RDH12, RHO, RP1, RP2, RPE65, RPGR, and USH2A
		Hereditary colon cancer disorders (e.g., Lynch
		syndrome, PTEN hamartoma syndrome, Cowden
		syndrome, familial adenomatosis polyposis); genomic
81435	\$533.53	sequence analysis panel, must include sequencing of at
		least 10 genes, including APC, BMPR1A, CDH1,
		MLH1, MSH2, MSH6, MUTYH, PTEN, SMAD4, and
		STK11
T		Hereditary colon cancer disorders (e.g., Lynch
		syndrome, PTEN hamartoma syndrome, Cowden
81436	\$533.53	syndrome, familial adenomatosis polyposis);
	4000.00	duplication/deletion analysis panel, must include
		analysis of at least 5 genes, including MLH1, MSH2,
		EPCAM, SMAD4, and STK11

<u>Code</u>	<u>Rate</u>	<u>Description</u>
81437	\$400.38	Hereditary neuroendocrine tumor disorders (e.g., medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); genomic sequence analysis panel, must include sequencing of at least 6 genes, including MAX, SDHB, SDHC, SDHD, TMEM127, and VHL
81438	\$400.38	Hereditary neuroendocrine tumor disorders (e.g., medullary thyroid carcinoma, parathyroid carcinoma, malignant pheochromocytoma or paraganglioma); duplication/deletion analysis panel, must include analyses for SDHB, SDHC, SDHD, and VHL
81439	\$ 533.53	Hereditary cardiomyopathy (e.g., hypertrophic cardiomyopathy, dilated cardiomyopathy, arrhythmogenic right ventricular cardiomyopathy); genomic sequence analysis panel, must include sequencing of at least 5 cardiomyopathy related genes (e.g., DSG2, MYBPC3, MYH7, PKP2, TTN)
81440	\$2,455.97	Nuclear encoded mitochondrial genes (e.g., neurologic or myopathic phenotypes); genomic sequence panel, must include analysis of at least 100 genes, including BCS1L, C10orf2, COQ2, COX10, DGUOK, MPV17, OPA1, PDSS2, POLG, POLG2, RRM2B, SCO1, SCO2, SLC25A4, SUCLA2, SUCLG1, TAZ, TK2, and TYMP
81442	\$1,583.82	Noonan spectrum disorders (e.g., Noonan syndrome, cardio facio cutaneous syndrome, Costello syndrome, LEOPARD syndrome, Noonan like syndrome); genomic sequence analysis panel, must include sequencing of at least 12 genes, including BRAF, CBL, HRAS, KRAS, MAP2K1, MAP2K2, NRAS, PTPN11, RAF1, RIT1, SHOC2, and SOS1
81443	\$1828.3 4	Genetic testing for severe inherited conditions (e.g., eystic fibrosis, Ashkenazi Jewish associated disorders [e.g., Bloom syndrome, Canavan disease, Fanconi anemia type C, mucolipidosis yipe VI, Gaucher disease, Tay Sachs disease], beta humoglobinopathies, phenylketonuria, galactosemia); genomic sequence analysis panel, must include sequencing of at least 15 genes (e.g., SCADM, ARSA, ASPA, ATP7B, BCKDHA, BCDHB, BLM, CFTR, DHCR7, FANCC, G6PC, GAA, GALT, GBA, GBE1, HBB, HEXA, IBKAP, MCOLN1, PAH)

<u>Code</u>	Rate	<u>Description</u>
81445	\$441. 77	Targeted genomic sequence analysis panel, solid organ neoplasm, DNA analysis, and RNA analysis when performed, 5-50 genes (e.g., ALK, BRAF, CDKN2A, EGFR, ERBB2, KIT, KRAS, NRAS, MET, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), interrogation for sequence variants and copy number variants or rearrangements, if performed
81448	\$533.53	Hereditary peripheral neuropathies (e.g., Charcot-Marie Tooth, spastic paraplegia); genomic sequence analysis panel, must include sequencing of at least 5 peripheral neuropathy related genes (e.g., BSCL2, GJB1, MFN2, MPZ, REEP1, SPAST, SPG11, SPTLC1)
81450	\$ 561.19	Targeted genomic sequence analysis panel, hematolymphoid neoplasm or disorder, DNA analysis, and RNA analysis when performed, 5-50 genes (e.g., BRAF, CEBPA, DNMT3A, EZH2, FLT3, IDH1, IDH2, JAK2, KRAS, KIT, MLL, NRAS, NPM1, NOTCH1), interrogation for sequence variants, and copy number variants or rearrangements, or isoform expression or mRNA expression levels, if performed
81455	\$2,157.17	Targeted genomic sequence analysis panel, solid organ or hematolymphoid neoplasm, DNA analysis, and RNA analysis when performed, 51 or greater genes (e.g., ALK, BRAF, CDKN2A, CEBPA, DNMT3A, EGFR, ERBB2, EZH2, FLT3, IDH1, IDH2, JAK2, KIT, KRAS, MLL, NPM1, NRAS, MET, NOTCH1, PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), interrogation for sequence variants and copy number variants or rearrangements, if performed
81460	\$950.91	Whole mitochondrial genome (e.g., Leigh syndrome, mitochondrial encephalomyopathy, lactic acidosis, and stroke like episodes [MELAS], myoclonic epilepsy with ragged red fibers [MERFF], neuropathy, ataxia, and retinitis pigmentosa [NARP], Leber hereditary optic neuropathy [LHON]); genomic sequence, must include sequence analysis of entire mitochondrial genome with heteroplasmy detection
81465	\$691.57	Whole mitochondrial genome large deletion analysis panel (e.g., Kearns Sayre syndrome, chronic progressive external ophthalmoplegia), including heteroplasmy detection, if performed

<u>Code</u>	Rate	Description
81470	I.C.	X-linked intellectual disability (XLID) (e.g., syndromic and non-syndromic XLID); genomic sequence analysis panel, must include sequencing of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
81471	I.C.	X linked intellectual disability (XLID) (e.g., syndromic and non-syndromic XLID); duplication/deletion gene analysis, must include analysis of at least 60 genes, including ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2
81479	I.C.	Unlisted molecular pathology procedure
81490	\$621.12	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic algorithm reported as a disease activity score
81493	\$775.80	Coronary artery disease, mRNA, gene expression profiling by real time RT PCR of 23 genes, utilizing whole peripheral blood, algorithm reported as a risk score
81500	I.C.	Oncology (ovarian), biochemical assays of two proteins (CA-125 and HE4), utilizing serum, with menopausal status, algorithm reported as a risk score
81503	I.C.	Oncology (ovarian), biochemical assays of five proteins (CA-125, apolipoprotein A1, beta-2 microglobulin, transferrin, and pre-albumin), utilizing serum, algorithm reported as a risk score
81506	I.C.	Endocrinology (type 2 diabetes), biochemical assays of seven analytes (glucose, HbA1c, insulin, hs CRP, adiponectin, ferritin, interleukin 2 receptor alpha), utilizing serum or plasma, algorithm reporting a risk score
81508	I.C.	Fetal congenital abnormalities, biochemical assays of two proteins (PAPP A, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
81509	I.C.	Fetal congenital abnormalities, biochemical assays of three proteins (PAPP-A, hCG [any form], DIA), utilizing maternal serum, algorithm reported as a risk score

Code	<u>Rate</u>	Description
81510	I.C.	Fetal congenital abnormalities, biochemical assays of three analytes (AFP, uE3, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
81511	I.C.	Fetal congenital abnormalities, biochemical assays of four analytes (AFP, uE3, hCG [any form], DIA) utilizing maternal serum, algorithm reported as a risk score (may include additional results from previous biochemical testing)
81512	I.C.	Fetal congenital abnormalities, biochemical assays of five analytes (AFP, uE3, total hCG, hyperglycosylated hCG, DIA) utilizing maternal serum, algorithm reported as a risk score
81518	\$2891.97	Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 11 genes (7 content and 4 housekeeping), utilizing formalin-fixed paraffin- embedded tissue, algorithms reported as percentage risk for metastatic recurrence and likelihood of benefit from extended endocrine therapy
81519	\$ 2,861.60	Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 21 genes, utilizing formalin- fixed paraffin embedded tissue, algorithm reported as recurrence score
81520	\$ 2,289.74	Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin fixed paraffinembedded tissue, algorithm reported as a recurrence risk score
81521	\$2,861.60	Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffinembedded tissue, algorithm reported as index related to risk of distant metastasis
81522	\$2,861.76	Oncology (breast), mRNA, gene expression profiling by RT PCR of 12 genes (8 content and 4 housekeeping), utilizing formalin-fixed paraffinembedded tissue, algorithm reported as recurrence risk score
81525	\$2,302.28	Oncology (colon), mRNA, gene expression profiling by real-time RT PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffinembedded tissue, algorithm reported as a recurrence score

Code	Rate	<u>Description</u>
81528	\$375.98	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result
81535	\$428.14	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; first single drug or drug combination
81536	\$131.19	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by DAPI stain and morphology, predictive algorithm reported as a drug response score; each additional single drug or drug combination (List separately in addition to code for primary procedure)
81538	\$2,121.26	Oncology (lung), mass spectrometric 8 protein signature, including amyloid A, utilizing serum, prognostic and predictive algorithm reported as good versus poor overall survival
81539	\$561.53	Oncology (high-grade prostate cancer), biochemical assay of four proteins (Total PSA, Free PSA, Intact PSA, and human kallikrein-2 [hK2]), utilizing plasma or serum, prognostic algorithm reported as a probability score
81540	\$2,770.72	Oncology (tumor of unknown origin), mRNA, gene expression profiling by real-time RT-PCR of 92 genes (87 content and 5 housekeeping) to classify tumor into main cancer type and subtype, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a probability of a predicted main cancer type and subtype
81541	\$2,861.60	Oncology (prostate), mRNA gene expression profiling by real time RT-PCR of 46 genes (31 content and 15 housekeeping), utilizing formalin-fixed paraffinembedded tissue, algorithm reported as a disease-specific mortality risk score
81542	I.C.	Oncology (prostate), mRNA, microarray gene expression profiling of 22 content genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as metastasis risk score
81545	\$2,659.89	Oncology (thyroid), gene expression analysis of 142 genes, utilizing fine needle aspirate, algorithm reported as a categorical result (e.g., benign or suspicious)

Code	<u>Rate</u>	<u>Description</u>
81551	I.C.	Oncology (prostate), promoter methylation profiling by real-time PCR of 3 genes (GSTP1, APC, RASSF1), utilizing formalin fixed paraffin embedded tissue, algorithm reported as a likelihood of prostate cancer detection on repeat biopsy
81552	I.C.	Oncology (uveal melanoma), mRNA, gene expression profiling by real time RT PCR of 15 genes (12 content and 3 housekeeping), utilizing fine needle aspirate or formalin fixed paraffin embedded tissue, algorithm reported as risk of metastasis
81595	\$2,393.90	Cardiology (heart transplant), mRNA, gene expression profiling by real time quantitative PCR of 20 genes (11 content and 9 housekeeping), utilizing subfraction of peripheral blood, algorithm reported as a rejection risk score
81596	\$53.90	Infectious disease, chronic hepatitis C virus (HCV) infection, six biochemical assays (ALT, A2- macroglobulin, apolipoprotein A-1, totalo bilirubin, GGT, and haptoglobin) utilizing serum, prognostic algorithm reported as scores for fibrosis and necroinflammatory activity in liver
81599	I.C.	Unlisted multianalyte assay with algorithmic analysis
G0027	\$5.93	Semen analysis; presence and/or motility of sperm excluding Huhner
G0103	\$16.78	Prostate cancer screening; prostate specific antigen test (PSA)
G0123	\$18.48	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
G0143	\$19.99	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision
G0144	\$32.49	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision
G0145	\$24.17	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision

<u>Code</u>	Rate	<u>Description</u>
G0147	\$ 10.82	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
G0148	\$ 23.60	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening
G0306	\$7.09	Complete CBC, automated (HgB, HCT, RBC, WBC, without platelet count) and automated WBC differential count
G0307	\$5.90	Complete (CBC), automated (HgB, Hct, RBC, WBC; without platelet count)
G0328	\$14.51	Colorectal cancer screening; fecal occult blood test, immunoassay, 1–3 simultaneous determinations
G0432	\$14.46	Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV-1 and/or HIV-2, screening
G0433	\$13.51	Infectious agent antibody detection by enzyme linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening
G0435	\$ 10.94	Infectious agent antigen detection by rapid antibody test of oral mucosa transudate, HIV-1 or HIV-2, screening
G0480	\$ 59.69	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug specific calibration and matrix matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed

<u>Code</u>	Rate	<u>Description</u>
	, I	Drug test(s), definitive, utilizing (1) drug identification
		methods able to identify individual drugs and
		distinguish between structural isomers (but not
		necessarily stereoisomers), including, but not limited
		to, GC/MS (any type, single or tandem) and LC/MS
		(any type, single or tandem and excluding
		immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA)
		and enzymatic methods (e.g., alcohol dehydrogenase)),
G0481	\$91.84	(2) stable isotope or other universally recognized
		internal standards in all samples (e.g., to control for
		matrix effects, interferences and variations in signal
		strength), and (3) method or drug specific calibration
		and matrix-matched quality control material (e.g., to
		control for instrument variations and mass spectral
		drift); qualitative or quantitative, all sources, includes
		specimen validity testing, per day; 8-14 drug class(es),
		including metabolite(s) if performed
		Drug test(s), definitive, utilizing (1) drug identification
		methods able to identify individual drugs and
		distinguish between structural isomers (but not
	\$123.97	necessarily stereoisomers), including, but not limited
		to, GC/MS (any type, single or tandem) and LC/MS
		(any type, single or tandem and excluding
		immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA)
		and enzymatic methods (e.g., alcohol dehydrogenase)),
G0482		(2) stable isotope or other universally recognized
		internal standards in all samples (e.g., to control for
		matrix effects, interferences and variations in signal
		strength), and (3) method or drug-specific calibration
		and matrix matched quality control material (e.g., to
		control for instrument variations and mass spectral
		drift); qualitative or quantitative, all sources, includes
		specimen validity testing, per day; 15-21 drug
		class(es), including metabolite(s) if performed

<u>Code</u>	<u>Rate</u>	<u>Description</u>
G0483	\$ 160.71	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug specific calibration and matrix matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 22 or more drug class(es), including metabolite(s) if performed
G2023	\$23.46	Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), any specimen source
G2023 CG	\$44.27	Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), any specimen source. [Used when provider 1) has a qualified ordering clinician present at the specimen collection site available to order medically necessary COVID-19 diagnostic tests; and 2) ensures the test results are provided to the patient (along with any initial follow-up counseling, as appropriate), either directly or through the patient's ordering clinician.]
G2024	\$25.46	Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), from an individual in a skilled nursing facility or by a laboratory on behalf of a home health agency, any specimen source

<u>Code</u>	<u>Rate</u>	<u>Description</u>
G2024 CG	\$ 46.27	Specimen collection for severe acute respiratory syndrome coronavirus 2 (SARS CoV-2) (Coronavirus disease [COVID-19]), from an individual in a skilled nursing facility or by a laboratory on behalf of a home health agency, any specimen source. [Used when provider 1) has a qualified ordering clinician present at the specimen collection site available to order medically necessary COVID-19 diagnostic tests; and 2) ensures the test results are provided to the patient (along with any initial follow-up counseling, as appropriate), either directly or through the patient's ordering clinician.]
G9143	\$110.11	Warfarin responsiveness testing by genetic technique using any method, any number of specimen(s)
P2028	I.C.	Cephalin floculation, blood
P2029	I.C.	Congo red, blood
P2031	I.C.	Hair analysis (excluding arsenic)
P2033	I.C.	Thymol turbidity, blood
P2038	\$4.51	Mucoprotein, blood (seromucoid) (medical necessity procedure)
P9604	\$4 .59	Travel allowance, one way in connection with medically necessary laboratory specimen collection drawn from homebound or nursing homebound patient; prorated trip charge
P9612	\$ 2.22	Catheterization for collection of specimen, single patient, all places of service
P9615	\$2.22	Catheterization for collection of specimen(s) (multiple patients)
Q0111	\$10.82	Wet mounts, including preparations of vaginal, cervical or skin specimens
Q0112	\$4.31	All potassium hydroxide (KOH) preparations
Q0113	\$3.89	Pinworm examinations
Q0114	\$7.20	Fern test
Q0115	\$18.47	Postcoital direct, qualitative examinations of vaginal or cervical mucous
U0002	\$51.31	2019 nCoV Coronavirus, SARS-CoV-2/2019 nCoV (COVID-19) using any technique, multiple types or subtypes (includes all targets)

101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

<u>Code</u>	<u>Rate</u>	<u>Description</u>
U0003	\$75.00	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, making use of high throughput technologies as described by CMS-2020-01-R
U0004	\$75.00	2019 nCoV Coronavirus, SARS CoV 2/2019 nCoV (COVID 19), any technique, multiple types or subtypes (includes all targets), non CDC, making use of high throughput technologies as described by CMS-2020 01 R
U0005	\$ 25.00	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, CDC or non-CDC, making use of high throughput technologies, completed within 2 calendar days from date and time of specimen collection. In addition, to be eligible to bill this code, laboratory must complete the majority of their COVID-19 diagnostic tests that use high throughput technology in two calendar days or less for all of their patients in the previous month.

320.06: Filing and Reporting Requirements

- (1) <u>Required Reports</u>. Reporting requirements are governed by 957 CMR 6.00: *Cost Reporting Requirements*.
- (2) <u>Penalty for Noncompliance</u>. The purchasing governmental unit may impose a penalty in the amount of up to 15% of its payments to any provider that fails to submit required information. The purchasing governmental unit will notify the provider in advance of its intention to impose a penalty under 101 CMR 320.06(2).

101 CMR 320.00: RATES FOR CLINICAL LABORATORY SERVICES

320.07: Severability

The provisions of 101 CMR 320.00 are severable, and if any provision of 101 CMR 320.00 or application of such provision to any eligible clinical laboratory provider or any circumstances are held to be invalid or unconstitutional, such invalidity will not be construed to affect the validity or constitutionality of any remaining provisions to any eligible clinical laboratory providers or circumstances other than those held invalid.

REGULATORY AUTHORITY

101 CMR 320.00: M.G.L. c. 12C and M.G.L. c. 118E.